

Lighting & Electrical Catalog

Edisi Juli (I) 2026

MORGEN®

Tata cahaya dan elektrikal dengan keanggunan sempurna bersama Morgen, teman setia untuk mempercantik ruang Anda.

Dengan desain yang inovatif dan teknologi penerangan dan elektrikal terdepan, produk lampu dan elektrikal kami memberikan kehangatan dan keindahan yang menyeluruh. Morgen bukan sekadar produk, melainkan gaya hidup yang inovatif. Dari desain yang modern hingga sentuhan klasik, kami menghadirkan beragam pilihan untuk memenuhi selera estetika Anda.

Dengan Morgen, mari ciptakan suasana yang indah, karena setiap momen pantas mendapatkan pencahayaan terbaik.



LED Bulb Ultimate Series



BEST SELLING

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LUB10A04	4	560	WW/NW/CW	36	Ø60*112
MG-LUB10A06	6	840	WW/NW/CW	54	Ø60*112
MG-LUB10A08	8	1120	WW/NW/CW	72	Ø60*112
MG-LUB10A10	10	1400	WW/NW/CW	90	Ø60*120
MG-LUB10A12	12	1680	WW/NW/CW	109	Ø60*123
MG-LUB10A14	14	1960	WW/NW/CW	127	Ø70*140
MG-LUB10A16	16	2240	WW/NW/CW	145	Ø80*150
MG-LUB10A24	24	3360	WW/NW/CW	218	Ø95*180

170-240V
Umur Lampu 50.000 Jam
Sudut Cahaya 200°
CRI ≥80
Material : PA + AL
Fitting E27

LED Bulb Buy 4 More Saving Ultimate Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS70204P	4.5	560	CW/WW	36	Ø60*110
	6.5	840	CW/WW	54	Ø60*110
	8.5	1120	CW/WW	72	Ø60*110
	10.5	1400	CW/WW	90	Ø60*118
	12.5	1680	CW/WW	109	Ø60*125
	14.5	1960	CW/WW	127	Ø70*143

170-240V
Umur Lampu 50.000 Jam
Sudut Cahaya 200°
CRI ≥80
Material : PA + AL
Fitting E27

LED Bulb Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS60201	3	300	WW/CW	27	Ø45*79
MG-LBS60201	5	500	WW/CW	45	Ø50*86
MG-LBS60201	7	700	WW/CW	63	Ø60*112
MG-LBS60201	9	900	WW/CW	81	Ø60*112
MG-LBS60201	11	1100	WW/CW	100	Ø60*118
MG-LBS60201	15	1500	WW/CW	136	Ø70*140
MG-LBS60201	20	2000	CW	181	Ø80*150
MG-LBS60201	26	2600	CW	227	Ø95*180

170-240V
Umur Lampu 15.000 Jam
Sudut Cahaya 200°
CRI ≥80
Material : PA + AL
Fitting E27

LED Bulb Buy 4 More Saving Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS60204P	5	500	CW	45	Ø60*108
	7	700	CW	63	Ø60*108
	9	900	CW	81	Ø60*108
	11	1100	CW	100	Ø60*118
	15	1500	CW	136	Ø70*138

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 200° | CRI ≥80

Material : PA + AL | Fitting E27

LED Bulb Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS50201	5	450/400	WW/NW/CW	50	Ø50*86
MG-LBS50201	7	630/560	WW/NW/CW	65	Ø60*107
MG-LBS50201	9	810/720	WW/NW/CW	85	Ø60*107
MG-LBS50201	11	990/880	WW/NW/CW	97	Ø65*117
MG-LBS50201	14	1260	WW/NW/CW	110	Ø65*125
MG-LBS50201	16	1440	WW/NW/CW	130	Ø70*135
MG-LBS50201	18	1620	WW/NW/CW	135	Ø81*152
MG-LBS50204	30	3000	CW	272	Ø105*202
MG-LBS50204	35	3500	CW	318	Ø118*218

170-240V | Umur Lampu 5W-18W 25.000 Jam | Umur Lampu 30W-35W 15.000 Jam

Material 5W-18W : PBT
Material 30W-35W : AL + PC | Fitting E27 | CRI ≥80 | Sudut Cahaya 200°

LED Bulb Buy 4 More Saving Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS50204P	5	500/450	CW/WW	45	Ø60*106
	7	700/630	CW/WW	63	Ø60*106
	9	900/810	CW/WW	81	Ø60*106
	12	1200/1080	CW/WW	109	Ø65*124
	16	1600/1440	CW/WW	145	Ø70*133
	18	1800/1620	CW/WW	163	Ø80*146
	22	2200/1980	CW/WW	200	Ø92*169

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 200° | CRI ≥80

Material : AL + PC | Fitting E27

LED Bulb Trend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA
MG-TBA05	5	450	WW/CW
MG-TBA07	7	630	WW/CW
MG-TBA09	9	800	WW/CW
MG-TBA11	11	1100	WW/CW
MG-TBA14	14	1350	WW/CW
MG-TBA18	18	1800	WW/CW

- 220-240V
- Umur Lampu 15.000 Jam
- Sudut Cahaya 200°
- CRI ≥80
- Material : PBT
- Fitting E27

LED Light Sensor Bulb Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LLSB10A09	9	810/900	WW/CW	81	Ø60*118
MG-LLSB10A11	11	990/1100	WW/CW	100	Ø60*123

- Fitting E27
- CRI ≥80
- 170-240V
- Umur Lampu 15.000 Jam
- Sudut Cahaya 200°
- Material : PBT

LED Light Sensor Capsule Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LLSC10A20	20	1800/2000	WW/CW	181	Ø80*135

- Fitting E27
- 170-240V
- Umur Lampu 15.000 Jam
- Sudut Cahaya 200°
- Material : PBT
- CRI ≥80

LED Capsule Legend Series



30W, 40W, 50W



60W, 80W

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LCS60301	20	2000	CW	181	Ø80*138
	30	3000	CW	272	Ø100*159
	40	4000	CW	363	Ø118*185
	50	5000	CW	454	Ø138*207
	60	6000	CW	545	Ø160*275
	80	8000	CW	727	Ø180*300

- 170-240 V
- Umur Lampu 15.000 Jam
- Sudut Cahaya 200°
- Material : AL + PC
- Fitting E27
- CRI ≥80

LED Capsule Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)
MG-LTB05	5	450	WW/NW/CW	50
MG-LTB08	8	790	WW/NW/CW	75
MG-LTB11	11	1000	WW/NW/CW	70
MG-LTB15	15	1350	WW/CW	75
MG-LTB20	20	1800	CW	164
MG-LTB30	30	2700	CW	170
MG-LTB40	40	3600	CW	190

- 170-240V
- Umur Lampu 15.000 Jam
- Sudut Cahaya 200°
- CRI ≥80
- Material : PBT + AL
- Fitting E27



LED Bulb Stick Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LBS4509	9	800	WW/NW/CW	85	Ø38*118
MG-LBS4512	12	1000	WW/NW/CW	97	Ø45*143
MG-LBS4515	15	1350	WW/NW/CW	136	Ø52*167

Fitting E27

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | CRI ≥80 | Material : PA + AL



LED High Bay Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LHB30	30	2700	CW	Ø100*131
MG-LHB50	50	4500	CW	Ø118*155

Material : PA + AL

Fitting E27

100-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 200° | CRI ≥80



LED Capsule Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LCS50301	20	1800	WW/CW	Ø80*143
MG-LCS50301	30	2700	WW/CW	Ø115*201
MG-LCS50301	40	3600	CW	Ø125*213
MG-LCS50301	50	4500	CW	Ø140*224

Material : PBT

CRI ≥80

Fitting E27

130-240V | Umur Lampu 25.000 Jam | Sudut Cahaya 200°

LED Downlight Inbow Grand Series



MG - GDLIBAR



MG - GDLIBAS

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	INCH
MG-GDLIB004AR	4	320/360	CW/WW/NW	Ø98*25.5	3"
MG-GDLIB005AR	5	400/450	CW/WW/NW	Ø118*25.5	3.5"
MG-GDLIB009AR	9	720/810	CW/WW/NW	Ø145*25.5	4"
MG-GDLIB012AR	12	1080/1200	CW/WW/NW	Ø175*26.5	6"
MG-GDLIB018AR	18	1620/1080	CW/WW/NW	Ø218*27.5	8"
MG-GDLIB026AR	26	2340/2600	CW/WW	Ø295*30	10.5"
MG-GDLIB009AS	9	720/810	CW/WW	145*145*26.5	4"
MG-GDLIB012AS	12	1080/1200	CW/WW	175*175*26.5	6"
MG-GDLIB018AS	18	1620/1800	CW/WW	218*218*27.5	8"
MG-GDLIB026AS	26	2340/2600	CW/NW	295*295*30	10.5"

BEST SELLING

110-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : PP | CRI ≥80

LED Downlight Outbow Grand Series




ROUND WHITE ROUND BLACK



SQUARE WHITE

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	INCH	v
MG - GDLOB006AR	6	480/540	CW/WW/NW	Ø123*35	5"	WHITE/BLACK
MG - GDLOB012AR	12	1080/1200	CW/WW/NW	Ø174*35	7"	WHITE/BLACK
MG - GDLOB018AR	18	1620/1800	CW/WW/NW	Ø226*35	9"	WHITE/BLACK
MG-GDLOB026AR	26	2340/2600	CW/WW	Ø289*38	11.5"	WHITE
MG - GDLOB006AS	6	480/600	CW/WW/NW	123*123*35	3.5"	WHITE
MG - GDLOB012AS	12	1620/1200	CW/WW/NW	175*175*35	7"	WHITE
MG - GDLOB018AS	18	1620/1800	CW/WW/NW	225*225*35	9"	WHITE
MG-GDLOB026AS	26	2340/2600	CW/WW	289*289*38	11.5"	WHITE

BEST SELLING

110-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : PP | CRI ≥80







*NEW

LED Downlight Panel Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	MATERIAL
MG-GDLIB10048 (Inbow)	48	4800	NW/CW	670	600*600	Iron
MG-GDLIB20048 (Inbow)	48	4800	NW/CW	670	300*1200	Iron
MG-PNL50101 (Outbow)	48	3840	CW	600	300*1200	Iron
MG-PNL50101 (Outbow)	36	2880	WW/NW/CW	720	300*600	PP

110-265V | Umur Lampu 20.000 Jam | Sudut Cahaya 120° | CRI ≥80

LED Downlight Legend Series





MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	INCH	TIPE
MG-LDL13005	5	450	WW/NW/CW	Ø90*30	3″	Round
MG-LDL13007	7	630	WW/NW/CW	Ø105*30	3.5″	Round
MG-LDL13009	9	810	WW/NW/CW	Ø120*30	4″	Round
MG-LDL13012	12	1200	WW/NW/CW	Ø145*30	5″	Round
MG-LDL13015	15	1500	WW/NW/CW	Ø170*30	6″	Round
MG-LDL13022	22	2200	WW/NW/CW	Ø220*30	8″	Round
MG-DLS012	12	860	WW/NW/CW	102*102	4″	Square
MG-DLS015	15	1200	WW/NW/CW	152*152	6″	Square
MG-DLS22	22	1440	WW/NW/CW	203*203	8″	Square

170-240V | Umur Lampu 20.000 Jam | Sudut Cahaya 120° | Material : PC | CRI ≥80

LED Bulkhead Light (Emergency) Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-EGL60401	20	1800	CW	175	267*137*46

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 120° | Material : Plastic

IP 65 | CRI ≥80

LED Dowlight 3 Color Legend Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-PNL60102R	5	400	Switchable WW/NW/CW	45	Ø90*30
	7	560	Switchable WW/NW/CW	63	Ø105*30
	9	720	Switchable WW/NW/CW	90	Ø120*30*Ø105
	15	1200	Switchable WW/NW/CW	140	Ø170*30*Ø150
	24	1920	Switchable WW/NW/CW	220	Ø220*30*Ø200

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material: 9W-24W : PC Material 5W-7W: PP | CRI ≥80

LED Downlight Antiglare Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSION (mm)	INCH
MG-DL51801	9	720	WW/NW/CW	66	Ø95.5*30.5*Ø60	2″
MG-DL51801	12	960	WW/NW/CW	90	Ø115*31.5*Ø95	4″
MG-DL51801	18	1440	WW/NW/CW	120	Ø140*32.5*Ø120	5″
MG-DL51801	24	1920	WW/NW/CW	180	Ø175*33.5*Ø150	6″

220-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 112° | Material : Iron Powder, PS Cover | CRI ≥80

LED Downlight COB Antiglare Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	INCH	ARUS (mA)	DIMENSI (mm)
MG-DL61802	10	850	WW/NW/CW	3″	50	Ø86*45*Ø75
	20	1800	WW/NW/CW	4″	100	Ø115*55*Ø100
	30	3000	WW/NW/CW	6″	150	Ø165*67*Ø150
	40	4000	WW/NW/CW	8″	200	Ø218*85*Ø200

170-240V | Umur Lampu 50.000 Jam | Sudut Cahaya 60° | Material : AL | CRI ≥80

LED Downlight COB Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LDLC1A0206	20	1600/1800	WW/CW	180	Ø170*50*Ø140
MG-LDLC1A0308	30	2400/2700	WW/CW	270	Ø230*50*Ø200

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 110° | Material : PBT + Glass | CRI ≥80

LED Downlight Antiglare Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LDLAG1A0083	8	510/560	WW/CW	72	Ø82*47
MG-LDLAG1A0094	9	570/630	WW/CW	81	Ø110*50
MG-LDLAG1A0156	15	1080/1200	WW/CW	136	Ø165*50

170-240V
Umur Lampu 15.000 Jam
Sudut Cahaya 120°
Material : PC
CRI ≥80



MG - GCLRA012





MG - GRSSA02T

MG - GPBSSA01

LED Ceiling Lamp (Motion Sensor) Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GCLRA012	12	1200	CW	Ø220*45
MG-GCLRA018	18	1800	CW	Ø270*45
MG-GPBSSA01 (Accesory)	-	-	-	-
MG - GRSSA02T (Accesory)	-	-	-	-

170~260V | CRI ≥80 | Umur Lampu 15.000 Jam | Sudut Cahaya 180° | Material : Plastic



LED Downlight Surface Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	WARNA BODY
MG-DL51802	10	750	WW/NW/CW	91	Ø60 × 70	BLACK/WHITE
	20	1500	WW/NW/CW	182	Ø70 × 105	BLACK/WHITE
	30	2250	WW/NW/CW	273	Ø80 × 179	BLACK/WHITE

176-277V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : Aluminium | CRI ≥80



LED Bulkhead CCT Switch Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	WARNA BODY
MG-DL61803	15	1200	Switchable to CW/NW/WW	130	Ø181*47	BLACK/WHITE

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 120° | Material : Plastic | IP 65 | CRI ≥80



LED Spot Light Metal Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	WARNA BODY
MG-SPL60801	8	560/640	WW/NW/CW	110	Ø85*75	BLACK/SILVER
	12	800/840	WW/NW/CW	110	Ø85*75	BLACK/SILVER

HOT ITEMS

170-240V | Umur Lampu 25.000 Jam | Sudut Cahaya 24° | Material : AL + PC | CRI ≥80



LED New Spot Light Legend Series

MODEL	DAYA	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-SPL60805	5	400	WW/NW/CW	45	Ø85*26
	7	560	WW/NW/CW	63	Ø85*26

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 36° | Material : PBT + AL | CRI ≥80



LED Spot Light 3 CCT Legend Series

MODEL	DAYA	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-SPL60803	7	560	Switchable WW/NW/CW	60	Ø90*48 (Ø70 hole size)

*NEW

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 60° | Material : Plastic + Aluminium | CRI ≥80

LED Downlight Spot Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	WARNA BODY
MG-SPL60802	6	430/480	WW/NW/CW	Ø88*47*Ø75	Silver, White
	10	720/800	WW/NW/CW	Ø110*51*Ø90	Silver, White
	15	1080/1200	WW/NW/CW	Ø136*55*Ø125	Silver, White

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 70° | Material : PBT + AL | CRI ≥80


Dimmer GU 5.3 CW


MR16 GU


Dimmer GU 5.3 WW


Dimmer E27


MR16 E27

LED MR16 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	FITTING	MATERIAL
MG-LMR1605E27	5	400	CW/NW/WW	45	70*Ø50	E27	PA + AL
MG-LMR1605GU	5	400	CW/NW/WW	45	50*Ø50	GU 5.3	PA + AL
MG-LMR1607E27	7	560	CW/NW/WW	63	70*Ø50	E27	PA + AL
MG-LMR1607GU	7	560	CW/NW/WW	63	50*Ø50	GU 5.3	PA + AL
MR-LMR1607DGU	7	630	CW/WW	63	51*Ø50	GU 5.3	PC + AL
MR-LMR1607DE27	7	630	CW/WW	63	57*Ø50	E27	PC + AL

BEST SELLING

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 24° | CRI ≥80

LED MR16 Wiring Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MPL60701	5	400/450	NW/CW	45	Ø50*26
	7	560/630	NW/CW	63	Ø50*37

*COMING SOON

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 36° | Material : PBT + AL | CRI ≥80

LED MR16 Module 5 CCT Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MPL60702	Adjustable 6/8/12	100Lm/W	2700K/3000K/4000K/ 5000K/6500K	45/60/85	Ø50*60

*NEW

100-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 30° | Material : Plastic + Aluminium | CRI ≥80

Fixture Spotlight A1, A2, A3, A4


A1 (MG-SPLFA001) A2 (MG-SPLFA002) A3 (MG-SPLFA003)


A4 (MG-SPLFA004, Black & White)

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG - SPLFA001	Ø88.9*Ø63.5	WHITE	MR16
MG - SPLFA002	Ø88.9*Ø63.5	WHITE	MR16
MG - SPLFA003	Ø88.9*Ø63.5	WHITE	MR16
MG - SPLFA004	Ø88.9*Ø63.5	WHITE/BLACK	MR16

Material : Plastic

Fixture Spotlight S1, S2, S3, S4


S1 (MG-AFX1008)


S2 (MG-AFX1009)


S3 (MG-AFX1010)


S4 (MG-AFX1011)

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG - AFX1008	Ø93*30	WHITE	GU 5.3
MG - AFX1009	Ø88*40	WHITE	GU 5.3
MG - AFX1010	Ø88*40	WHITE	GU 5.3
MG - AFX1011	Ø86*33	WHITE	GU 5.3

Material : Plastic

LED Downlight Adjustable 360 Legend Series


Outbow


Inbow

*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	TIPE
MG-SPL60908	6	480	Switchable WW/NW/CW	Ø90*110 Ø92*115	Inbow Outbow

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 38° | Material : Plastic + Aluminium | CRI ≥80

Fixture Kit MR16 Round



MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1020	Ø90*50	MR16 Wiring	BLACK/WHITE

Material : Plastic

Frame Spotlight



MODEL	DIMENSI (mm)	TYPE	WARNA BODY	FITTING
MG-AFS2GANG	21.5*11*5	2 GANG	WHITE	LED Spot Light Metal Gun Legend
MG-AFS3GANG	31.5*11*5	3 GANG	WHITE	

Material : Aluminium

LED Spot Light Line Legend Series


10W | 20W


15W | 30W

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	TIPE
MG-SPL60806	10	600/650	WW/NW/CW	300	147*45*139	Square
MG-SPL60806	20	1300/1350	WW/NW/CW	600	279*45*272	Square
MG-SPL60807	15	980/1050	WW/NW/CW	900	147*45*139	Round
MG-SPL60807	30	1960/2100	WW/NW/CW	900	279*45*272	Round

170-240V | Umur Lampu 50.000 Jam | Sudut Cahaya 24° | Material : AL | CRI ≥80

LED Magnetic Flood Light Legend Series



HOT ITEMS

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MTL61901	15	990	NW	410	600*45*22
MG-MTL61901	30	1309	NW	620	900*43*22

DC48V
Umur Lampu 50.000 Jam
Sudut Cahaya 110°
Material : AL
CRI ≥80



HOT ITEMS

LED Magnetic Hanging Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MTL61903	10	951	NW	200	Ø40*300

DC48V
Umur Lampu 50.000 Jam
Sudut Cahaya 24°
Material : AL
CRI ≥80



HOT ITEMS

LED Magnetic Track Spot Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MTL61904	12	720	NW	200	170*110*50
MG-MTL61904	20	1129	NW	410	200*145*60

DC48V
Umur Lampu 50.000 Jam
Sudut Cahaya 24°
Material : AL
CRI ≥80



HOT ITEMS

LED Magnetic Folding Spot Light Legend Series

MODEL	DAYA	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-MTL61905	6	480	NW	100	112*105*23
MG-MTL61905	10	917	NW	200	220*23*105
MG-MTL61905	15	1299	NW	410	330*23*105

DC48V
Umur Lampu 50.000 Jam
Sudut Cahaya 24°
Material : AL
CRI ≥80



HOT ITEMS

LED Magnetic Power Module Legend Series

MODEL	DAYA (W)	ARUS (mA)	DIMENSI (mm)
MG-MTL61906	100	2100	220*43*22
MG-MTL61906	200	4200	220*43*22

170-240 VaC
Material : AL
PF 0,9
CRI ≥80

LED Magnetic Accesories



MODEL	NAMA	DIMENSI (mm)
MG-AFX1013	Magnetic Track Rail Inbow 2M	2000*62.8*47
MG-AFX1013	Magnetic Track Rail Inbow 3M	3000*62.8*47
MG-AFX1014	Magnetic Track Rail Outbow 2M	2000*26.8*50.6
MG-AFX1014	Magnetic Track Rail Outbow 3M	3000*26.8*50.6
MG-AFX1015	Magnetic Through Conne Module	-
MG-AFX1016	Magnetic Corner Connection Module	-
MG-AFX1017	Magnetic Track Hanging Wire	-
MG-AFX1018	Magnetic L Horizontal	-
MG-AFX1019	Magnetic Input Conductive Module	-
MG-AFX1023	Magnetic OB Corner L	40*40
MG-AFX1024	Magnetic OB Inner Corner L	80*80
MG-AFX1025	Magnetic IB Corner L	80*80
MG-AFX1026	Magnetic IB Inner Corner L	80*80
MG-AFX1027	Magnetic Track Connector	-

HOT ITEMS

LED Tracklight Legend Series



BEST SELLING

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	WARNA BODY
MG-TRL61201	10	900/1000	WW/NW/CW	90	Ø54*145	BLACK/WHITE
	20	1800/2000	WW/NW/CW	180	Ø62*147	BLACK/WHITE
	30	2700/3000	WW/NW/CW	272	Ø80*175	BLACK/WHITE

170-240 VaC | Umur Lampu 20.000 Jam | Sudut Cahaya 24° | Material : AL + PC | CRI ≥80

LED Track Light CCT Switch Legend Series



HOT ITEMS

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-TRL61202	10	900	Switchable to CW/NW/WW	90	Ø54*129*107
	15	1350	Switchable to CW/NW/WW	130	Ø54*129*122
	20	1800	Switchable to CW/NW/WW	175	Ø63*138*132
	30	2700	Switchable to CW/NW/WW	190	Ø76*151*177

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 24° | Material : Aluminium | CRI ≥80

LED Track Light Trend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	ARUS (mA)	WARNA BODY
MG-TRL31201	10	750	CW/WW	Ø60*110	91	BLACK/WHITE
	20	1500	CW/WW	Ø63*145	182	BLACK/WHITE
	30	2250	CW/WW	Ø73*168	273	BLACK/WHITE

176-277V | Umur Lampu 15.000 Jam | Sudut Cahaya 36° | Material : Aluminium | CRI ≥80

Flat Rail Track Light, Track Kap Fitting, Connector Grand Series



MG-AFRTST100/200



MG-ATKFE2701

MODEL	DIMENSI (mm)	WARNA BODY	MATERIAL	FITTING
MG-AFRTST100	1000*20*30	Black/White	Aluminium	-
MG-AFRTST150	1500*20*30	Black/White	Aluminium	-
MG-AFRTST200	2000*20*30	Black/White	Aluminium	-
MG-ATKFE2701	130*80*Ø30	Black	PBT	E27
MG-ACT01L	70*10	Black/White	PBT	-
MG-ACT01I	100*10	Black/White	PBT	-



MG-ACT01I



MG-ACT01L

Fixture Track Light T2 Grand Series



MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1002	Ø57*80	BLACK/WHITE	GU 5.3

Material : Plastic & Aluminium



Fixture Track Light T3 Grand Series

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1003	Ø57*80	BLACK/WHITE	GU 5.3

Material : Plastic & Aluminium



Fixture Track Light T4 Grand Series

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1004	Ø60*78	BLACK/WHITE	GU 5.3

Material : Steel



Fixture Track Light T5 Grand Series

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1005	Ø60*78	BLACK/WHITE	GU 5.3

Material : Steel



Fixture Track Light T6 Grand Series

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1006	Ø53.5*117	BLACK/WHITE	E27

Material : Steel



Fixture Track Light T7 Grand Series

MODEL	DIMENSI (mm)	WARNA BODY	FITTING
MG-AFX1007	Ø53.5*117	BLACK/WHITE	E27

Material : Steel



LED Strip Light (100M) Legend Series

MODEL	CHIP	WARNA
MG-LLS2835B120L	120 Chip / meter	WW/NW/CW/BLUE/RED

220 VaC

Umur Lampu 25.000 Jam

IP 65

CRI ≥80

Cut Length: 50cm/500mm



LED Strip Light (100M) Trend Series

MODEL	CHIP	WARNA
MG-TLS2835A120L	120 Chip / meter	CW/WW/BLUE/RED

220 VaC

CRI ≥80

IP 65

Cut Length: 50cm/500mm



LED Strip Light (5M) Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA
MG-LS2835A060L	5W / meter	960	WW/NW/CW
MG-LS2835A120L	9W / meter	960	WW/NW/CW/SW

DC12V

Sudut Cahaya 120°

Umur Lampu 25.000 Jam

CRI ≥80



MG-LSCOBA288L



MG-LSCOBA320L

LED Strip Light COB Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	CHIP	TEGANGAN	IP	LENGTH
MG-LSCOBA320L	8	80	CW/NW/WW	36	320/5m	DC12V	20	5M
MG-LSCOBA288L	8	60	CW/WW/GREEN/PURPLE/RED/BLUE	36	288/5m	AC220V	65	50M

Umur Lampu 18.000 Jam | Sudut Cahaya 120° | CRI ≥80

LED Strip Light COB Dotless (5M) Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	TEGANGAN	CHIP	DIMENSI (mm)
MG-LST60601	8	65Lm/W	WW/NW/CW/ ICE BLUE/BLUE/PINK	33	DC12V	320	10*4.5
	8	65Lm/W	AMBER	33	DC24V	320	10*4.5

CRI ≥80 | Umur Lampu 18.000 Jam | Material : Sllica Gel | Sudut Cahaya 120° | IP 67

Cut Length: 2.5cm/25mm

LED Neon Flex Legend Series



25M



5M

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	LENGTH	TEGANGAN
MG-LNEFLA01	10	70Lm/W	RED/BLUE/GREEN	42	5M	DC12V
MG-LNEFLB01	8	70Lm/W	PURPLE/WW/CW	36	25M	AC220V

Umur Lampu 18.000 Jam | CRI ≥80 | IP 65 | Material : Silica Gel | Sudut Cahaya 120°

Cut Length: 10cm/100mm

LED Strip Light Ultimate Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	CHIP	LENGTH
MG-LULS2835U120L	8W	150Lm/W	WW/NW/CW/SW	23	120	5M
MG-LULS2835U168L	12W	150Lm/W		23	168	5M

DC 12V | Umur Lampu 20.000 Jam | Sudut Cahaya 120° | CRI ≥80 | Material : Bare Board

Cut Length: 2.5cm/25mm



*NEW

LED Strip Light Mosquito Repellent Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	LENGTH
MG-LST60602	10	1100	3000K/Lemon Yellow	388	10*4.5	100M

DC24V | Umur Lampu 18.000 Jam | CRI ≥80 | Material : Silicone | Sudut Cahaya 120°

IP 67



LED Neon Flex Font (5M) Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-NEF61701	7.2	288	WW/CW/RED/BLUE/GREEN/PINK/YELLOW	32	6*12

DC12V | Umur Lampu 18.000 Jam | Sudut Cahaya 150° | Material : Sllica Gel | CRI ≥80 | IP 65

Cut Length: 2.5cm/25mm



LED Neon Flex Font (5M) Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-NEF51701	7.2	288	WW/CW/RED/BLUE/GREEN/PINK/YELLOW	32	6*12

DC12V | Umur Lampu 18.000 Jam | Sudut Cahaya 150° | Material : PVC | CRI ≥80 | IP 65

Cut Length: 2.5cm/25mm

Power Supply Grand Series



MODEL	DAYA (W)	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-GPSUA160	60	110-264V	+12V-5A Max	138*50*23
MG-GPSUA1100	100	110-264V	+12V-8.3A Max	138*50*23
MG-GPSUA1200	200	110-264V	+12V-16.6A Max	178*50*23
MG-GPSUA1300	300	110-264V	+12V-25A Max	208*50*23

Power Supply Grand Series



*NEW

MODEL	DAYA (W)	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS52001	60	100-265V	12V 5A	114*49.5*25
	100	100-265V	12V 8.5A/24V 4.25A	138*49.5*25
	200	100-265V	12V 16.7A/24V 8.35A	178*49.5*25
	300	176-265V	12V 25A/24V 12.5A	205*49.5*25
	400	176-265V	12V 33.3A/24V 16.65A	238*49.5*25

Material : Aluminium

PF >0.5

Frequency 50/60Hz

Power Supply Grand Series



*NEW

MODEL	DAYA (W)	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS52002	400	176-265V	12V 33.3A	186*117*48.5

Material : Aluminium | PF >0.5 | Frequency 50/60Hz

Power Supply Grand Series



*NEW

MODEL	DAYA (W)	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS52003	100	100-265V/176-265V	12V 8.3A/24V 4.1A	195*45*35
	200	176-265V	12V 16.5A/24V 8.3A	215*67*41
	300	176-265V	12V 25A/24V 12.5A	245*75*41
	400	176-265V	12V 33.3A/24V 16.5A	245*75*41

Material : Aluminium

PF >0.5

Frequency 50/60Hz

IP 67



*NEW

Power Supply Trend Series

MODEL	DAYA (W)	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS32002	400	176-265V	12V 33.3A	186*117*48.5

Material : Aluminium Frequency 50/60Hz PF >0.5



*NEW

Power Supply Trend Series

MODEL	DAYA	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS32001	60	100-256V	12V 5A	113*50*22
	100	100-256V	12V 8.5A	138*50*22
	200	100-265V	12V 16.7A	178*50*22
	300	100-265V	12V 25A	205*50*22
	400	100-265V	12V 33.3A	238*50*22

Material : Aluminium
PF >0.5
Frequency 50/60Hz



*NEW

Power Supply Grand Series

MODEL	DAYA	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS52004	60	100-265V	12V 5A/24V 2.5A	173*36*23
	100	100-265V	12V 8.3A/24V 4.1A	188*36*23
	200	176-265V	12V 16.5A/24V 8.3A	286*36*23
	300	176-265V	12V 25A/24V 12.5A	319*36*23

Material : Aluminium
PF >0.5
Frequency 50/60Hz



*NEW

Power Supply Adjustable Grand Series

MODEL	DAYA	INPUT TEGANGAN (AC)	OUTPUT TEGANGAN (DC)	DIMENSI (mm)
MG-PS52005	60	100-265V	12V 5A/24V 2.5A	127*47*24
	100	100-265V	12V 8.5A/24V 4.25A	144*47*24
	200	176-265V	12V 16.7A/24V 8.35A	207*47*24
	300	176-265V	12V 25A/24V 12.5A	240*47*24
	400	176-265V	12V 33.3A/24V 16.65A	240*47*24

Material : Aluminium
PF >0.5
Frequency 50/60Hz



Adaptor 2 Pin (Socket)

MODEL	TIPE STRIP LIGHT
ADP2PINS100M	LED STRIP LIGHT TREND 100M
ADPT SOCKET	LED STRIP LIGHT LEGEND 100M



LED PAR 30 (Black) Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LPARA1015	15	1350	WW/CW	136	Ø92*92

170-240V Umur Lampu 15.000 Jam Sudut Cahaya 36° Material : PA + AL CRI ≥80



LED PAR 30 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LPAR3020	20	1800/1600	WW/CW	113*Ø95
MG-LPAR3030	30	2700/2400	WW/CW	113*Ø95

170-240V | Umur Lampu 15.000 Jam | Sudut Cahaya 24° | Material : PBT | CRI ≥80



LED PAR 38 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LPAR38B2015CW	15	1500	WW/CW	132*Ø120
MG-LPAR38B2015WW	16	1350	WW/CW	132*Ø120

170~240 VaC | Umur Lampu 15.000 Jam | Sudut Cahaya 40° | Material : PA + AL | CRI ≥80



LED PAR 35 Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GPAR3035	35	3100	WW/NW/CW	128*Ø120

190-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 24° | Material : PBT | CRI ≥80



BEST SELLING

LED T8 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	FITTING
MG-LT8A09	9	1100	CW	650*30	G13
MG-LT8A18	18	2200	WW/NW/CW	1200*30	G13
MG-LT8S18	18	2200	WW/CW	1200*30	G13

110-265V | Umur Lampu 25.000 Jam | Sudut Cahaya 270° | Material : Glass + PBT | CRI ≥80



LED T8 Tube Ultimate Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	FITTING
MG-LUT8A010	10	1500/1350	CW	90	600*28	G13
MG-LUT8A020	20	3000/2700	CW	165	1200*28	G13

180-265V | Umur Lampu 25.000 Jam | Sudut Cahaya 200° | Material : AL + PC | CRI ≥80



LED Triproof Batten Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-TBS60502	30	3000	CW	190	550*83*58
	60	6000	CW	375	1150*83*58

IP 65

180-250V | Umur Lampu 25.000 Jam | Sudut Cahaya 120° | Material : Plastic | CRI ≥80

LED Damp Proof Batten Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LDPB1A0620	20	1800	CW	180	550*68*38
MG-LDPB1A1240	40	3600	CW	360	1150*68*38

170-240V | Umur Lampu 25.000 Jam | Sudut Cahaya 120° | Material : PC | IP 65 | CRI ≥80

LED T8 Integrated Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-GITRA018	18	1980	CW	140	600*62*25
MG-GITRA052	52	5200	CW	-	1200*62*25

180-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 270° | Material : Iron + PC Cover | CRI ≥80

LED Pendant Light Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-TBS60506	30	3300	CW	151	600*50*50
	60	6600	CW	303	1200*50*50

170-240V | Umur Lampu 25.000 Jam | Sudut Cahaya 120° | Material : AL + PC | CRI ≥80

LED Lamiting Bracket Grand Series

MODEL	DAYA (W)	LUMEN	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LGLABA0615CW	15	1500	CW	75	600*40*35
MG-LGLABA0628CW	28	2800	CW	141	1200*40*35
MG-LGLABA0630CW	30	2800	CW	141	600*70*40
MG-LGLABA0658CW	58	5600	CW	425	1200*70*40

180-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : Iron + PC Cover | CRI ≥80

LED T8 Tube 2 Way Grand Series



9W & 18W



36W



46W

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LGT82W	9	880	CW	70	588*Ø25.5
MG-LGT82W	18	2340	CW	145	1198*Ø25.5
MG-LGT82W	36	4620	CW	335	1198*Ø25.5
MG-LGT82W	46	5980	CW	375	1198*Ø25.5

185-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 240° | Material : Glass & ABS | CRI ≥80

Fixture Tube T8 Grand Series



*NEW

MODEL	TIPE	DIMENSI (mm)
MG-AFX1032	1X	1262*70*76
	2X	1262*100*76

Material : ABS + PC

IP 65

LED T8 Integrated Tube Set Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS	DIMENSI (mm)
MG-LGITSA0609CW	9	750	CW	70	570*Ø31
MG-LGITSA1226CW	26	2400	CW	175	1170*Ø31

220 VaC | Umur Lampu 15.000 Jam | Sudut Cahaya 112° | Material : Iron + PC Cover | CRI ≥80

LED T8 Tube Laminated 2 Way Grand Series



NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-LGT8L2W18	18	2340	CW	145	Ø25.5*1198

CRI ≥80

185-265 VaC | Umur Lampu 15.000 Jam | Sudut Cahaya 240° | Material : Laminated Glass + ABS Plastic

LED T5 Set Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GT5A05	5	400	B/I/CW/NW/WW/P/G	314*22*34
MG-GT5A09	9	720	B/I/CW/NW/WW/P/G/R	574*22*34
MG-GT5A14	14	1120	B/I/CW/NW/WW/P/G	874*22*34
MG-GT5A18	18	1440	B/I/CW/NW/WW/P/G/R	1174*22*34

110-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : PVC + PC | CRI ≥80

T8 Bracket Grand Series



MG-AFX1028



MG-AFX1028-2X

NEW

MODEL	DIMENSI (mm)	MATERIAL
MG-AFX1028	600*32*17	Iron & PP
MG-AFX1028	1200*32*17	Iron & PP
MG-AFX1028-2X	1200*32*17	Iron & PC

LED Wall Lamp Down 2, 3, 4 Spot Grand Series



2W 3W



4W

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51301	2	160	WW	105*60*60
	3	240	WW	165*60*60
	4	320	WW	225*60*60

85-265V | Material : Die Casting Aluminium | IP 65 | CRI ≥80

LED Wall Lamp Clear Cube Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51303	6	300	WW	35*90*105

100-240V | Material : ABS | IP 65 | CRI ≥80



LED Wall Body Light Oval Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51302	7	630	WW	155*70*45

85-265V | Material : Aluminium | IP 65 | CRI ≥80


2 Spot


3 Spot


4 Spot

LED Wall Lamp Spot 2, 3, 4 Spot Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51311	3	360	WW	110*78*42
	6	540	WW	170*78*42
	8	790	WW	210*78*46

CRI ≥80 | IP 54

85-265V | Umur Lampu 25.000 Jam | Sudut Cahaya 60° | Material : Plastic + PS


3W


4W

LED Wall Lamp Cam Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51312	3	240	WW	80*65*75
	6	480	WW	80*65*140

85-265V | IP 65 | Umur Lampu 25.000 Jam | CRI ≥80 | Material : Die Casting Aluminium


2 Spot


4 Spot


6 Spot

LED Wall Lamp Face 2, 4, 6 Spot Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51314	6	585	WW	83.5*79*43
	12	1014	WW	112*79*43
	18	1535	WW	168*79*43

CRI ≥80 | IP 65

85-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : Die Casting Aluminium


4 Spot


6 Spot


8 Spot

LED Wall Lamp Hexa 4, 6, 8 Spot Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51315	4	362	WW	200*100*95
	6	452	WW	240*60*55
	8	748	WW	80*105*40

CRI ≥80 | IP 65

85-220V | Umur Lampu 15.000 Jam | Sudut Cahaya 45° | Material : Die Casting Aluminium



LED Wall Lamp Victory Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	WARNA BODY
MG-GLT51317	3	240	WW	128*115.5*46	BLACK/WHITE

85-265V | Umur Lampu 25.000 Jam | Material : ABS | IP 54 | CRI ≥80



LED Wall Lamp Butterfly Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GWLBF2SP010ABL	10	644	WW	100*200*95

CRI ≥80 | IP 65

85-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : Die Casting Aluminium



LED Wall Lamp Rectangle Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51316	4	289	WW	123*83*30

CRI ≥80

85-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 120° | Material : ABS | IP 65



LED Wall Lamp Cube Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51313	6	480	WW	100*100*100

85-265V | Umur Lampu 25.000 Jam | Material : Die Casting Aluminium | IP 54 | CRI ≥80



*NEW

LED Wall Lamp Helios Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-GLT51319	10	800	WW	82	65*70*160

CRI ≥80 | IP 54

85-265V | Umur Lampu 20.000 Jam | Sudut Cahaya Up & Down 180° | Material : Aluminium + PC



2 Way | 4 Way | 3 Way

LED Deck Light Grand Series

MODEL	DAYA (W)	WARNA	DIMENSI (mm)	TIPE
MG-GLT51304	3	WW	Ø62	2 Way
	3	WW	Ø62	3 Way
	3	WW	Ø62	4 Way

85-265V | Umur Lampu 25.000 Jam | Material : Die Casting Aluminium | IP 67 | CRI ≥80



LED Floor Lamp Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIAMETER (mm)
MG-GLT51306	3	240	WW	Ø65
	5	400	WW	Ø80
	10	800	WW	Ø120
MG-GFLA13006SS	6	480	WW	Ø120

85-265V | Umur Lampu 15.000 Jam | Material : Die Casting Aluminium + Stainless Steel | IP 67 | CRI ≥80

Fixture Floor Lamp Grand Series


Stainless Steel
MG-AFX1034


Aluminium
MG-AFX1035

*NEW

MODEL	DIMENSI (mm)	FITTING	WARNA BODY	MATERIAL
MG-AFX1034	Ø80*90	MR16 GU 5.3	BLACK	Stainless Steel
MG-AFX1035	Ø75*97			Aluminium

IP 65

LED Pool Light Grand Series



MODEL	DAYA (W)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-GLT51305	12	WW/RGB	950	Ø230
	18	WW/RGB	1450	Ø290

CRI ≥80

IP 68

AC 12V / DC 12-24V

Umur Lampu 50.000 Jam

Sudut Cahaya 30°

Material : Stainless Steel

LED Fountain Light Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	COLOR	ARUS (mA)	DIMENSI (mm)
MG-GLT51318	6	480	WW/RGB	250	Ø145
	9	720	WW/RGB	375	Ø145
	12	960	WW/RGB	500	Ø160
	18	1440	WW/RGB	750	Ø175

CRI ≥80

IP 68

AC12V (RGB)
DC24V (WW)

Umur Lampu 50.000 Jam

Sudut Cahaya 30°

Material : Stainless Steel

LED Stair Lamp Grand Series


Oval


Rectangle


Square


Oval


Rectangle


Square


Sensor


Round

*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	WARNA BODY	SHAPE
MG-GLT51310	3	240	WW	85*85*50	BLACK/WHITE	Square
	3	240	WW	Ø83	BLACK/WHITE	Oval
	3	240	WW	105*60*45	BLACK/WHITE	Rectangle
MG-GLT51310 (Sensor)	3	240	WW	85*85*56	BLACK	Square
MG-GLT51319	2	160	WW	Ø48*64	BLACK/WHITE	Round

85-265V

Umur Lampu 20.000 Jam

MG-GLT51310 : Die Casting Aluminium
MG-GLT51319 : Aluminium

IP 54

CRI ≥80

LED Spot Outdoor Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51307	7	560	WW	Ø70*80

85-265V

Umur Lampu 25.000 Jam

IP 67

CRI ≥80

LED Umbrella Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GSPLU007ABLWW	7	211	WW	200*650

85-220V

Umur Lampu 15.000 Jam

Material : Aluminium

IP 65

CRI ≥80

LED Spike Light Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	BEAM ANGLE
MG-GLT51308	5	450	WW	43	Ø60*250	45°
	10	1000	WW	78	Ø82*270	45°
	12	960	WW	-	Ø95*250	45°
	22	2200	WW	170	Ø110*360	24°

85-265V | Umur Lampu 20.000 Jam | Material : Plastic-Clad Aluminium | IP 65 | CRI ≥80

LED Spike Light Cap Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GLT51309	7	360	WW	Ø50*240
	12	960	WW	Ø60*250

IP 65 | CRI ≥80

85-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 36° | Material : Die Casting Aluminium

Fixture Spike Light Grand Series



*NEW

MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1033	Ø55*85	MR16 GU 5.3	BLACK

Material : Aluminium | IP 65

Fixture Spike Light Grand Series



MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1012	Ø65*270	MR16 GU 5.3	BLACK

Material : ABS | IP 65

Fixture Wall Lamp & Spike Light



MG-GSPLFX1001ABL

MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-GSPLFX1001ABL	300*Ø100	MR16 GU 5.3	BLACK
MG-GWLFX1002OA	150*Ø80	MR16 GU 5.3	BLACK & WHITE
MG-GWLFX1002SA	150*Ø80	MR16 GU 5.3	BLACK & WHITE

IP 65 | Material : Die Casting Aluminium

Fixture PAR38



MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1022	Ø151*200	E27	BLACK

IP 65 | Material : Plastic

Fixture Downlight Round Grand Series



MODEL	DIMENSI (mm)	FITTING	WARNA BODY	INCH
MG-AFX10001	Ø165*180	E27	BLACK/WHITE	5"
MG-AFX10001	Ø133*147	E27	BLACK	4"

Material : Steel & Aluminium

Fixture Ceiling Lamp E27



MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1021	Ø300*90	E27	WHITE

Material : Plastic

Fixture Wall Lamp Classic



*NEW

MODEL	DIMENSI (mm)	FITTING	WARNA BODY
MG-AFX1029	210*170*260	E27	BLACK

Material : Aluminium + PC

Fixture Wall Lamp Oval Short & Tall Grand Series



*NEW

MODEL	DIMENSI (mm)	FITTING	WARNA BODY	TIPE
MG-AFX1030	75*65*155	GU 5.3	BLACK/WHITE	TALL
	75*65*80	GU 5.3	BLACK/WHITE	SHORT

IP 54

Material : Aluminium + PC

LED UFO U1 Ultimate Series



New Body Old Body

*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-HUF71101	100	15000/17000	CW	470	Ø265*146/Ø299*110
MG-HUF71101	150	22500	CW	690	Ø290*150/Ø346.5*115.8

CRI ≥80

IP 65

100-277V

Umur Lampu 30.000 Jam

Sudut Cahaya 90°

Material : Aluminium + PC

LED UFO U2 Adjustable Ultimate Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-HUF71102	60W/80W/120W	130Lm/W	CW	475	Ø250*143
MG-HUF71102	120W/160W/200W		CW	913	Ø320*120

100-277V

Umur Lampu 50.000 Jam

Sudut Cahaya 90°

Material : AL + PC

IP 65

CRI ≥80

LED UFO F1 Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-HUF61101	100	12000	CW	445	Ø270*91
MG-HUF61101	150	18000	CW	654	Ø300*97

CRI ≥80

IP 65

160-265V

Umur Lampu 30.000 Jam

Sudut Cahaya 90°

Material : Aluminium

Lamp Shade (Kap UFO U2)



*NEW

MODEL	TIPE UFO U2	DIMENSI (mm)
MG-AFX1031	Adjustable Watt 60W/80W/120W	Ø420*160*185
	Adjustable Watt 120W/160W/200W	Ø500*180*260

LED UFO F2 CCT Switch Legend Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-HUF61102	100	15000	Switchable to CW/NW/WW	460	Ø235*140
MG-HUF61102	150	22500		650	Ø287*140

IP 66

CRI ≥80

85-265V | Umur Lampu 50.000 Jam | Sudut Cahaya 90° | Material : Aluminium

LED UFO G1 Grand Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-HUF51101	100	10000	CW	Ø270*42
MG-LGUFOA3150	150	15000	CW	Ø311*42

CRI ≥80

110-265V | Umur Lampu 15.000 Jam | Sudut Cahaya 90° | Material : PC + Aluminium

LED UFO G2 CCT Switch Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-HUF51102	100	1000	Switchable to CW/NW/WW	1000	Ø235*35
	150	1500		1500	Ø287*35
	200	2000		2000	Ø336*35

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 90° | Material : Aluminium | IP 66

LED Flood Light Pro Legend Series



HOT ITEMS

CRI ≥80

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL60901	30	3600	CW	223	169*140*29
MG-FLL60901	50	6000	CW	360	202*167*31
MG-FLL60901	100	12000	CW	765	260*225*34
MG-FLL60901	200	24000	CW	915	345*291*38

IP 65

160-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 90° | Material : Aluminium | CRI≥80

LED Flood Light 3 CCT Legend Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-FLL60904	10	1000	Switchable WW/NW/CW	130*100*25
	30	3000		184*124*25
	50	5000		204*144*25
	100	10000		254*194*25
	200	20000		384*264*25

IP 66

CRI ≥80

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 90° | Material : Aluminium



*NEW

LED Flood Light RGB Legend Series

MODEL	DAYA (W)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL60905	30	RGB	100	162*25*135
	50	RGB	145	190*25*165
	100	RGB	277	230*25*195

IP 65

CRI ≥80

100-265V | Umur Lampu 20.000 Jam | Sudut Cahaya 90° | Material : Aluminium + PC



LED Flood Light Pro Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LFLP1A010	10	900/1000	WW/CW	120*90
MG-LFLP1A030	30	2700/3000	WW/CW	120*80
MG-LFLP1A050	50	4500/5000	WW/CW	230*170
MG-LFLP1A100	100	10000/11000	WW/CW	290*210
MG-LFLP1A200	200	22000/24000	WW/CW	404*280

170-240V

Umur Lampu 25.000 Jam

Sudut Cahaya 90°

Material : Aluminium

IP 65

CRI≥80



*NEW

LED Flood Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL60906	100	14000	CW	456	396*248*58
	200	28000	CW	931	396*375*58

IP 65

CRI ≥80

100-265V | Umur Lampu 50.000 Jam | Sudut Cahaya 90° | Material : Aluminium + PC



*NEW

LED Flood Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL60904	400	40000	CW	1820	500*100.5*347
	500	50000	CW	2280	500*100.5*347

IP 66

CRI ≥80

85-265V | Umur Lampu 50.000 Jam | Sudut Cahaya 90° | Material : Aluminium



Modular A



Modular B

LED Flood Light Modular Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)	TIPE
MG-FLL60903	200	32000	CW	910	436*225*80	A
MG-FLL60903	200	32000	CW	910	400*150*80	B

100-265V | Umur Lampu 50.000 Jam | Sudut Cahaya 80° | Material : AL + PC | CRI ≥80

IP 65



LED Flood Light MGFL-TG Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-GFLTG68050	50	4750	CW/WW	220*190*55
MG-GFLTG68100	100	9500	CW/WW	280*225*70

110-265V
Umur Lampu 30.000 Jam
Sudut Cahaya 120°
Material : Aluminium
IP 65
CRI ≥80



LED Flood Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LFL662010	10	900	CW/WW	120*95*33
MG-LFL662020	20	1800	CW/WW	170*127*35
MG-LFL662030	30	2700	CW/WW	215*154*38
MG-LFL662050	50	4500	CW/WW	252*190*43
MG-LFL662100	100	9000	CW/WW	334*258*55
MG-LFL662150	150	13500	CW	-
MG-LFL662200	200	18000	CW	-

85-265V
Umur Lampu 30.000 Jam
Sudut Cahaya 120°
Material : Aluminium
IP 65
CRI≥80



LED Flood Light MGFL Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-GFL85010	10	900	CW/WW	50	103*25*68
MG-GFL85030	30	2700	CW/WW	140	132*34*102
MG-GFL85050	50	4500	CW/WW	230	175*38*131
MG-GFL85100	100	9000	CW/WW	450	256*38*195
MG-GFL85200	200	18000	CW/WW	910	338*45*240

110-265V
Umur Lampu 30.000 Jam
Sudut Cahaya 120°
Material : Aluminium
IP 65
CRI≥80



*NEW

LED Wall Washer Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL60907	18	1440	WW	82	1000*39*61
	24	1920	WW	109	1000*39*61
	36	2880	WW	164	1000*39*61

IP 66
CRI ≥80

AC85-265V
Umur Lampu 30.000 Jam
Sudut Cahaya 30°
Material : Aluminium + Glass



*NEW

LED Wall Washer Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL50902	18W	1440	WW	750	1000*34*86
	24W	1920	WW	1000	1000*34*86

IP 66
CRI ≥80

DC24V
Umur Lampu 30.000 Jam
Sudut Cahaya 30°
Material : Aluminium + Glass

LED Wall Washer Grand Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-FLL50901	12	960	WW	55	308*78*25
	24	1920	WW	100	608*78*25

IP 66
CRI ≥80

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 30° | Material : Aluminium

LED Street Light Z1 Ultimate Series



HOT ITEMS

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL71001	100	15000	CW	450	548*206
MG-STL71001	150	22500	CW	682	636*248

CRI ≥80
IP 65

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 135° | Material : Aluminium

LED Street Light X1 Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL61001	30	3600	CW	135	350*126*57
MG-STL61001	50	6000	CW	230	398*152*67
MG-STL61001	100	12000	CW	465	483*186*84

CRI ≥80
IP 65

160-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 135° | Material : Aluminium

LED Street Light X2 Legend Series



MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL61002	50	6000	CW	456*120*55	456*120*55
MG-STL61002	100	12000	CW	527*144*59	527*144*59

CRI ≥80
IP 65

160-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 135° | IP 65 | Material : Aluminium

LED Street Light X3 Legend Series



*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL61003	50	5000	CW	230	540*145*69
MG-STL61003	100	10000	CW	460	603*172*69
MG-STL61003	150	15000	CW	650	670*192*69

CRI ≥80

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 70° X 152° | Material : Aluminium | IP 66



*NEW

LED Street Light X3 Nema Sensor Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL61003	50	5000	CW	480	540*145*69
MG-STL61003	100	10000	CW	950	603*172*69

CRI ≥80

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 70° X 152° | Material : Aluminium | IP 66



*NEW

LED Street Light X4 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	ARUS (mA)
MG-STL61004	100	15000	CW	605*265*91	442
MG-STL61004	150	22500	CW	710*265*91	695

CRI ≥80

100-277V | Umur Lampu 50.000 Jam | Sudut Cahaya 70° X 140° | Material : Aluminium + PC | IP 65



*NEW

LED Street Light D1 Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	ARUS (mA)	DIMENSI (mm)
MG-STL51001	50	5000	CW/WW	224	420*130*68
MG-STL51001	100	10000	CW/WW	834	474*154*68
MG-STL51001	150	15000	CW/WW	1303	540*174*72

IP 65

CRI≥80

100-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 70° X 140° | Material : Aluminium + PC



*NEW

LED Street Park Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	ARUS (mA)
MG-STL61005	50	5000	CW	Ø466.6*565.1	250
MG-STL61005	100	10000	CW	Ø466.6*565.1	469

CRI≥80

IP 65

100-305V | Umur Lampu 50.000 Jam | Sudut Cahaya 120° | Material : Aluminium + Toughened Glass



LED Street Light 432 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LSL432020	20	1800	CW	310*105*55/Tube Ø42
MG-LSL432030	30	2700	CW	355*125*55/Tube Ø42
MG-LSL432050	50	4500	CW	405*165*55/Tube Ø42
MG-LSL432100	100	9000	CW	620*220*75/Tube Ø60

85-265V | Umur Lampu 30.000 Jam | Sudut Cahaya 120° | Material : Aluminium | IP 65



LED Street Light 434 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LSL434030	30	2700	CW	340*53*124
MG-LSL434050	50	4500	CW	382*40*157
MG-LSL434100	100	9000	CW	500*40*197

85-265V · IP 65 · Umur Lampu 30.000 Jam · CRI≥80 · Sudut Cahaya 120° · Material : Aluminium



LED Street Light 441 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LSL441100	100	10000	CW	540*78*285
MG-LSL441150	150	15000	CW	640*78*285
MG-LSL441200	200	20000	CW	735*78*285

Umur Lampu 30.000 Jam · 85-265V · IP 65 · Sudut Cahaya 120° · Material : Aluminium



LED Street Light 442 Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)
MG-LSL442020	20	1800	CW	120*45*320
MG-LSL442030	30	2700	CW	150*55*360
MG-LSL442050	50	4500	CW	170*55*415
MG-LSL442100	100	9000	CW	230*70*580

Umur Lampu 30.000 Jam · IP 65

85-265 Vac Voltase Rendah · Sudut Cahaya 120° · Material : Aluminium



*NEW

LED Solar Street Light GS1 Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	BATERAI	SOLAR PANEL
MG-SSL510S02	20	2800	CW	278.6*531.6*52	3.2V/15AH	20W/5V
	30	4650	CW	293.6*633.6*52	3.2V/25AH	30W/5V

Material : Iron · Waktu Nyala 12 Jam · Sudut Cahaya 70° X 140° · IP 65 · CRI ≥80



*NEW

LED Solar Street Light GS2 Grand Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	BATERAI	SOLAR PANEL
MG-SSL510S03	40	3600	CW	704*340*52	3.2V/30AH	40W/5V
	50	5000	CW	834*340*52	3.2V/45AH	50W/5V
	60	6600	CW	964*340*52	3.2V/60AH	60W/5V

Material : Iron · Waktu Nyala 12 Jam · Sudut Cahaya 70° X 140° · IP 65 · CRI ≥80



LED Solar Street Light Grand Series

MODEL	LUMEN (Lm)	WARNA	LEDs	DURASI PENGGUNAAN
MG-SSL510S01	4900	CW	5050	12 Jam

Material : Aluminium

Kontrol Cahaya & Kontrol Remote

Charging Jam : 4-6 Jam



LED Solar Street Light Legend Series

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	BATERAI LITHIUM
MG-LSSL20020	20	1800	CW	120*45*320	3,2V/11 AH
MG-LSSL20040	40	2700	CW	150*55*360	3,2V/16,5 AH
MG-LSSL20060	60	4500	CW	170*55*415	3,2V/22 AH

Umur Lampu 50.000 Jam

IP 65

Material : Aluminium

Sudut Cahaya 120°



LED Solar Street Light SSL30 Legend Series

MODEL	DAYA (W)	WARNA	DIMENSI (mm)	BATERAI LITHIUM
MG-LSSL30100	100	CW	358*578	6,4V/16,5 AH
MG-LSSL30150	150	CW	358*644	6,4V/22 AH

Umur Lampu 50.000 Jam

Sudut Cahaya 120°

IP 65





LED Solar Flood Light S1 Grand Series

MODEL	LUMEN	WARNA	LEDs	DURASI PENGGUNAAN
MG-SFL509S01	1200	CW	3030/40PCS	12 Jam
MG-SFL509S01	2200	CW	3030/60PCS	12 Jam
MG-SFL509S01	3300	CW	3030/96PCS	12 Jam

HOT ITEMS

Material : Aluminium

Kontrol Pencahayaan & Kontrol Remote

Waktu Pengisian Daya: 4–6 Jam

LED Solar Flood Light Legend Series



MODEL	DAYA	LUMEN	WARNA	DIMENSI	BATERAI LITHIUM
MG - LSFL10025	25W	1800Lm	CW	203*170*50	3,2V/5,5 AH
MG - LSFL10040	40W	4750Lm	CW	245*210*60	3,2V/11 AH
MG - LSFL10060	60W	5500Lm	CW	275*237*70	6,4V/11 AH

IP 65

CRI≥80

Umur Lampu 50.000 Jam

Sudut Cahaya 120°

Material : PBT

LED Solar Strip Light Grand Series



MODEL	PANJANG	WARNA	LEDs	DURASI PENGGUNAAN
MG-SLS506S01	5M	WW	2835	12 Jam
MG-SLS506S01	5M	RGB	5050	12 Jam
MG-SLS506S01	10M	WW	2835	12 Jam
MG-SLS506S01	10M	RGB	5050	12 Jam

Material : ABS + PVC

Kontrol Pencahayaan & Kontrol Remote

Waktu Pengisian Daya: 4–6 Jam



LED Solar Post Light Grand Series



MODEL	LUMEN	WARNA	LEDs	DURASI PENGGUNAAN
MG-SGL513S01	90Lm	Tri Color (WW/NW/CW)	2835	12 Jam
MG-SGL513S01	110Lm	Tri Color (WW/NW/CW)	2845	12 Jam

Material : ABS

Button & Remote Control

Charging Jam : 4-6 Jam



2W

LED Solar Wall Lamp CCT Switch Grand Series



1W

*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	BATERAI
MG-SGL513S03	1	120	Switchable to CW/NW/WW	95*136*80	1800mAH/3.2V
	2	240		256*115*88	4000mAH/3.2V

Material : ABS

Waktu Nyala 12 Jam

Sudut Cahaya 160°

IP X4

CRI ≥80

LED Solar Wall Lamp 2, 3 Spot Grand Series



0.5W 0.7W

*NEW

MODEL	DAYA (W)	LUMEN (Lm)	WARNA	DIMENSI (mm)	BATERAI
MG-SGL513S02	0.5	60	Switchable to CW/NW/WW	107*98*64	600mAH/3.2V
	0.7	84		170*103*60	1200mAH/3.2V

Material : ABS

Waktu Nyala 12 Jam

Sudut Cahaya 60°

IP 65

CRI ≥80





LED Candle Grand Series

MODEL	DAYA	LUMEN	WARNA
MG - LGCLX514	5W	450Lm	WW/CW
MG - LGCLX527	5W	450Lm	WW/CW
MG - LGCLY514	5W	450Lm	WW/CW
MG - LGCLY527	5W	450Lm	WW/CW

220V | Umur Lampu 15.000 Jam | Sudut Cahaya 200° | Material : PBT | CRI ≥80



LED Module Legend Series

MODEL	DAYA	TIPE LED	LUMEN	SUDUT	KULIT	WARNA
MG - GSMD4530	1,5W	1 Pcs SMD COB9	180-200	120°	ABS	B/G/CW/R
MG - GSMD5030	1,5W	1 Pcs SMD 3030	120-130	12*56°	PVC	B/G/CW/R
MG - GSMD7019	1,5W	6 Pcs SMD 5630	50-55	120°	ABS	CW/WW/R
MG - GSMD7520	3W	3 Pcs SMD 3030	120-130	12*56°	PVC	CW
MG - GSMD6615	1,2W	3 Pcs SMD 5630	50-55	160°	Fiber	B/G/CW/R



LED Filamen Grand Series

MODEL	DAYA	WARNA	DIMENSI (mm)
MG - GCFA60427	4W	WW	Ø60*105
MG - GCFC35414	4W	WW	Ø35*98
MG - GCFC35427	4W	WW	Ø35*98
MG - GCFG45427	4W	WW	Ø45*75
MG - GCFST64427	4W	WW	Ø64*146

220 VaC | Umur Lampu 25.000 Jam | Sudut Cahaya 200° | Material Glass | CRI ≥80



Electrical

Saklar B Series



Stopkontak Arde
MG - 880NPC



Saklar Engkel
MG - 881NPC



Saklar Seri
MG - 882NPC



Saklar SK Arde
MG - 883NPC



Saklar Stopkontak
MG - 884NPC



IB Seri Stopkontak
MG - 886NPC



IB Socket TV
MG - 887NPC



Saklar Triple
MG - 888NPC

Pilihan Warna:

Saklar Piano Series



OB Stopkontak Piano
MG - 750NPC



OB Engkel Piano
MG - 751NPC



OB Seri Piano
MG - 752NPC

Saklar O Series



OB Stopkontak Arde Segi
MG - 650NPC



OB Engkel Segi
MG - 651NPC



OB Seri Segi
MG - 652NPC



OB SK Engkel
MG - 653NPC

Pilihan Warna:

Mangkuk Saklar



InBow Mangkuk Saklar
IB - 001



OutBow Mangkuk Saklar
OB - 002

Saklar Gantung



Saklar Gantung
MG - 1101

Saklar M Series



IB Stopkontak Arde
MG - 8850



IB Saklar Engkel
MG - 8851



Saklar Engkel SK Arde
MG - 8852



Saklar Engkel SK Arde
MG - 8853



IB Engkel Stopkontak



IB Socket TV

Saklar V Series



Stop Kontak Arde
MG - 8860



Saklar Engkel
MG - 8861



Saklar Seri
MG - 8862



Saklar Triple
MG - 8863



Saklar Socket TV
MG - 8867



Saklar Socket Telepon
MG - 8866

Saklar ES80100 Series



Stopkontak Arde
MG - ES80100



Saklar SK Arde
MG - ES80101



Saklar Engkel
MG - ES80111



Saklar Seri
MG - ES80112



Saklar Triple
MG - ES80113



Saklar Socket TV
MG - ES80107

Pilihan Warna:

Saklar C Series



Stopkontak Arde
MG - 8880



Saklar Engkel
MG - 8881



Saklar Seri
MG - 8882



Saklar Triple
MG - 8883



Saklar Empat
MG - 8884



Saklar Lima
MG - 8885



SK Arde Saklar Engkel
MG - 8886



Saklar Socket TV
MG - 8887



Socket AC Saklar Engkel
MG - 8889A

Pilihan Warna:

Saklar ES90100 Series



Stopkontak Arde
MG - ES90100

Saklar Engkel
MG - ES90111



Saklar Seri
MG - ES90112



Saklar Triple
MG - ES90113



Saklar Socket TV
MG - ES90107

Pilihan Warna:

Saklar ES70100 Series



Stop Kontak Arde
MG-ES70100



Saklar Engkel
MG-ES70111, MG-ES70111H (Hotel)



Saklar Seri
MG-ES70112, MG0ES70112H (Hotel)



Saklar Triple
MG-ES70113

Pilihan Warna:



Stop Kontak Knob Bell
MG-ES70109



IB Socket TV
MG-ES70107



Frame Saklar 2 Gang
MG-ES70002



Frame Saklar 3 Gang
MG-ES70003

Varian Fitting Series



Fitting Plafon Candi
MG - EFT001



Fitting Plafon Pyramid
MG - EFT 002



Fitting Plafon Ufo
MG - EFT 003



Fitting Gantung
MG - 601



Fitting Plafon Segi 4
MG - 621



Fitting Plafon Segi 4
MG - 612



Fitting Plafon Bulat
MG - 632



Fitting Gantung Basket
MG - 635

Varian Steker Series



Over Steker Universal
MG - EST001



Over Steker Universal
MG - EST002



Over Steker
MG - OS 01



Steker T Multi
MG-607



Steker T Serbaguna
MG-609



Steker Serbaguna
MG-610



Steker Gepeng
MG-625



Steker Arde Morgen
MG-912



Steker Arde Morgen
MG-913

Varian Stop Kontak Series



SK Arde 5 Lubang
MG - 7105



SK Arde 2 Lubang
MG - 7102



SK Gepeng 2 Lubang
MG - 7002



SK Arde 2 Lubang + Lampu Indikator
MG - 7102 L



SK Arde 4 Lubang
MG - 7104



SK Arde 1 Lubang
MG - 7101



SK Gepeng 3 Lubang
MG - 7003



SK Arde 3 Lubang + Lampu Indikator
MG - 7103 L



SK Arde 3 Lubang
MG - 7103



SK Gepeng 4 Lubang
MG - 7004



SK Arde 4 Lubang + Lampu Indikator
MG - 7104 L

MCB Morgen Series



MCB 2A
MCB 4A
MCB 6A
MCB 10A
MCB 16A
MCB 20A
MCB 25A
MCB 32A

MCB Orange Morgen



MCB 2A
MCB 4A
MCB 6A
MCB 10A
MCB 16A

MCB Biru Izunli



MCB 4A
MCB 6A
MCB 10A
MCB 16A
MCB 20A

MCB Biru Morgen



Scan untuk melihat produk kami :

Office :
PT. Favorite Indonesia
Jl. Pangeran Jayakarta 135
Blok B No. 17-18
Jakarta Pusat
11730

0811-1651-811
contact@morgen.co.id

morgen_idn morgen_id morgen.co.id morgen.id Morgen Indonesia