

Product Information Flyer

July Edition (I)

MORGEN
BETTER LIGHT BETTER LIFE

Content

Bulb	3
Downlight dan Spotlight	23
Tube	48
Strip Light	62
Wall Lamp	74
Outdoor	88
Track Light	106
MR16 dan PAR	111
Flood Light	119
Street Light	132
UFO	146
Solar	156
Magnetic	170
Module	179
Accessories Lighting	181
Electrical	220

MORGEN
BETTER LIGHT BETTER LIFE

Bulb Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED BULB



LED **Bulb Ultimate**



LED **Bulb Buy 4 More Saving**



LED **Bulb Legend**



LED **Bulb Buy 4 More Saving**



LED **Bulb Grand**



LED **Bulb Buy 4 More Saving**



LED **Bulb Trend**



LED **Light Sensor Bulb**



LED **Capsule Legend LLCS**



LED **Capsule Legend LLCB**



LED **Capsule LTB**



LED **Capsule Grand**



LED **Light Sensor Capsule**



LED **Magic Lamp**



LED **Bulb Stick**



LED **G**



LED **Candle**



LED **Filamen**

LED Bulb

ULTIMATE



Material: PA + AL
Voltage: 170 ~ 240 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 50.000 Hours
Frequency: 50/60Hz



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LUB10A04	4W	560	36	Ø60 x 112	2.88/5.13	120	630 x 380 x 235
MG-LUB10A06	6W	840	54	Ø60 x 112	2.64/5.15	120	630 x 380 x 235
MG-LUB10A08	8W	1120	72	Ø60 x 112	2.88/5.13	120	630 x 380 x 235
MG-LUB10A10	10W	1400	90	Ø60 x 120	3.6/5.9	120	630 x 380 x 245
MG-LUB10A12	12W	1680	109	Ø60 x 123	4.32/6.88	120	630 x 380 x 265
MG-LUB10A14	14W	1960	127	Ø70 x 140	5.28/8.7	120	730 x 440 x 285
MG-LUB10A16	16W	2240	145	Ø80 x 150	2.98/4.34	40	420 x 340 x 330
MG-LUB10A24	24W	3360	218	Ø95 x 180	3.18/5.18	30	595 x 495 x 205

LED Bulb

(Buy 4 More Saving)

ULTIMATE





Material: PA + AL
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 50.000 Hours
Pcs/ctn: 24pack/96pcs
Frequency: 50/60Hz



○ 6500K (Cool Daylight) ● 3000K (Warm White)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Carton Size (mm)
MG-LBS70204P	4.5W	560	36	Ø60 x 110	2.4/4.2	510 x 390 x 255
MG-LBS70204P	6.5W	840	54	Ø60 x 110	2.4/4.4	510 x 390 x 255
MG-LBS70204P	8.5W	1120	72	Ø60 x 110	2.3/4.41	510 x 390 x 255
MG-LBS70204P	10.5W	1400	90	Ø60 x 118	3.07/5.1	510 x 390 x 265
MG-LBS70204P	12.5W	1680	109	Ø60 x 125	3.45/5.51	510 x 390 x 280
MG-LBS70204P	14.5W	1960	127	Ø70 x 143	2.86/5.84	595 x 457 x 315

MORGEN
BETTER LIGHT BETTER LIFE

LED Bulb

LEGEND



Material: PA + AL
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz



● 3000K (Warm White) ○ 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Color	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LBS60201	3W	300	CW/WW	27	Ø45 x 79	3.5/4.5	120	480 x 290 x 185
MG-LBS60201	5W	500	CW/WW	45	Ø50 x 86	4/5.45	120	630 x 380 x 228
MG-LBS60201	7W	700	CW/WW	63	Ø60 x 112	4/5.45	120	630 x 380 x 228
MG-LBS60201	9W	900	CW/WW	81	Ø60 x 112	4/5.65	120	630 x 380 x 228
MG-LBS60201	11W	1100	CW/WW	100	Ø60 x 118	4.2/6.42	120	630 x 380 x 260
MG-LBS60201	15W	1500	CW/WW	136	Ø70 x 140	5.4/9.18	120	730 x 440 x 290
MG-LBS60201	20W	2000	CW	181	Ø80 x 150	3.4/4.46	40	420 x 340 x 330
MG-LBS60201	26W	2600	CW	227	Ø95 x 180	3.3/5.89	30	605 x 505 x 205

LED Bulb

(Buy 4 More Saving)

LEGEND







○ 6500K (Cool Daylight)

Material: PA + AL
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Pcs/ctn: 24pack/96pcs
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Carton Size (mm)
MG-LBS60020P	5W	500	45	Ø60 x 108	2.24/4.53	510 x 385 x 245
MG-LBS60020P	7W	700	63	Ø60 x 108	2.24/4.54	510 x 385 x 245
MG-LBS60020P	9W	900	81	Ø60 x 108	2.24/4.58	510 x 385 x 245
MG-LBS60020P	11W	1100	100	Ø60 x 118	2.24/4.58	510 x 385 x 280
MG-LBS60020P	15W	1500	136	Ø70 x 138	3.52/6.18	595 x 457 x 315

LED Bulb

GRAND



Material: **(5W - 18W)** PBT
(30W - 35W) AL + PC

Voltage: 165 ~ 265 VaC

Beam Angle: 200°

CRI: ≥80

Fitting: E27

Lifetime: **(5W - 18W)** 25.000 Hours
(30W - 35W) 15.000 Hours

Frequency: 50/60Hz

MORGEN
BETTER LIGHT BETTER LIFE



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LBS50201	5W	400	50	Ø50 x 86	2.15/3.94	120	520 x 330 x 190
MG-LBS50201	7W	630	65	Ø60 x 107	3.19/5.62	120	620 x 390 x 235
MG-LBS50201	9W	810	85	Ø60 x 107	3.46/6.17	120	620 x 390 x 235
MG-LBS50201	11W	990	97	Ø65 x 117	3.52/6.33	120	670 x 420 x 250
MG-LBS50201	14W	1260	110	Ø65 x 125	4.04/6.99	120	670 x 420 x 265
MG-LBS50201	16W	1440	130	Ø70 x 135	5.83/9.49	120	725 x 450 x 285
MG-LBS50201	18W	1620	135	Ø81 x 152	3.44/5.71	60	515 x 425 x 320
NEW MG-LBS50204	30W	3000	272	Ø105 x 202	-	40	560 x 448 x 420
MG-LBS50204	35W	3500	318	Ø118 x 218	-	40	635 x 508 x 450

NEW

LED Bulb

(Buy 4 More Saving)

GRAND

MORGEN
BETTER LIGHT BETTER LIFE







○ 6500K (Cool Daylight) ● 3000K (Warm White)

Material: AL + PC
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Pcs/ctn: 24pack/96pcs
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-LBS50204P	5W	500/450	45	Ø60 x 106	96	425 x 255 x 345
MG-LBS50204P	7W	700/630	63	Ø60 x 106	96	425 x 255 x 345
MG-LBS50204P	9W	900/810	81	Ø60 x 106	96	425 x 255 x 345
MG-LBS50204P	12W	1200/1080	109	Ø65 x 124	96	470 x 280 x 395
MG-LBS50204P	16W	1600/1440	145	Ø70 x 133	96	530 x 300 x 425
MG-LBS50204P	18W	1800/1620	163	Ø80 x 146	60	425 x 310 x 460
MG-LBS50204P	22W	2200/1980	200	Ø92 x 169	60	490 x 345 x 535

LED Bulb

TREND



Material: PBT
Voltage: 220 ~ 240 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz



3000K (Warm White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-TBA05	5W	450	2.15/3.32	120	530 x 275 x 195
MG-TBA07	7W	630	3.19/4.59	120	590 x 320 x 230
MG-TBA09	9W	800	3.46/4.94	120	590 x 320 x 230
MG-TBA11	11W	1100	3.52/5.10	120	630 x 350 x 250
MG-TBA14	14W	1350	4.04/5.74	120	630 x 350 x 260
MG-TBA18	18W	1800	6.88/9.14	120	740 x 430 x 310

LED Light Sensor Bulb

LEGEND



Light Sensor



3000K (Warm White) 6500K (Cool Daylight)

Material: PBT
Voltage: 170~240 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LLSB10A09	9W	810/900	81	Ø60 x 118	4/5	100	630 x 320 x 250
MG-LLSB10A11	11W	990/1100	100	Ø60 x 123	4/5	100	630 x 320 x 260

MORGEN
BETTER LIGHT BETTER LIFE

LED Capsule

LEGEND



60 & 80W

30, 40, 50W



◯ 6500K (Cool Daylight)

Material: AL + PC
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LCS60301	20W	2000	181	Ø80 x 138	2.6/4.65	40	430 x 345 x 310
MG-LCS60301	30W	3000	272	Ø100 x 159	2.06/3.75	20	530 x 425 x 185
MG-LCS60301	40W	4000	363	Ø118 x 185	2.86/5.24	20	625 x 500 x 210
MG-LCS60301	50W	5000	454	Ø138 x 207	1.62/3.06	8	585 x 300 x 235
MG-LCS60301	60W	6000	545	Ø160 x 275	2.62/3.56	8	675 x 345 x 310
MG-LCS60301	80W	8000	727	Ø180 x 300	3.62/4.06	8	755 x 385 x 340

MORGEN
BETTER LIGHT BETTER LIFE

LED Capsule

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LLCB20A30	30W	2700/3000	272	Ø102 x 170	1.84/3.6	20	535 x 428 x 190
MG-LLCB20A40	40W	3600/4000	363	Ø120 x 190	-	20	625 x 500 x 210
MG-LLCB20A50	50W	4500/5000	454	Ø140 x 215	-	12	572 x 435 x 245

Material: AL + PC
Voltage: 170~240VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

MORGEN
BETTER LIGHT BETTER LIFE

LED Capsule

(LTB)

LEGEND



Material: PBT + AL
Voltage: 100~240 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Color	Current (mA)	Pcs/ctn
MG-LTB05	5W	450	WW/NW/CW	50	120
MG-LTB08	8W	790	WW/NW/CW	75	120
MG-LTB11	11W	1000	WW/NW/CW	70	120
MG-LTB15	15W	1350	WW/CW	75	120
MG-LTB20	20W	1800	CW	164	50
MG-LTB30	30W	2700	CW	170	30
MG-LTB40	40W	3600	CW	190	30

MORGEN
BETTER LIGHT BETTER LIFE

LED Capsule

GRAND





3000K (Warm White) 6500K (Cool Daylight)

Material: PBT
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LCS50301	20W	1800	WW/CW	Ø80 x 143	-	50	425 x 425 x 320
MG-LCS50301	30W	2700	WW/CW	Ø115 x 201	4.30/6.40	30	600 x 370 x 420
MG-LCS50301	40W	3600	CW	Ø125 x 213	5.15/7.25	30	645 x 395 x 450
MG-LCS50301	50W	4500	CW	Ø140 x 224	3.93/6.13	20	730 x 300 x 480

MORGEN
BETTER LIGHT BETTER LIFE

LED Light Sensor Capsule

LEGEND



Light Sensor



3000K (Warm White) 4000K (Natural White)

Model: MG-LLSC10A20
Power: 20 Watt
Lumen: 1800/2000Lm
Material: PBT
Voltage: 220 Vac
Beam Angle: 200°
Fitting: E27

Current: 181mA
Lifetime: 15.000 Hours
Frequency: 50/60Hz
Product Size: Ø80mm x 135mm
NW/GW: 2.84/4.35kg
Pcs/ctn: 40
Carton Size: 420mm x 340mm x 290mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Magic Lamp

LEGEND





◯ 6500K (Cool Daylight)

Material: PBT
Voltage: 170~240 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Fitting Gantung: Available
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LML3013CW	13W	900	82	Ø70 x 145	7/8	40	370 x 300 x 315
MG-LML3017CW	17W	1200	109	Ø80 x 155	8/10	40	425 x 345 x 350

MORGEN
BETTER LIGHT BETTER LIFE

LED Bulb Stick

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PA + AL
Voltage: 220 Vac
Beam Angle: 120°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LBS4509	9W	800	85	Ø38 x 118	3/4.22	100	410 x 210 x 255
MG-LBS4512	12W	1000	97	Ø45 x 143	5/6.5	100	480 x 245 x 305
MG-LBS4515	15W	1350	136	Ø52 x 167	6/7	100	550 x 280 x 350

MORGEN
BETTER LIGHT BETTER LIFE

LED G

LEGEND





3000K (Warm White) 6500K (Cool Daylight)

Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color
MG - LG13	13W	1170	WW/CW
MG - LG17	17W	1350	WW/CW

MORGEN
BETTER LIGHT BETTER LIFE

LED Candle

GRAND

MG-LGCLX514 MG-LGCLX527

MG-LGCLY514 MG-LGCLY527





3000K (Warm White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Color	Fitting	Pcs/ctn
MG - LGCLX514	5W	450	WW/CW	E14	120
MG - LGCLX527	5W	450	WW/CW	E27	120
MG - LGCLY514	5W	450	WW/CW	E14	120
MG - LGCLY527	5W	450	WW/CW	E27	120

Material: PBT
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Fitting: E27/E14
Lifetime: 15.000 Hours
Frequency: 50/60Hz

MORGEN
BETTER LIGHT BETTER LIFE

LED Filamen

GRAND

MG-GCFST64427 MG-GCFG45427 MG-GCFA60427 MG-GCFC35414





3000K (Warm White)

Material: PBT
Voltage: 220 VaC
Beam Angle: 200°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Color	Product Size (mm)	Pcs/ctn
MG - GCFA60427	4W	WW	Ø60 x 105	100
MG - GCFC35414	4W	WW	Ø35 x 98	100
MG - GCFC35427	4W	WW	Ø35 x 98	100
MG - GCFG45427	4W	WW	Ø45 x 75	100
MG - GCFST64427	4W	WW	Ø64 x 146	100

MORGEN
BETTER LIGHT BETTER LIFE

Downlight & Spotlight Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED Downlight & Spotlight



LED **Downlight Round Legend**



LED **Downlight Square Legend**



LED **Downlight Outbow Grand**



LED **Downlight Inbow Grand**



LED **Downlight Surface**



LED **Downlight Panel IB 60 & 120**



LED **Downlight Panel OB 60 & 120**



LED **Spotlight Gun Metal**



LED **New Spotlight**



LED **Downlight 3 Color**



LED **Downlight Spot**



LED **Downlight Antiglare Legend**



LED **Downlight Antiglare Grand**



LED **Downlight COB**



LED **Downlight COB Antiglare**



LED **Bulkhead Round CCT**



LED **Emergency Bulkhead**



LED **Spotlight Line Square**



LED **Spotlight Line Round**



LED **Spot Downlight Adjustable Inbow**



LED **Spot Downlight Adjustable Outbow**



LED **Ceiling Lamp**



LED **Spot Light CCT Switch**

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Round

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PC
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Inch	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LDL13005	5W	450	50	Ø90 x 30	3"	1.6/2.44	100	490 x 380 x 205
MG-LDL3507	7W	630	70	Ø105 x 30	3.5"	2/3.1	100	555 x 380 x 235
MG-LDL4009	9W	810	85	Ø120 x 30	4"	2.4/3.7	60	390 x 380 x 265
MG-LDL5012	12W	1200	110	Ø145 x 30	5"	5.4/7.72	60	470 x 390 x 320
MG-LDL6015	15W	1500	140	Ø170 x 30	6"	5.52/8.71	60	545 x 390 x 370
MG-LDL18022	22W	2200	220	Ø220 x 30	8"	7.2/10.66	40	470 x 390 x 470

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Square

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PP
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 20.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Inch
MG-DLS012	12W	860	50	102 x 102	4"
MG-DLS015	15W	1200	70	152 x 152	6"
MG-DLS22	22W	1440	85	203 x 203	8"

LED Downlight

Outbow Round & Square

GRAND

MG-GDLOBAR





MG-GDLOBAS



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PP
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color	Product Size a x b x c (mm)	Inch	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)	Body
MG-GDLOB006AR	6W	480/540	CW/WW/NW	Ø123 x 35	5"	9/12	90	640 x 410 x 290	White/Black
MG-GDLOB012AR	12W	1080/1200	CW/WW/NW	Ø174 x 35	7"	4.8/7.5	30	640 x 380 x 210	White/Black
MG-GDLOB018AR	18W	1620/1800	CW/WW/NW	Ø226 x 35	9"	8.7/11.9	30	640 x 480 x 260	White/Black
MG-GDLOB026AR	26W	2340/2600	CW/WW	Ø289 x 38	11.5"	3.52/6.33	20	625 x 465 x 325	White
MG-GDLOB006AS	6W	480/600	CW/WW/NW	123 x 123 x 35	3.5"	12/15	90	640 x 410 x 290	White
MG-GDLOB012AS	12W	1620/1200	CW/WW/NW	175 x 175 x 35	7"	6.1/8.9	30	640 x 380 x 210	White
MG-GDLOB018AS	18W	1620/1800	CW/WW/NW	225 x 225 x 35	9"	10.5/13.7	30	640 x 480 x 260	White
MG-GDLOB026AS	26W	2340/2600	CW/WW	289 x 289 x 38	11.5"	3.52/6.33	20	625 x 465 x 325	White

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Inbow Round & Square

GRAND



MG-GDLIBAR MG-GDLIBAS



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PP
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color	Product Size a x b (mm)	Inch	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)	Body
MG-GDLIB004AR	4W	320/360	CW/WW/NW	Ø98x 25.5	3"	4.3/6.1	90	480 x 365 x 225	White
MG-GDLIB005AR	5W	400/450	CW/WW/NW	Ø118 x 25.5	3.5"	6.3/8.5	90	500 x 425 x 270	White
MG-GDLIB009AR	9W	720/810	CW/WW/NW	Ø145 x 25.5	4"	5.4/7.8	60	490 x 315 x 320	White
MG-GDLIB012AR	12W	1080/1200	CW/WW/NW	Ø175 x 26.5	6"	3.9/5.8	30	510 x 375 x 200	White
MG-GDLIB018AR	18W	1620/1800	CW/WW/NW	Ø218 x 27.5	8"	6/8.5	30	530 x 470 x 240	White
MG-GDLIB026AR	26W	2340/2600	CW/WW	Ø295 x 30	10.5"	3.52/6.33	20	620 x 390 x 325	White
MG-GDLIB009AS	9W	720/810	CW/WW	145 x 145 x 26.5	4"	7.2/9.8	60	510 x 340 x 320	White
MG-GDLIB012AS	12W	1080/1200	CW/WW	175 x 175 x 26.5	6"	4.8/6.9	30	510 x 400 x 200	White
MG-GDLIB018AS	18W	1620/1800	CW/WW	218 x 218 x 27.5	8"	7.8/11.1	30	530 x 500 x 245	White
MG-GDLIB026AS	26W	2340/2600	CW/NW	295 x 295 x 30	10.5"	-	20	650 x 390 x 325	White

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Surface

GRAND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥90
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)	Body
MG-DL51802	10W	750	91	Ø60 x 70	60	395 x 260 x 340	Black/White
MG-DL51802	20W	1500	182	Ø70 x 105	40	420 x 210 x 400	Black/White
MG-DL51802	30W	2250	273	Ø80 x 179	20	250 x 190 x 250	Black/White

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight Panel

Inbow 30 x 120 dan 60 x 60

GRAND





4000K (Natural White) 6500K (Cool Daylight)

Material: Iron
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 20.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-GDLIB10048	48W	4800	670	600 x 600	8	645 x 350 x 630
MG-GDLIB20048	48W	4800	670	300 x 1200	6	1275 x 265 x 330

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight Panel

Outbow 30 x 120 dan 30 x 60

GRAND



120 x 30



60 x 30



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model: MG-PNL50101
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 20.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Material	Power	Lumen (Lm)	Color	Current (mA)	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-PNL50101	Iron	36W	2880	CW/NW/WW	720	300 X 600	6.5/7.1	6	630 x 300 x 325
MG-PNL50101	PP	48W	3840	CW	600	300 x 1200	3.52/6.33	6	1225 x 295 x 330

LED Spotlight

Gun Metal

LEGEND

Black **Silver**

a

b





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: AL + PC
Voltage: 220 VaC
Beam Angle: 24°
CRI: ≥80
Lifetime: 25.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (kg)	Body Color	Pcs/ctn	Carton Size (mm)
MG-SPL60801	8W	560/640	110	Ø85 x 75	8.64/10.25	Black/Silver	60	440 x 355 x 285
MG-SPL60801	12W	800/840	110	Ø85 x 75	9.66/12.58	Black/Silver	60	380 x 320 x 500

LED New Spot Light

LEGEND

MORGEN
BETTER LIGHT BETTER LIFE





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PBT + AL
Voltage: 220 VaC
Beam Angle: 36°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-SPL60805	5W	400	45	Ø85 x 26	5/6.85	80	455 x 305 x 195
MG-SPL60805	7W	560	63	Ø85 x 26	5/6.94	80	455 x 305 x 195

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

3 Color

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: **(5W - 7W)** PP
(9W - 24W) PC
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

	Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
NEW	MG-PNL60102R	5W	400	45	Ø90 x 30	-	100	490 x 380 x 205
	MG-PNL60102R	7W	560	63	Ø105 x 30	-	100	555 x 380 x 235
	MG-PNL60102R	9W	720	90	Ø120 x 30 x Ø105	3.3/5.15	60	390 x 380 x 265
	MG-PNL60102R	15W	1200	140	Ø170 x 30 x Ø150	6.84/10.52	60	545 x 390 x 370
	MG-PNL60102R	24W	1920	220	Ø220 x 30 x Ø200	7.6/11.35	40	470 x 390 x 470

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Spot

LEGEND

SILVER WHITE





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: PBT + AL
Voltage: 220 VaC
Beam Angle: 70°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen(Lm)	Current(mA)	Product Size a x b x c (mm)	Body Color	NW/GW(kg)	Pcs/ctn	Carton Size (mm)
MG-SPL60802	6W	430/480	55	Ø88 x 47 x Ø75	Silver/White	5/7	50	475 x 310 x 200
MG-SPL60802	10W	720/800	90	Ø110 x 51 x Ø90	Silver/White	5.3/7.5	50	600 x 320 x 250
MG-SPL60802	15W	1080/1200	136	Ø136 x 55 x Ø125	Silver/White	5/7	40	630 x 300 x 300

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Antiglare

LEGEND





3000K (Warm White) ○ 6500K (Cool Daylight)

Material: PC
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - LDLAG1A0083	8W	510/560	72	Ø82 x 47 x Ø75	7.2/7.8	80	545 x 455 x 195
MG - LDLAG1A0094	9W	570/630	81	Ø110 x 50 x Ø100	7.2/7.8	60	600 x 415 x 250
MG - LDLAG1A0156	15W	1080/1200	136	Ø165 x 50 x Ø150	4.4/5.04	20	360 x 360 x 360

MORGEN
BETTER LIGHT BETTER LIFE

LED Downlight

Antiglare

GRAND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: Iron Powder + PC Cover
Voltage: 220 VaC
Beam Angle: 112°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	Inch	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-DL51801	9W	720	66	Ø96.5 x 30.5 x Ø60	2"	11.5/14.1	100	532 x 385 x 218
MG-DL51801	12W	960	90	Ø115 x 31.5 x Ø95	4"	12.7/15.5	80	495 x 382 x 250
MG-DL51801	18W	1440	120	Ø140 x 32.5 x Ø120	5"	13/15.8	60	457 x 422 x 307
MG-DL51801	24W	1920	180	Ø175 x 33.5 x Ø150	6"	10.4/12.6	30	565 x 422 x 192

LED Downlight

COB

LEGEND





3000K (Warm White) 6500K (Cool Daylight)

Material: PBT + Glass
Voltage: 220 VaC
Beam Angle: 110°
CRI: ≥80
Lifetime: 15.000 Hours
PF: 0.5
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-LDLC1A0206	20W	1600/1800	180	Ø170 x 50 x Ø140	7.4/9.04	30	538 x 285 x 365
MG-LDLC1A0308	30W	2400/2700	270	Ø230 x 50 x Ø200	9.4/11.04	20	480 x 320 x 480

LED Downlight

COB Antiglare

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: AL
Voltage: 220 VaC
Beam Angle: 60°
CRI: ≥90
Lifetime: 50.000 Hours
PF: 0.9
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	Inch	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-DL61802	10W	850	50	Ø86 x 45 x Ø75	3"	8.16/10.7	48	425 x 420 x 280
MG-DL61802	20W	1800	100	Ø115 x 55 x Ø100	4"	9.84/12.86	36	490 x 371 x 320
MG-DL61802	30W	3000	150	Ø165 x 67 x Ø150	6"	7.2/8.9	16	380 x 345 x 365
MG-DL61802	40W	4000	200	Ø218 x 85 x Ø200	8"	11.2/14	16	470 x 470 x 425

LED Bulkhead Light

Round CCT Switch

LEGEND

MORGEN
BETTER LIGHT BETTER LIFE







Model: MG - DL61803
Power: 15W
Lumen: 1200Lm
Material: Plastic
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz

PF: 0.5
IP: 65
Current: 130mA
Product Size: Ø181mm x 47mm
Body: White and Black
Pcs/ctn: 30
NW/GW: 8.19/10.49Kg
Carton Size: 587mm x 282mm x 413mm

Switchable Color

- 3000K (Warm White)
- 4000K (Natural White)
- 6500K (Cool Daylight)

LED Emergency

Bulkhead Light

LEGEND

MORGEN
BETTER LIGHT BETTER LIFE





◯ 6500K (Cool Daylight)

Model: MG-EGL60401
Power: 20W
Lumen: 1800Lm
Material: Plastic
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000 Hours

PF: 0.5
IP: 65
Frequency: 50/60Hz
Current: 175mA
Product Size: 263mm x 137mm x 46mm
Pcs/ctn: 20
NW/GW: 5.4/7.2 Kg
Carton Size: 589mm x 282mm x 314mm

LED Spotlight

Line Square

LEGEND



20W



10W



Material: AL

Voltage: 220 VaC

Beam Angle: 24°

CRI: ≥90

Lifetime: 50.000 Hours

PF: 0.5

Frequency: 50/60Hz



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-SPL60806	10W	600/650	300	147 x 45 x 139	8.2/9.7	30	575 x 185 x 260
MG-SPL60806	20W	1300/1350	600	279 x 45 x 272	15.6/17.8	30	575 x 320 x 260

LED Spotlight

Line Round

LEGEND



30W



15W



Material: AL
Voltage: 220 VaC
Beam Angle: 24°
CRI: ≥90
Lifetime: 50.000 Hours
PF: 0.5
Frequency: 50/60Hz



3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-SPL60807	15W	980/1050	900	147 x 45 x 139	9.4/10.8	30	575 x 185 x 260
MG-SPL60807	30W	1960/2100	900	279 x 45 x 272	16.8/18.8	30	575 x 320 x 260

MORGEN
BETTER LIGHT BETTER LIFE

LED Spot Downlight

Adjustable 360 Inbow CCT Switch

LEGEND





Switchable Color — 3000K (Warm White) — 4000K (Natural White) — 6500K (Cool Daylight)

Model: MG-SPL60808
Power: 6W
Lumen: 480Lm
Material: Plastic + Aluminium
Voltage: 220 VaC
Beam Angle: 38°
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
Current: 50mA
Product Size: Ø90mm x 110mm
Pcs/ctn: 50
NW/GW: 5.45/8.32Kg
Carton Size: 507mm x 507mm x 206mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Spot Downlight

Adjustable 360 Outbow CCT Switch

LEGEND



CCT Switch Button
Warm White
Natural White
Cool Daylight



Switchable Color — 3000K (Warm White) — 4000K (Natural White) — 6500K (Cool Daylight)

Model: MG-SPL60808
Power: 6W
Lumen: 480Lm
Material: Plastic + Aluminium
Voltage: 220 VaC
Beam Angle: 38°
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
Current: 50mA
Product Size: Ø92mm x 115mm
Pcs/ctn: 50
NW/GW: 7.8/11Kg
Carton Size: 530mm x 530mm x 210mm

LED Ceiling Lamp

(Motion Sensor)

MORGEN
BETTER LIGHT BETTER LIFE

GRAND





MG-GPBSA01



MG-GRSSA02T



◯ 6500K (Cool Daylight)

Material: Plastic
Voltage: 170~260 Vac
Induction Angle: 180°
CRI: ≥80
Lifetime: 15.000 Hours
Time Delayed: 2 Seconds
Mounting Height: 4-6 meter

Model	Power	Lumen (Lm)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-GCLRA012	12W	1200	Ø220 x 45	20	490 x 270 x 490
MG-GCLRA018	18W	1800	Ø270 x 45	20	545 x 295 x 580

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Spot Light

CCT Switch

LEGEND





Switchable Color — 3000K (Warm White) — 4000K (Natural White) — 6500K (Cool Daylight)

Model: MG-SPL60803
Power: 7W
Lumen: 560Lm
Material: Plastic + Aluminium
Voltage: 220 VaC
Beam Angle: 60°
CRI: ≥80
Lifetime: 25.000 Hours

Frequency: 50/60Hz
Current: 60mA
Product Size: Ø90mm x 48mm
Hole Size: Ø70mm
Pcs/ctn: 100
NW/GW: 7.50/10.07Kg
Carton Size: 537mm x 482mm x 212mm

MORGEN
BETTER LIGHT BETTER LIFE

Tube Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED Tube



LED **T8 Tube Ultimate**



LED **T8 Tube Legend**



LED **T8 Tube 2 Way**



LED **Integrated Tube Set**



LED **T8 Integrated**



LED **T5 Set**



LED **Damp Proof Batten**



LED **Lamiting Bracket**



LED **Pendant Light**



LED **Triproof Batten**



LED **Emergency Lamp T5**



LED **T8 Tube Laminated 2 Way**

MORGEN
BETTER LIGHT BETTER LIFE

LED T8 Tube

ULTIMATE





◯ 6500K (Cool Daylight)

Material: AL + PC
Voltage: 220VaC
Beam Angle: 200°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-LUT8A010	10W	1500/1350	90	600 x 30	25	640 x 195 x 240
MG-LUT8A020	20W	3000/2700	165	1200 x 30	25	1260 x 195 x 240

LED T8 Tube

LEGEND





○ 6500K (Cool Daylight) ● 4000K (Natural White) ● 3000K (Warm White)

Material: Glass + PBT
Voltage: 220VaC
Beam Angle: 270°
CRI: ≥80
Fitting: G13
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-LT8A09	9W	1100	CW	650 x 30	-	25	-
MG-LT8A18	18W	2200	WW/NW/CW	1200 x 30	4.7/7	25	126 x 20 x 24
MG-LT8S18	18W	2200	WW/CW	1200 x 30	5.1/8.4	25	120 x 20 x 24

MORGEN
BETTER LIGHT BETTER LIFE

LED T8 Tube

2 Way

GRAND





◯ 6500K (Cool Daylight)

Material: Glass & ABS
Voltage: 220VaC
Beam Angle: 240°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LGT82W	9W	880	70	588 x Ø25.5	-	25	657 x 183 x 180
MG-LGT82W	18W	2340	145	1198 x Ø25.5	4.8/6.3	25	1250 x 162 x 165
MG-LGT82W	36W	4620	335	1198 x Ø25.5	4.9/6.4	25	1220 x 162 x 165
MG-LGT82W	46W	5980	375	1198 x Ø25.5	5/6.5	25	1250 x 162 x 165

MORGEN
BETTER LIGHT BETTER LIFE

LED Integrated
Tube Set

GRAND





◯ 6500K (Cool Daylight)

Material: Iron + PC Cover
Voltage: 220VaC
Beam Angle: 112°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-LGITSA0609CW	9W	750	70	570 x Ø31	10	600 x 157 x 690
MG-LGITSA1226CW	26W	2400	175	1170 x Ø31	30	1185 x 200 x 162

MORGEN
BETTER LIGHT BETTER LIFE

LED T8
Integrated

GRAND





◯ 6500K (Cool Daylight)

Material: Iron + PC Cover
Voltage: 220VaC
CRI: ≥80
Lifetime: 15.000 Hours
Beam Angle: 270°
Frequency: 50/60Hz

Model	Power	Lumen	Current (mA)	Product Size a x b (mm)	Beam Angle	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-GITRA018	18W	1980Lm	140	600 x 62 x 25	114°	7/8.5	20	620 x 315 x 150
MG-GITRA052	52W	5200Lm	-	1200 x 62 x 25	270°	4/4.5	20	1215 x 315 x 150

LED T5 Set

GRAND





Blue · Ice Blue · 6500K (Cool Daylight) · 4000K (Natural White) · 3000K (Warm White)

Pink · Red · Green

Material: PVC + PC
Voltage: 220V
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Color	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-GT5A05	5W	400	B/I/CW/NW/WW/P/G	314 x 34 x 22	4.26/4.8	50	390 x 260 x 205
MG-GT5A09	9W	720	B/I/CW/NW/WW/P/G/R	574 x 34 x 22	6.76/7.4	50	635 x 260 x 205
MG-GT5A14	14W	1120	B/I/CW/NW/WW/P/G	874 x 34 x 22	10.26/10.7	50	935 x 260 x 205
MG-GT5A18	18W	1440	B/I/CW/NW/WW/P/G/R	1174 x 34 x 22	13.26/13.8	50	123 x 260 x 205

MORGEN
BETTER LIGHT BETTER LIFE

LED Damp Proof Batten

LEGEND





◯ 6500K (Cool Daylight)

Material: PC
Voltage: 220VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-LDPB1A0620	20W	1800	180	550 x 68 x 38	7.4/9.04	20	605 x 308 x 235
MG-LDPB1A1240	40W	3600	360	1150 x 68 x 38	-	20	1205 x 308 x 235

MORGEN
BETTER LIGHT BETTER LIFE

LED Lamiting Bracket

GRAND





◯ 6500K (Cool Daylight)

Material: Iron + PC Cover
Voltage: 220VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-LGLABA0615CW	15W	1500	75	600 x 40 x 35	30	555 x 265 x 205
MG-LGLABA0628CW	28W	2800	141	1200 x 40 x 35	30	1198 x 265 x 205
MG-LGLABA0630CW	30W	2800	141	600 x 70 x 40	30	1203 x 220 x 225
MG-LGLABA0658CW	58W	5600	425	1200 x 70 x 40	15	1198 x 220 x 225

MORGEN
BETTER LIGHT BETTER LIFE

LED Pendant Light

LEGEND





◯ 6500K (Cool Daylight)

Material: AL + PC
Voltage: 220VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-TBS60506	30W	3300	151	600 x 50 x 50	7.4/9.94	20	625 x 300 x 240
MG-TBS60506	60W	6600	303	1200 x 50 x 50	12.5/15.8	10	1225 x 300 x 130

MORGEN
BETTER LIGHT BETTER LIFE

LED Triproof Batten

LEGEND





◯ 6500K (Cool Daylight)

Material: Plastic
Voltage: 220VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-TBS60502	30W	3000	190	550 x 83 x 58	4.7/7	20	621 x 373 x 347
MG-TBS60502	60W	6000	375	1150 x 83 x 58	9.4/14	20	1242 x 373 x 347

MORGEN
BETTER LIGHT BETTER LIFE

LED Emergency Lamp T5

GRAND





◯ 6500K (Cool Daylight)

Model: MG-LGELT505
Power: 5W
Lumen: 300Lm
Current: 600mA
Material: PPT
Voltage: DC5V

Beam Angle: 120°
CRI: ≥80
Lifetime: 25.000Hours
Product Size: 320mm x 40mm
Pcs/ctn: 100
Carton Size: 450mm x 400mm x 290mm

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED T8 Tube Laminated 2 Way

GRAND





◯ 6500K (Cool Daylight)

Model: MG-LGT8L2W18
Power: 18W
Lumen: 2340Lm
Current: 145mA
Material: Laminated Glass + ABS Plastic
Voltage: 185-265 VaC

Beam Angle: 240°
CRI: ≥80
Lifetime: 15.000 Hours
Product Size: Ø25.5mm x 1198mm
Pcs/ctn: 25
Carton Size: 1263mm x 183mm x 180mm

MORGEN
BETTER LIGHT BETTER LIFE

Strip Light Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED Strip Light



LED **Strip Light Legend 100M**



LED **Strip Light Legend 5M**



LED **Strip Light Ultimate 5M**



LED **Neonflex Legend**



LED **Strip Light COB**



LED **Neon Flex Legend**



LED **Neon Flex Grand**



LED **Strip Light COB Dotless**



LED **Strip Light Trend 100M**



LED **Strip Light Mosquito Repellent**

LED Strip Light

100 Meter

LEGEND





6500K (Cool Daylight) 4000K (Natural White) 3000K (Warm White)

Red Blue

Model: MG-LLS2835B120L
Voltage: 220VaC
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz
Chip: 120 chip/m

IP: 65
Length: 100m
NW/GW: 7/7.8Kg
Pcs/ctn: 1
Carton Size: 320mm x 320mm x 158mm
Cut Length: 50cm/500mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

5 Meter

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight) 10000K (Super White)

Voltage: DC12V
Beam Angle: 120°
CRI: ≥80
Length: 5M
Lifetime: 25.000 Hours
Cut Length: 2.5cm/25mm

Model	Power	Lumen (Lm)	Color	Pcs/ctn	Carton Size (mm)
MG-LS2835A060L	6W/M	960	WW/NW/CW	100	-
MG-LS2835A120L	12W/M	960	WW/NW/CW/SUPERWHITE	50	340 x 220 x 240

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

ULTIMATE





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight) 10000K (Super White)

Material: Bare Board
Voltage: DC12V
Beam Angle: 120°
CRI: ≥80
Lifetime: 20.000 Hours
Current: 23mA
Length: 5m
Cut Length: 2.5cm/25mm

Model	Power	Lumen	Chip	Pcs/ctn	Carton Size (mm)
MG-LULS2835U120L	8W	150Lm/W	120	50	320 x 220 x 240
MG-LULS2835U168L	12W	150Lm/W	168	50	320 x 220 x 240

MORGEN
BETTER LIGHT BETTER LIFE

LED Neon Flex

LEGEND



25M



5M



Red Blue Green Purple

3000K (Warm White) 6500K (Cool Daylight)

Material: Silica Gel
Beam Angle: 120°
CRI: ≥80
Lifetime: 18.000 Hours
IP: 65
Cut Length: 10cm/100mm

Model	Power	Lumen	Voltage	Current (mA)	Length	Pcs/ctn	Carton Size (mm)
MG-LNEFLA01	10W	70Lm/W	DC12V	42	5M	5pack/2pcs	400 x 400 x 85
MG-LNEFLB01	8W	70Lm/W	AC220V	36	25M	2pcs	320 x 320 x 130

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

COB

LEGEND



50M



5M



Red Blue Green Purple

3000K (Warm White) 6500K (Cool Daylight)

Material: PVC
Beam Angle: 120°
CRI: ≥80
Lifetime: 18.000 Hours
Current: 36mA

Model	Power	Lumen (Lm)	Voltage	Chip	IP	Length	Pcs/ctn	Carton Size (mm)	Cut Length (mm)
MG-LSCOBA320L	8W	80	DC12V	320/5m	20	5m	50	320 x 220 x 240	25
MG-LSCOBA288L	8W	60	AC220V	288/5m	65	50m	1	320 x 320 x 158	500

LED Neon Flex

Font

LEGEND







Model: MG-NEF61701
Power: 7.2W
Lumen: 288Lm
Material: Silica Gel
CRI: ≥80
Voltage: DC12V
Beam Angle: 150°
Length: 5M
Cut Length: 2.5cm/25mm

Lifetime: 18.000 Hours
IP: 65
Current: 32mA
Chip: 120Led/Chip
Product Size: 6mm x 12mm
NW/GW: 18/8.5Kg
Pcs/ctn: 50
Carton Size: 440mm x 440mm x 240mm

3000K (Warm White) ○ 6500K (Cool Daylight)

Red Blue Green Pink Yellow

LED Neon Flex

Font

GRAND







Model: MG-NEF51701
Power: 7.2W
Lumen: 288Lm
Current: 32mA
Length: 5M
Material: PVC
Voltage: DC12V
Beam Angle: 150°
Cut Length: 2.5cm/25mm

CRI: ≥80
Lifetime: 18.000 Hours
IP: 65
Chip: 120Led/Chip
Product Size: 6mm x 12mm
NW/GW: 18/8.5Kg
Pcs/ctn: 50
Carton Size: 440mm x 440mm x 240mm

3000K (Warm White) 6500K (Cool Daylight)

Red Blue Green Pink Yellow

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

COB Dotless

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Ice Blue Blue Pink Amber

Material: Silica Gel
Beam Angle: 120°
CRI: ≥80
Lifetime: 18.000 Hours
IP: 67
Current: 33mA
Length: 5m
Cut Length: 2.5cm/25mm

Model	Power	Lumen	Voltage	Chip	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-LST60601	8W	65Lm/W	DC12V	320led/chip	10 x 4.5	40	340 x 220 x 240
MG-LST60601	8W	65Lm/W	DC24V	320led/chip	10 x 4.5	40	580 x 325 x 260

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

TREND







Model: MG-TLS2835A120L
Voltage: 220VaC
Frequency: 50/60Hz
Length: 100M
Chip: 120chip/m
IP: 65
NW/GW: 6.9/7.5Kg
Pcs/ctn: 1
Carton Size: 310mm x 310mm x 125mm
Cut Length: 50cm/500mm

3000K (Warm White) 6500K (Cool Daylight) Red Blue

MORGEN
BETTER LIGHT BETTER LIFE

LED Strip Light

Mosquito Repellent

LEGEND









Giving protection
from mosquitoes



Lemon Yellow

Model: MG-LST60602
Power: 10W/M
Lumen: 1100Lm
Material: Silicone
Voltage: DC24V
Frequency: 50/60Hz
Length: 100M
Lifetime: 18.000 Hours

Beam Angle: 120°
IP: 67
Current: 388mA
Size: 10mm x 4.5mm
Pcs/ctn: 1
NW/GW: 5.2/5.6Kg
Carton Size: 320mm x 320mm x 130mm

MORGEN
BETTER LIGHT BETTER LIFE

Wall Lamp Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED WALL LAMP



LED **Wall Lamp Down Spot**



LED **Wall Lamp Hexa**



LED **Wall Body Light Oval**



LED **Wall Lamp Clear Cube**



LED **Wall Lamp Butterfly**



LED **Wall Lamp Cam**



LED **Wall Lamp Victory**



LED **Wall Lamp Cube**



LED **Wall Lamp Face Spot**



LED **Wall Lamp Rectangle**



LED **Wall Lamp Spot**



LED **Wall Lamp Helios**

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Down Spot

GRAND





3000K (Warm White)

Material: Die Casting Aluminium
Voltage: 220VaC
CRI: ≥80
IP: 65
Frequency: 50/60Hz
Housing Color: Black

Model	Power	Lumen (Lm)	Product Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51301	2W	160	105 x 60 x 60	50	550 x 340 x 750
MG-GLT51301	3W	240	165 x 60 x 60	20	540 x 340 x 550
MG-GLT51301	4W	320	225 x 60 x 60	20	660 x 340 x 550

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Hexa

GRAND









3000K (Warm White)

Material: Die Casting Aluminium
Voltage: 220VaC
Beam Angle: 45°
CRI: ≥80
Lifetime: 15.000 Hours
IP: 65
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Product Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51315	4W	362	200 x 100 x 95	50	470 x 245 x 250
MG-GLT51315	6W	480	240 x 60 x 55	50	470 x 245 x 340
MG-GLT51315	8W	748	80 x 105 x 40	50	470 x 245 x 450

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Body Light Oval

GRAND





3000K (Warm White)

Model: MG-GLT51302
Power: 7W
Lumen: 630Lm
Material: Aluminium
Voltage: 220VaC
CRI: ≥80

IP: 65
Frequency: 50/60Hz
Product Size: 155mm x 70mm x 45mm
NW/GW: 14/15Kg
Pcs/ctn: 50
Carton Size: 395mm x 320mm x 370mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Clear Cube

GRAND





3000K (Warm White)

Model: MG-GLT51303
Power: 6W
Lumen: 300Lm
Material: ABS
Voltage: 220VaC
CRI: ≥80

IP: 65
Frequency: 50/60Hz
Product Size: 105mm x 90mm x 35mm
NW/GW: 6/7Kg
Pcs/ctn: 20
Carton Size: 595mm x 215mm x 300mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Butterfly

GRAND





3000K (Warm White)

Model: MG-GWLBF2SP010ABL
Power: 10W
Lumen: 644Lm
Material: Die Casting Aluminium
Voltage: 220VaC
Beam Angle: 120°
CRI: ≥80

Lifetime: 15.000 Hours
IP: 65
Frequency: 50/60Hz
Product Size: 100mm x 200mm x 95mm
Pcs/ctn: 20
Carton Size: 570mm x 240mm x 460mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Cam

GRAND





3000K (Warm White)

Material: Die Casting Aluminium
Voltage: 220VaC
CRI: ≥80
Lifetime: 25.000 Hours
IP: 65
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51312	3W	240	80 x 65 x 75	50	445 x 170 x 445
MG-GLT51312	6W	480	80 x 65 x 140	20	395 x 190 x 320

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Victory

GRAND





3000K (Warm White)

Model: MG-GLT51317
Power: 3W
Lumen: 240Lm
Material: ABS
Voltage: 220VaC
CRI: ≥80
Lifetime: 25.000 Hours

IP: 54
Frequency: 50/60Hz
Product Size: 128 x 115.5 x 46mm
Pcs/ctn: 20
Carton Size: 290 x 320 x 270mm
Body: Black & White

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Cube

GRAND





3000K (Warm White)

Model: MG-GLT51313
Power: 6W
Lumen: 480Lm
Material: Die Casting Aluminium
Voltage: 220VaC
CRI: ≥80

Lifetime: 25.000 Hours
IP: 54
Frequency: 50/60Hz
Product Size: 100mm x 100mm x 100mm
Pcs/ctn: 20
Carton Size: 570mm x 235mm x 240mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Face Spot

GRAND





3000K (Warm White)

Material: Die Casting Aluminium
Voltage: 220Vac
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
IP: 65
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Spot	Product Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)
MG-GWLF2SP006ABL	6W	585	2	83.5 x 79 x 43	50	495 x 295 x 200
MG-GWLF4SP012ABL	12W	1014	4	112 x 79 x 43	50	470 x 295 x 270
MG-GWLF6SP018ABL	18W	1535	6	168 x 79 x 43	20	380 x 295 x 200

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Rectangle

GRAND





3000K (Warm White)

Model: MG-GLT51316
Power: 4W
Lumen: 289Lm
Material: ABS
Voltage: 220VaC
Beam Angle: 120°

CRI: ≥80
Frequency: 50/60Hz
IP: 65
Product Size: 123mm x 83mm x 30mm
Pcs/ctn: 50
Carton Size: 495mm x 245mm x 290mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Lamp Spot

GRAND





3000K (Warm White)

Model	Power	Lumen (Lm)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-GLT51311	4W	360	110 x 75 x 40	6.5/7.6	50	445 x 295 x 260
MG-GLT51311	6W	540	160 x 75 x 40	7/8.9	50	445 x 295 x 360
MG-GLT51311	8W	790	210 x 78 x 46	-	50	445 x 295 x 460

Material: Plastic + PS
Voltage: 220VaC
Beam Angle: 60°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 54

LED Wall Lamp
Helios

GRAND



Model: MG-GLT51319
Power: 10W
Lumen: 800Lm
Material: Aluminium + PC
Voltage: 220 VaC
Beam Angle: Up and down 180°
CRI: ≥80
Lifetime: 20.000 Hours

MORGEN
BETTER LIGHT BETTER LIFE



3000K (Warm White)

Frequency: 50/60Hz
IP: 54
Current: 82mA
Product Size: 160mm x 70mm x 65mm
NW/GW: 12/13kg
Pcs/ctn: 50
Carton Size: 420mm x 395mm x 360mm

MORGEN
BETTER LIGHT BETTER LIFE

Outdoor Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview OUTDOOR SERIES



LED **Deck Light**



LED **Floor Lamp**



LED **Pool Light**



LED **Fountain Light**



LED **Stair Lamp Square**



LED **Stair Lamp Rectangle**



LED **Stair Lamp Oval**



LED **Stair Lamp Sensor**



LED **Stair Lamp Round**



LED **Spike Light**



LED **Spike Light Cap**



LED **Spike Light Umbrella**



LED **Spot Outdoor**



LED **Wall Washer Grand**



LED **Wall Washer Legend**



LED **Wall Washer DC24V**

MORGEN
BETTER LIGHT BETTER LIFE

LED Deck Light

2, 3, 4 Way

GRAND





3000K (Warm White)

Material: Die Casting Aluminium
Voltage: 220VaC
CRI: ≥80
Lifetime: 25.000 Hours
IP: 67
Frequency: 50/60Hz

Model	Power	Type	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51304	3W	2 Way	Ø62	50	550 x 340 x 570
MG-GLT51304	3W	3 Way	Ø62	50	550 x 340 x 570
MG-GLT51304	3W	4 Way	Ø62	50	550 x 340 x 570

LED Floor Lamp

GRAND

Ø



MG-GFLA1306

Ø



MG-GLT51306



3000K (Warm White)

Material: Die Casting Aluminium + Stainless Steel
Voltage: 220VaC
Beam Angle: 60°
CRI: ≥80
Lifetime: 15.000 Hours
IP: 67
Frequency: 50/60Hz

Model	Power	Lumen (mm)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51306	3W	240	Ø65	50	370 x 370 x 190
MG-GLT51306	5W	400	Ø80	50	445 x 445 x 190
MG-GLT51306	10W	800	Ø120	20	645 x 265 x 220
MG-GFLA13006SS	6W	480	Ø120	20	670 x 275 x 210

LED Pool Light

GRAND

Ø



Remote Control Available



3000K (Warm White) RGB

Material: Stainless Steel
Voltage: AC12V / DC 12-24V
Beam Angle: 30°
CRI: ≥80
Lifetime: 50.000 Hours
PF: 0.95
IP: 68
Available: Lighting Control & Remote Control

Model	Power	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51305	12W	950	Ø230	10	510 x 250 x 375
MG-GLT51305	18W	1450	Ø290	10	640 x 325 x 400

LED Fountain Light

GRAND







3000K (Warm White) RGB

Material: Stainless Steel
Voltage: AC12V (RGB) / DC24V (WW)
Beam Angle: 30°
CRI: ≥80
Lifetime: 50.000 Hours
IP: 68
PF: 0.95

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51318	6W	480	250	Ø145	30	470 x 330 x 410
MG-GLT51318	9W	720	375	Ø145	20	500 x 335 x 390
MG-GLT51318	12W	960	500	Ø160	20	565 x 385 x 395
MG-GLT51318	18W	1440	750	Ø175	12	600 x 250 x 460

MORGEN
BETTER LIGHT BETTER LIFE

LED Stair Lamp

Square

GRAND





3000K (Warm White)

Model: MG-GLT51310
Power: 3W
Lumen: 240Lm
Material: Die Casting Aluminium
Voltage: 85-265VaC
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 54
Product Size: 85mm x 85mm x 50mm
Pcs/ctn: 100
Carton Size: 470mm x 295mm x 380mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Stair Lamp

Rectangle

GRAND





3000K (Warm White)

Model: MG-GLT51310
Power: 3W
Lumen: 240Lm
Material: Die Casting Aluminium
Voltage: 85-265VaC
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 54
Product Size: 105mm x 60mm x 45mm
Pcs/ctn: 50
Carton Size: 370mm x 295mm x 250mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Stair Lamp

Oval

GRAND





3000K (Warm White)

Model: MG-GLT51310
Power: 3W
Lumen: 240Lm
Material: Die Casting Aluminium
Voltage: 85-265VaC
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 54
Product Size: Ø83mm
Pcs/ctn: 100
Carton Size: 470mm x 295mm x 380mm

LED Stair Lamp

Sensor

GRAND



Motion Sensor



3000K (Warm White)

Model: MG-GLT51310
Power: 3W
Lumen: 240Lm
Material: Die Casting Aluminium
Voltage: 220 VaC
IP: 54

Lifetime: 15.000 Hours
Frequency: 50/60Hz
Product Size: 85mm x 85mm x 56mm
Pcs/ctn: 100pcs
Carton Size: 470mm x 295mm x 380mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Stair Lamp

Round

GRAND





3000K (Warm White)

Model: MG-GLT51310
Power: 2W
Lumen: 160Lm
Material: Aluminium
Voltage: 220 VaC
Current: 27mA
Beam Angle: 45°
CRI: ≥80

Lifetime: 20.000 Hours
Frequency: 50/60Hz
IP: 65
Produtc Size: Ø48mm x 64mm
NW/GW: 7/8kg
Pcs/ctn: 100
Carton Size: 295mm x 295mm x 300mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Spike Light

GRAND





3000K (Warm White)

Material: Plastic-Clad Aluminium
Voltage: 220VaC
CRI: ≥80
Lifetime: 20.000 Hours
IP: 65
Frequency: 50/60Hz
PF: 0.5

Model	Power	Lumen (Lm)	Current (mA)	Beam Angle	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-GLT51308	5W	450	43	45°	Ø60 x 250	7/8	50	370 x 370 x 340
MG-GLT51308	10W	1000	78	45°	Ø82 x 270	4.5/5.5	20	445 x 185 x 400
MG-GLT51308	12W	960	-	45°	Ø95 x 250	-	20	520 x 215 x 300
MG-GLT51308	22W	2200	170	24°	Ø110 x 360	18/19	20	520 x 220 x 440

LED Spike Light Cap

GRAND





3000K (Warm White)

Model	Power	Lumen (Lm)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-GLT51309	7W	360	Ø50 x 240	20	340 x 320 x 180
MG-GLT51309	12W	960	Ø60 x 250	20	400 x 370 x 180

Material: Die Casting Aluminium
Voltage: 220VaC
Beam Angle: 36°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz
IP: 65

MORGEN
BETTER LIGHT BETTER LIFE

LED Spike Light

Umbrella

GRAND





3000K (Warm White)

Model: MG-GSPLU007ABLWW
Power: 7W
Lumen: 211Lm
Material: Aluminium
Voltage: 220VaC
CRI: ≥80

Lifetime: 15.000 Hours
Frequency: 50/60Hz
IP: 65
Product Size: Ø200mm x 650mm
Pcs/ctn: 10
Carton Size: 675mm x 345mm x 525mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Spot Outdoor

GRAND





3000K (Warm White)

Model: MG-GLT51307
Power: 7W
Lumen: 560Lm
Material: Die Casting Aluminium
Voltage: 85-265V
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 65
Product Size: Ø70mm x 180mm
Pcs/ctn: 40
Carton Size: 420mm x 340mm x 350mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Washer

GRAND





3000K (Warm White)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 30°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-FLL50901	12	960	55	308 x 78 x 25	20	350 x 290 x 330
MG-FLL50901	24	1920	100	608 x 78 x 25	10	640 x 290 x 185

MORGEN
BETTER LIGHT BETTER LIFE

LED Wall Washer

LEGEND





- Use 3 x 2.5 mm² copper cable
- Maximum series connection: 15 lamp units

3000K (Warm White)

Material: Aluminium + Glass
Voltage: 220**Vac**
Beam Angle: 30°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-FLL60907	18	1440	82	1000 X 39 X 61	17/16	10	1035 X 300 X 175
MG-FLL60907	24	1920	109	1000 X 39 X 61	17/16	10	1035 X 300 X 175
MG-FLL60907	36	2880	164	1000 X 39 X 61	17/16	10	1035 X 300 X 175

LED Wall Washer

DC24V

GRAND

18W



24W





- It is recommended to use a 350W power supply/adapter.
- 18W → maximum series connection: 4 lamp units.
- 24W → maximum series connection: 3 lamp units.

3000K (Warm White)

Material: Aluminium + Glass
Voltage: DC24V
Beam Angle: 30°
CRI: ≥80
Lifetime: 30.000 Hours
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-FLL50902	18	1440	750	1000 X 34 X 86	12/11	10	1035 X 300 X 175
MG-FLL50902	24	1920	1000	1000 X 34 X 86	12/11	10	1035 X 300 X 175

MORGEN
BETTER LIGHT BETTER LIFE

Track Light Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED TRACK LIGHT



LED **Track Light Legend**



LED **Track Light CCT Switch**



LED **Track Light Trend**

MORGEN
BETTER LIGHT BETTER LIFE

LED Track Light

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: AL + PC
Voltage: 170~240 VaC
Beam Angle: 24°
CRI: ≥80
Lifetime: 20.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	Body	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - TRL61201	10W	900/1000	90	144 x 54 x 130	Black/White	7.6/10.12	40	560 x 265 x 250
MG - TRL61201	20W	1800/2000	180	155 x 62 x 148	Black/White	-	30	490 x 355 x 280
MG - TRL61201	30W	2700/3000	272	173 x 80 x 166	Black/White	-	20	-

MORGEN
BETTER LIGHT BETTER LIFE

LED Track Light

CCT SWITCH

LEGEND





Switchable color

- 3000K (Warm White)
- 4000K (Natural White)
- 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 24°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG - TRL61202	10W	900	90	Ø54 x 129 x 107	3.3/4.6	20	449 x 332 x 203
MG - TRL61202	15W	1350	130	Ø54 x 129 x 122	3.6/4.7	20	449 x 332 x 218
MG - TRL61202	20W	1800	175	Ø63 x 138 x 132	4.3/5.9	20	449 x 382 x 228
MG - TRL61202	30W	2700	190	Ø76 x 177 x 151	6.3/8.3	20	449 x 432 x 273

MORGEN
BETTER LIGHT BETTER LIFE

LED Track Light

TREND





● 3000K (Warm White) ○ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 36°
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Body	Pcs/ctn	Carton Size (mm)
MG - TRL31201	10W	750	91	Ø60 x 110	Black/White	50	470 x 395 x 370
MG - TRL31201	20W	1500	182	Ø63 x 145	Black/White	40	395 x 380 x 440
MG - TRL31201	30W	2250	273	Ø73 x 168	Black/White	40	445 x 420 x 500

MORGEN
BETTER LIGHT BETTER LIFE

MR & PAR Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED MR & PAR



LED **MR Module Adjustable**



LED **MR16**



LED **PAR 30 Legend Black**



LED **Par 30 Legend**



LED **PAR 38 Legend**



LED **Par 30 Grand**

MORGEN
BETTER LIGHT BETTER LIFE

LED MR MODULE

Adjustable Watt & CCT Switch

LEGEND





Switchable Color 2700K 3000K 4000K 5000K 6000K

Model: MG-MPL60702
Power: 6/8/12W
Lumen: 100Lm/W
Material: Plastic + Aluminium
Voltage: 220 VaC
Beam Angle: 30°
CRI: ≥80

Lifetime: 25.000 Hours
Frequency: 50/60Hz
Current: 45mA/60mA/85mA
Product Size: Ø50mm x 60mm
Pcs/ctn: 100
NW/GW: 5.5/7.08Kg
Carton Size: 532mm x 267mm x 165mm

MORGEN
BETTER LIGHT BETTER LIFE

LED MR16

LEGEND





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Voltage: 220 VaC
Lifetime: 15.000 Hours
CRI: ≥80
Frequency: 50/60Hz

	Model	Power	Material	Color	Beam Angle	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Fitting	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
	MG - LMR1605E27	5W	PA + AL	CW/NW/WW	24°	400	45	70 x Ø50	E27	2.6/3.8	100	535 x 275 x 165
	MG - LMR1605GU	5W	PA + AL	CW/NW/WW	24°	400	45	50 x Ø50	GU 5.3	2.6/3.8	100	535 x 275 x 145
	MG - LMR1607E27	7W	PA + AL	CW/NW/WW	24°	560	63	70 x Ø50	E27	2.6/3.98	100	535 x 275 x 165
	MG - LMR1607GU	7W	PA + AL	CW/NW/WW	24°	560	63	50 x Ø50	GU 5.3	2.6/3.94	100	535 x 275 x 145
Dimmable	MR - LMR1607DGU	7W	PC + AL	CW/WW	36°	630	63	51 x Ø50	GU 5.3	2.6/3.94	100	535 x 275 x 130
Dimmable	MR - LMR1607DE27	7W	PC + AL	CW/WW	36°	630	63	57 x Ø50	E27	2.6/3.94	100	535 x 275 x 150

MORGEN
BETTER LIGHT BETTER LIFE

LED PAR 30 (Black)

LEGEND







Model: MG - LPARA1015
Power: 15W
Lumen: 1350Lm
Material: PA + AL
Voltage: 220 VaC
Beam Angle: 36°
Current: 136mA

CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz
NW/GW: 4/4.5Kg
Pcs/ctn: 20
Carton Size: 50 x 21 x 20cm

● 3000K (Warm White) ○ 6500K (Cool Daylight)

MORGEN
BETTER LIGHT BETTER LIFE

LED PAR 30

LEGEND





3000K (Warm White) 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Color	Product Size a x b (mm)	Pcs/ctn
MG - LPAR3020	20W	1800/1600	CW/WW	113 x Ø95	50
MG - LPAR3030	30W	2700/2400	CW/WW	113 x Ø95	50

Material: PBT
Voltage: 220~240 VaC
Beam Angle: 24°
CRI: ≥80
Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz

MORGEN
BETTER LIGHT BETTER LIFE

LED PAR 38

LEGEND





3000K (Warm White) ○ 6500K (Cool Daylight)

Material: PA + AL
Voltage: 170~240 VaC
Beam Angle: 40°
Current: 127mA
CRI: ≥80
Lifetime: 15.000 Hours
Frequency: 50/60Hz

Model	Power	Lumen (Lm)	Product Size a x b (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG - LPAR38B2015CW	15W	1500	132 x Ø120	4.4/4.79	20	640 x 265 x 295
MG - LPAR38B2015WW	15W	1350	132 x Ø120	4.4/4.79	20	640 x 265 x 295

MORGEN
BETTER LIGHT BETTER LIFE

LED PAR 30

GRAND

Ø120mm

128mm





3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Model: MG - GPAR3035
Power: 35W
Lumen: 3100Lm
Material: PBT
Voltage: 220~240 VaC
Beam Angle: 24°
CRI: ≥80

Fitting: E27
Lifetime: 15.000 Hours
Frequency: 50/60Hz
Product Size: 128 x Ø120
Pcs/ctn: 50
Carton Size: 525mm x 215mm x 670mm

MORGEN
BETTER LIGHT BETTER LIFE

Flood Light Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED FLOOD LIGHT



LED **New Flood Light Pro**



LED **Flood Light Pro**



LED **Flood Light CCT Switch**



LED **Flood Light RGB**



LED **Flood Light 60906**



LED **Flood Light Modular A**



LED **Flood Light Modular B**



LED **Flood Light 60904**



LED **Flood Light Legend**



LED **Flood Light MGFL**



LED **Flood Light MGFL-TG**

New LED Flood Light Pro

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 160~265 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65
PF: 0.9

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)
MG - FLL60901	30W	3600	223	169 x 140 x 29	20	375 x 360 x 170
MG - FLL60901	50W	6000	360	202 x 167 x 31	20	430 x 380 x 195
MG - FLL60901	100W	12000	765	260 x 225 x 34	20	545 x 420 x 250
MG - FLL60901	200W	24000	915	345 x 291 x 38	10	475 x 366 x 320

LED Flood Light PRO

LEGEND





3000K (Warm White) ◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 170~240 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 25.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG - LFLP1A010	10W	900/1000	90	120 x 90	40	480 x 280 x 230
MG - LFLP1A030	30W	2700/3000	151	120 x 80	20	370 x 250 x 290
MG - LFLP1A050	50W	4500/5000	252	230 x 170	10	510 x 245 x 185
MG - LFLP1A100	100W	10000/11000	505	290 x 210	8	415 x 335 x 250
MG - LFLP1A200	200W	22000/24000	1010	404 x 280	4	465 x 255 x 310

LED Flood Light

CCT Switch

LEGEND



10W 30W 50W 100W 200W



Switchable color 3000K (Warm White) 4000K (Natural White) 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-FLL60902	10W	1000	45	130 x 100 x 25	10/12	40	380 x 260 x 320
MG-FLL60902	30W	3000	140	184 x 124 x 25	7/9	20	450 x 195 x 300
MG-FLL60902	50W	5000	230	204 x 144 x 25	9/11	20	460 x 200 x 340
MG-FLL60902	100W	10000	460	254 x 194 x 25	8/10	10	440 x 200 x 290
MG-FLL60902	200W	20000	900	384 x 264 x 25	8.7/10.7	5	420 x 200 x 300

LED Flood Light

RGB

LEGEND





RGB

Material: Aluminium + PC
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 20.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-FLL60905	30W	100	162 x 135 x 25	16.3/19.3	60	345 x 330 x 455
MG-FLL60905	50W	145	190 x 165 x 25	15.5/18.6	40	405 x 330 x 370
MG-FLL60905	100W	277	230 x 195 x 25	18.6/21.4	30	485 x 485 x 220

LED Flood Light 60906

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium + PC
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-FLL60906	100W	14000	456	396 x 248 x 58	3.83/4.2	1	440 x 305 x 90
MG-FLL60906	200W	28000	931	396 x 375 x 58	5.59/6.3	1	440 x 415 x 90

LED Flood Light

Modular A

LEGEND



Model: MG - FLL60903
Power: 200 Watt
Lumen: 32000Lm
Material: AL + PC
Voltage: 220 Vac
Beam Angle: 80°
CRI: ≥80
Lifetime: 50.000 Hours

IP: 65
Current: 910mA
Product Size: 436mm x 225mm x 80mm
NW/GW: 2.98/3.3Kg
Pcs/ctn: 1
Carton Size: 455mm x 240mm x 105 mm





◯ 6500K (Cool Daylight)

LED Flood Light

Modular B

LEGEND







Model: MG - FLL60903
Power: 200 Watt
Lumen: 32000Lm
Voltage: 220 Vac
Material: AL + PC
Beam Angle: 80°
CRI: ≥80
Lifetime: 50.000 Hours

IP: 65
Current: 910mA
Product Size: 400mm x 150mm x 80mm
NW/GW: 2.39/2.89kg
Pcs/ctn: 1
Carton Size: 415mm x 160mm x 105 mm

◯ 6500K (Cool Daylight)

LED Flood Light

60904

LEGEND



MORGEN
BETTER LIGHT BETTER LIFE



◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-FLL60904	400W	40000	1820	500 x 347 x 100.5	15/16	2	560 x 265 x 385
MG-FLL60904	500W	50000	2280	500 x 347 x 100.5	15.7/16.8	2	560 x 265 x 385

MORGEN
BETTER LIGHT BETTER LIFE

LED Flood Light

LEGEND





3000K (Warm White) ◯ 6500K (Cool Daylight)

Material: PBT
Voltage: 85~265VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Color	Product Size a x b x c (mm)	Pcs/ctn
MG - LFL662010	10W	900	CW/WW	120 x 95 x 33	40
MG - LFL662020	20W	1800	CW/WW	170 x 127 x 35	20
MG - LFL662030	30W	2700	CW/WW	215 x 154 x 38	10
MG - LFL662050	50W	4500	CW/WW	252 x 190 x 43	8
MG - LFL662100	100W	9000	CW/WW	334 x 258 x 55	5
MG - LFL662150	150W	13500	CW	-	4
MG - LFL662200	200W	18000	CW	-	3

LED Flood Light

MGFL

GRAND





3000K (Warm White) ◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 110~265VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65
PF: 0.5

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - GFLB85010	10W	900	50	103 x 68 x 25	7.2/7.5	50	395 x 195 x 235
MG - GFLB85030	30W	2700	140	132 x 102 x 34	8.9/9.3	40	560 x 220 x 240
MG - GFLB85050	50W	4500	230	175 x 131 x 38	10.8/11.4	30	555 x 220 x 290
MG - GFLB85100	100W	9000	450	256 x 195 x 38	9.1/9.5	10	490 x 270 x 215
MG - GFLB85200	200W	18000	910	338 x 240 x 45	7.8/8.2	5	350 x 270 x 260

MORGEN
BETTER LIGHT BETTER LIFE

LED Flood Light

MGFL-TG

GRAND





● 3000K (Warm White) ○ 6500K (Cool Daylight)

Material: PBT
Voltage: 110~265VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Product Size a x b x c (mm)	Pcs/ctn
MG-GFLTG68050	50W	4750	220 x 190 x 55	20
MG-GFLTG68100	100W	9500	280 x 225 x 70	10

MORGEN
BETTER LIGHT BETTER LIFE

Street Light Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED STREET LIGHT



LED **Street Light Z1**



LED **Street Light X1**



LED **Street Light X2**



LED **Street Light X3**



LED **Street Light X4**



LED **Street Light D1**



LED **Street Park Light**



LED **Street Light 432**



LED **Street Light 434**



LED **Street Light 441**



LED **Street Light 442**



LED **Street Light X3 Nema Sensor**

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light Z1

ULTIMATE





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 135°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-STL71001	100W	15000	450	548 x 206	5	570 x 440 x 230
MG-STL71001	150W	22500	682	636 x 248	5	660 x 410 x 275

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light X1

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 160~265 VaC
Beam Angle: 75° x 135°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG - STL61001	30W	3600	135	350 x 126 x 67	20	610 x 310 x 395
MG - STL61001	50W	6000	230	398 x 152 x 67	20	605 x 385 x 445
MG - STL61001	100W	12000	465	483 x 186 x 84	10	510 x 405 x 375

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light X2

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 160~265 VaC
Beam Angle: 75° x 135°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG - STL61002	50W	6000	230	456 x 120 x 55	5	480 x 415 x 270
MG - STL61002	100W	12000	435	527 x 144 x 59	5	550 x 415 x 320

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light X3

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 75° x 152°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 66
PF: 0.9

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-STL61003	50W	5000	230	540 x 145 x 69	5	625 x 440 x 170
MG-STL61003	100W	10000	460	603 x 172 x 69	5	675 x 440 x 190
MG-STL61003	150W	15000	650	670 x 192 x 69	5	745 x 440 x 210

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light X4

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium + Toughened Glass
Voltage: 220 VaC
Beam Angle: 70° x 140°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-STL61004	100W	15000	442	605 x 265 x 91	3.38/3.96	1	640 x 270 x 155
MG-STL61004	150W	22500	695	710 x 265 x 91	4.27/5	1	640 x 320 x 155

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light D1

GRAND





3000K (Warm White) 6500K (Cool Daylight)

Material: Aluminium + PC
Voltage: 220 VaC
Beam Angle: 70° x 140°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65
PF: 0.9

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-STL51001	50W	5000	224	420 x 130 x 68	5.9/7	10	440 x 380 x 300
MG-STL51001	100W	10000	834	474 x 154 x 68	7.5/9	10	490 x 380 x 350
MG-STL51001	150W	15000	1303	540 x 174 x 72	11/14.5	10	550 x 420 x 390

LED Street Park Light

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium + Toughened Glass
Voltage: 220 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-STL61005	50W	5000	250	Ø466.6 x 565.1	5.48/6.48	1	570 x 490 x 135
MG-STL61005	100W	10000	469	Ø466.6 x 565.1	5.48/6.48	1	570 x 490 x 135

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light

432

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Product Size a x b (mm)	Pcs/ctn
MG-LSL432020	20W	1800	310 x 105 x 55/Tube Ø42	20
MG-LSL432030	30W	2700	355 x 125 x 55/Tube Ø42	15
MG-LSL432050	50W	4500	405 x 165 x 55/Tube Ø42	10
MG-LSL432100	100W	9000	620 x 220 x 75/Tube Ø60	4

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light

434

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65
PF: 0.9

Model	Power	Lumen (Lm)	Product Size a x b (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - SL434030	30W	2700	340 x 53 x 124	11.4/13.5	20	520 x 240 x 370
MG - SL434050	50W	4500	382 x 40 x 157	13/15	20	475 x 405 x 340
MG - SL434100	100W	9000	500 x 40 x 197	11.1/13	10	525 x 305 x 420

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light

441

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen(Lm)	Product Size a x b (mm)	Pcs/ctn
MG - LSL441100	100W	10000	540 x 285 x 78	4
MG - LSL441150	150W	15000	640 x 285 x 78	3
MG - LSL441200	200W	20000	735 x 285 x 78	3

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light

442

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 120°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 65

Model	Power	Lumen (Lm)	Product Size a x b (mm)	Pcs/ctn
MG - LSL442020	20W	1800	320 x 120 x 45	20
MG - LSL442030	30W	2700	360 x 150 x 55	15
MG - LSL442050	50W	4500	415 x 170 x 55	10
MG - LSL442100	100W	9000	580 x 230 x 70	4

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Street Light X3

Nema Sensor

LEGEND



Nema Sensor



*Equipped with a **NEMA twist-lock photocell sensor**, it automatically turns on at dusk and off at dawn.





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265 VaC
Beam Angle: 70° x 152°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 66
PF: 0.9
Installation Height: 6-9m

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b (mm)	Pcs/ctn	Carton Size (mm)
MG-STL61003	50W	5000	480	540 x 145 x 69	5	625 x 440 x 170
MG-STL61003	100W	10000	950	603 x 172 x 69	5	705 x 440 x 190

MORGEN
BETTER LIGHT BETTER LIFE

UFO Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED UFO



LED **UFO U1**



LED **UFO U1**
New Body



LED **UFO U2**
Adjustable Watt



LED **UFO F1**



LED **UFO F2**
CCT Switch



LED **UFO G1**



LED **High Bay**



LED **UFO G2**
CCT Switch

MORGEN
BETTER LIGHT BETTER LIFE

LED UFO U1

ULTIMATE





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 85~265Vac
Beam Angle: 90°
CRI: ≥80
Lifetime: 30.000 Hours
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG - HUF71101	100W	15000	470	Ø265 x 146	1	275 x 275 x 135
MG - HUF71101	150W	22500	690	Ø290 x 150	1	300 x 300 x 140

LED UFO U1

New Body

ULTIMATE







◯ 6500K (Cool Daylight)

Material: AL + PC
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 50.000 Hours
PF: 0.98
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG - HUF71101	100W	17000	470	Ø299 x 110	1.64/2.03	1	310 x 310 x 135
MG - HUF71101	150W	25500	690	Ø346.5 x 115.8	2.02/2.52	1	360 x 360 x 145

LED UFO U2

Adjustable Watt

ULTIMATE



60/80/120W

Ø250mm



120/160/200W

Ø320mm



◯ 6500K (Cool Daylight)

Material: Aluminium + PC
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.98
IP: 65

Model	Power	Lumen(Lm)	Current(mA)	Product Size(mm)	NW/GW(kg)	Pcs/ctn	Carton Size(mm)
MG-HUF71102	60/80/120W	130Lm/watt	475	Ø250 x 143	1.35/1.75	1	245 x 245 x 135
MG-HUF71102	120/160/200W	130Lm/watt	913	Ø320 x 120	1.74/2.19	1	325 x 325 x 145

MORGEN
BETTER LIGHT BETTER LIFE

LED UFO F1

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Voltage: 160~265 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 30.000 Hours
PF: 0.9
IP: 65

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG - HUF61101	100W	12000	445	Ø270 X 91	20	625 x 560 x 300
MG - HUF61101	150W	18000	654	Ø300 X 97	10	625 x 340 x 330

LED UFO F2

CCT Switch

LEGEND



100W

Ø235mm



150W

Ø287mm



Switchable color

3000K (Warm White)

4000K (Natural White)

6500K (Cool Daylight)

Material: Aluminium
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 50.000 Hours
Frequency: 50/60Hz
PF: 0.9
IP: 66

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-HUF61102	100W	15000	460	Ø235 x 140	11.5/14.8	10	645 x 495 x 255
MG-HUF61102	150W	22500	650	Ø287 x 140	7.5/9.7	5	645 x 305 x 305

MORGEN
BETTER LIGHT BETTER LIFE

LED UFO G1

GRAND





◯ 6500K (Cool Daylight)

Material: PC + Aluminium
Voltage: 220 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 15.000 Hours

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - HUF51101	100W	10000	460	Ø270 x 42	14.7/16	20	570 x 520 x 290
MG - LGUFOA3150	150W	15000	690	Ø311 x 42	10.8/12	10	520 x 330 x 330

MORGEN
BETTER LIGHT BETTER LIFE

LED High Bay

LEGEND





◯ 6500K (Cool Daylight)

Material: PC + AL
Voltage: 100~240 VaC
Beam Angle: 200°
CRI: ≥80
Lifetime: 15.000 Hours

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG - LHB30	30W	2700	140	Ø100 X 131	12/16.84	60	635 X 525 X 305
MG - LHB50	50W	4500	190	Ø118 X 155	9.4/12.1	40	625 X 500 X 345

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED UFO G2

CCT Switch

GRAND

Ø





Switchable color

- 3000K (Warm White)
- 4000K (Natural White)
- 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Product Size (mm)	Pcs/ctn	Carton Size (mm)
MG-HUF51102	100	10000	1000	Ø235 x 35	10	495 x 270 x 255
MG-HUF51102	150	15000	1500	Ø287 x 35	10	615 x 270 x 315
MG-HUF51102	200	20000	2000	Ø336 x 35	10	705 x 270 x 360

Material: Aluminium
Voltage: 85-265 VaC
Beam Angle: 90°
CRI: ≥80
Lifetime: 30.000 Hours
Frequency: 50/60Hz
IP: 66
PF: >0.9

MORGEN

BETTER LIGHT BETTER LIFE

Solar Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED SOLAR



LED **Solar**
Magic Lamp



LED **Solar**
Post Light



LED **Solar**
Stripe Light



LED **Solar**
Street Light



LED **Solar**
Street Light



LED **Solar**
Street Light



LED **Solar**
Flood Light



LED **Solar**
Flood Light S1



LED **Solar Wall Lamp**
CCT Switch



LED **Solar Wall Lamp**
Spot CCT Switch



LED **Solar**
Street Light GS1



LED **Solar**
Street Light GS2

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Magic Lamp

GRAND



Top view



◯ 6500K (Cool Daylight)

Material: PBT + PP
Voltage: DC 5V-6V
Beam Angle: 120°
CRI: ≥80
Lifetime: 15.000 Hours
Features: Battery and rechargeable

Model	Power	Lumen(Lm)	Product Size(mm)	Pcs/ctn
MG-GSMLA1030	30W	680	85 x 90	50
MG-GSMLA1050	50W	730	90 x 105	50

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Post Light

GRAND





WW/NW/CW Changeable

Material: ABS
CRI: ≥80
Working Hours: 12 Hours
Working Mode : Button & Remote Control, Changable to CW, WW and NW
IP: 65

Model	Lumen (Lm)	Product Size a x b (mm)	Solar Size (mm)	Life PO4 Battery	Pcs/ctn	Carton Size (mm)
MG-SGL513S01	90	150 x 150 x 126	110 x 110 x 3	3.2V/1.5AH	18	489 x 489 x 302
MG-SGL513S01	110	200 x 200 x 168	140 x 140 x 3	3.2V/1.8AH	4	431 x 377 x 226

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Stripe Light

GRAND





2700K (Warm White) RGB

Material: ABS + PVC
CRI: ≥80
Working Mode: Button & Remote Control
Length: 5M & 10M
Working Time: 12 Hours
Charging Time: 4-6 Hours
IP: 65

Model	Length	Color	Solar Panel	LifePO4 Battery	LEDs	Solar Panel Size (mm)	Lamp Size (mm)
MG-SLS506S01	5M	WW	1.6W/5V	1.6AH/3.2V	2835	138 x 82 x 3	86 x 142 x 40
MG-SLS506S01	10M	WW	4.5W/5V	4AH/3.2V	2835	203.5 x 166.5 x 4	96 x 310 x 52
MG-SLS506S01	5M	RGB	1.6W/5V	1.6AH/3.2V	5050	138 x 82 x 3	86 x 142 x 40
MG-SLS506S01	10M	RGB	4.5W/5V	4AH/3.2V	5050	203.5 x 166.5 x 4	96 x 310 x 52

Model	Length	Color	Pcs/ctn	Carton Size (mm)
MG-SLS506S01	5M	WW	24	492 x 453 x 393
MG-SLS506S01	10M	WW	15	605 x 579 x 257
MG-SLS506S01	5M	RGB	24	492 x 453 x 393
MG-SLS506S01	10M	RGB	15	605 x 579 x 257

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Street Light

GRAND





◯ 6500K (Cool Daylight)

Model: MG-SSL510S01
Material: Aluminium
Lumen: 4900Lm
CRI: ≥80
Working Mode: Lighting Control + Remote Control
Working Time: 12 Hours
Charging Time: 4-6 Hours

IP: 65
Solar Panel: 40W/5V
LifePO4 Battery: 3.2V - 37.5AH
Solar Panel Size: 390mm x 560mm x 16mm
Product Size: 486.8mm x 210.6mm x 70.2mm
Pcs/ctn: 1
Carton Size: 430mm x 135mm x 590mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Street Light

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Beam Angle: 120°
CRI: ≥80
Lifetime: 50.000 Hours
IP: 65

Model	Power	Lumen (Lm)	Product Size a x b (mm)	Battery Lithium	Pcs/ctn
MG-LSSL20020	20W	1800	320 x 120 x 45	3.2V/11 AH	10
MG-LSSL20040	40W	2700	360 x 150 x 55	3.2V/16.5 AH	6
MG-LSSL20060	60W	4500	415 x 170 x 55	3.2V/22 AH	4

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Street Light

LEGEND





◯ 6500K (Cool Daylight)

Material: Aluminium
Beam Angle: 120°
CRI: ≥80
Lifetime : 50.000 Hours
IP: 65

Model	Power	Product Size (mm)	Battery Lithium	Pcs/ctn
MG-LSSL30100	100W	358 x 578	6.4V/16.5AH	1
MG-LSSL30150	150W	358 x 644	6.4V/22AH	1

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Flood Light

LEGEND



Material: Aluminium
Lifetime: 50.000 Hours
IP: 65
Beam Angle: 120°



◯ 6500K (Cool Daylight)

Model	Power	Product Size a x b x c (mm)	Battery Lithium	Pcs/ctn
MG-LSFL10025	25W	203 x 170 x 50	3.2V/5.5 AH	8
MG-LSFL10040	40W	245 x 210 x 60	3.2V/11 AH	6
MG-LSFL10060	60W	275 x 237 x 70	6.4V/11 AH	5

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Flood Light S1

GRAND



Remote Control Available



◯ 6500K (Cool Daylight)

Material: Aluminium
CRI: ≥80
Working Mode: Lighting Control + Remote Control
Working Time: 12 Hours
Charging Time: 4-6 Hours
IP: 65

Model	Lumen (Lm)	Solar Panel	LifePO4 Battery	Product Size a x b x c (mm)	Solar Panel Size (mm)	Pcs/ctn	Carton Size (mm)
MG-SFL509S01	1200	10W/5V	10AH 3.2V	225 x 188 x 45	300 x 205 x 17	10	469 x 465 x 342
MG-SFL509S01	2200	20W/5V	20AH 3.2V	275 x 225 x 45	390 x 300 x 17	5	465 x 426 x 340
MG-SFL509S01	3300	30W/5V	30AH 3.2V	332 x 275 x 45	430 x 390 x 17	5	487 x 470 x 431

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Wall Lamp CCT Switch

GRAND





WW/NW/CW Changeable

Material: ABS
CRI: ≥80
Beam Angle: 160°
Working Time: 12 Hours
IP: X4

Model	Power	Lumen (Lm)	Battery	Product Size a x b x c (mm)	Solar Panel Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)	NW/GW (Kg)
MG-SGL513S03	1W	120	1800mAh/3.2V	80 x 136 x 95	90 x 132 x 3	20	465 x 307 x 226	6/7.8
MG-SGL513S03	2W	240	4000mAh/3.2V	115 x 256 x 88	110 x 250 x 3	20	505 x 505 x 284	15/12

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Wall Lamp Spot CCT Switch

GRAND





WW/NW/CW Changeable

Material: ABS
CRI: ≥80
Beam Angle: 60°
Working Time: 12 Hours
IP: 65

Model	Power	Lumen (Lm)	Battery	Product Size a x b x c (mm)	Solar Panel Size a x b x c (mm)	Pcs/ctn	Carton Size (mm)	NW/GW (Kg)
MG-SGL513S02	0.5W	60	600mAH/3.2V	107 x 98 x 64	84 x 82 x 3	40	475 x 385 x 232	8/10.2
MG-SGL513S02	0.7W	84	1200mAH/3.2V	170 x 103 x 60	137.5 x 82 x 3	20	375 x 360 x 244	5/6.7

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Street Light GS1

GRAND





◯ 6500K (Cool Daylight)

Material: Iron
CRI: ≥80
Beam Angle: 70° x 140°
Working Time: 12 Hours
IP: 65
Working Mode: PIR Sensor/ Remote Control
Sensing Distance: 6-8m
Installation Height: 3-6m
Charging Time: 4-6 Hours

Model	Power	Lumen (Lm)	Current (mA)	Battery	Product Size a x b x c (mm)	Solar Panel	Installation Pipe Size
MG-SSL510S02	20	2800	4800	3.2V/15AH	278.6 x 531.6 x 52	20W/5V	Ø48mm
MG-SSL510S02	30	4650	8000	3.2V/25AH	293.6 x 633.6 x 52	30W/5V	Ø48mm

Model	Power	Pcs/ctn	Carton Size (mm)	NW/GW (Kg)
MG-SSL510S02	20	5	563 x 335 x 307	15/13.4
MG-SSL510S02	30	5	665 x 335 x 32	20/18.1

NEW

MORGEN
BETTER LIGHT BETTER LIFE

LED Solar Street Light GS2

GRAND





◯ 6500K (Cool Daylight)

Model	Power	Lumen (Lm)	Current (mA)	Battery	Product Size a x b x c (mm)	Solar Panel	Installation Pipe Size
MG-SSL510S03	40	3600	6000	3.2V/30AH	704 x 340 x 52	40W/5V	Ø60mm
MG-SSL510S03	50	5000	9000	3.2V/45AH	834 x 340 x 52	50W/5V	Ø60mm
MG-SSL510S03	60	6600	12000	3.2V/60AH	964 x 340 x 52	60W/5V	Ø60mm

Model	Power	Pcs/ctn	Carton Size (mm)	NW/GW (Kg)
MG-SSL510S03	40	1	830 x 350 x 110	7.6/6.5
MG-SSL510S03	50	1	960 x 350 x 110	9/7.9
MG-SSL510S03	60	1	1090 x 350 x 110	10/8.6

Material: Iron
CRI: ≥80
Beam Angle: 70° x 140°
Working Time: 12 Hours
IP: 65
Installation Height: 5-8m
Charging Time: 4-6 Hours

MORGEN
BETTER LIGHT BETTER LIFE

Magnetic Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview LED MAGNETIC



LED **Magnetic Flood Light**



LED **Magnetic Folding Spot Light**



LED **Magnetic Spot Light**



LED **Magnetic Track Spot Light**



LED **Magnetic Hanging Light**



LED **Magnetic Power Module**



Accesories
Magnetic

LED Magnetic Flood Light

LEGEND





4000K (Natural White)

Material: AL
Voltage: DC48V
Beam Angle: 110°
CRI: ≥90
Lifetime: 50.000 Hours

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-MTL61901	15W	990	410	600 x 45 x 22	10/19.5	50	310 x 270 x 350
MG-MTL61901	30W	1309	620	900 x 43 x 22	13.2/16.4	30	925 x 300 x 200

MORGEN
BETTER LIGHT BETTER LIFE

LED Magnetic Folding Spot Light

LEGEND





4000K (Natural White)

Material: AL
Voltage: DC48V
Beam Angle: 24°
CRI: ≥90
Lifetime: 50.000 Hours

Model	Power	Lumen(Lm)	Current(mA)	Product Size a x b x c (mm)	NW/GW(kg)	Pcs/ctn	Carton Size (mm)
MG-MTL61905	6W	480	100	112 x 105 x 23	13.2/15.45	60	380 x 390 x 245
MG-MTL61905	10W	917	200	220 x 105 x 23	11.4/13.1	30	365 x 300 x 245
MG-MTL61905	15W	1299	410	330 x 105 x 23	10.8/12.36	20	360 x 300 x 245

MORGEN
BETTER LIGHT BETTER LIFE

LED Magnetic Spot Light

LEGEND





4000K (Natural White)

Material: AL
Voltage: DC48V
Beam Angle: 24°
CRI: ≥90
Lifetime: 50.000 Hours

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-MTL61902	10W	929	200	220 x 43 x 22	7/8.3	50	310 x 270 x 250
MG-MTL61902	15W	1299	310	325 x 43 x 22	2.9/3.9	30	625 x 320 x 170
MG-MTL61902	30W	2623	620	650 x 43 x 22	-	30	675 x 165 x 305

MORGEN
BETTER LIGHT BETTER LIFE

LED Magnetic Track Spot Light

LEGEND





4000K (Natural White)

Material: AL
Voltage: DC48V
Beam Angle: 24°
Lifetime: 50.000 Hours
CRI: ≥90

Model	Power	Lumen (Lm)	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-MTL61904	12W	720	200	170 x 110 x 50	10.5/13.87	50	595 x 295 x 375
MG-MTL61904	20W	1129	410	200 x 145 x 60	11.1/13.69	30	440 x 345 x 360

LED Magnetic Hanging Light

LEGEND





4000K (Natural White)

Model: MG-MTL61903
Power: 10W
Lumen: 951Lm
Material: AL
Voltage: DC48V
Beam Angle: 24°
Lifetime: 50.000 Hours

CRI: ≥90
Current: 200mA
Product Size: Ø40mm x 300mm
Pcs/ctn: 50
NW/GW: 11/14.35kg
Carton Size: 480mm x 350mm x 345mm

MORGEN
BETTER LIGHT BETTER LIFE

LED Magnetic Power Module

LEGEND





Material: AL
Voltage: 170~240 VaC
PF: 0,9
Frequency: 50/60Hz

Model	Power	Current (mA)	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-MTL61906	100W	2100	220 x 43 x 22	9.61/9.95	40	275 x 225 x 265
MG-MTL61906	200W	4200	220 x 43 x 22	9.66/10	30	275 x 235 x 265

MORGEN
BETTER LIGHT BETTER LIFE

Accesories Magnetic



Model	Product Name	Product Dimension (mm)
MG-AFX1013	Magnetic Track Rail Inbow 2M	2000 x 62.8 x 47
MG-AFX1013	Magnetic Track Rail Inbow 3M	3000 x 62.8 x 47
MG-AFX1014	Magnetic Track Rail Outbow 2M	2000 x 26.8 x 50.6
MG-AFX1014	Magnetic Track Rail Outbow 3M	3000 x 26.8 x 50.6
MG-AFX1015	Magnetic Through Conne Module	-
MG-AFX1016	Magnetic Corner Connection Module	-
MG-AFX1017	Magnetic Track Hanging Wire	-
MG-AFX1018	Magnetic L Horizontal	-
MG-AFX1019	Magnetic Input Conductive Module	-
MG-AFX1023	Magnetic OB Corner L	40 x 40
MG-AFX1024	Magnetic OB Inner Corner L	80 x 80
MG-AFX1025	Magnetic IB Corner L	80 x 80
MG-AFX1026	Magnetic IB Inner Corner L	80 x 80
MG-AFX1027	Magnetic Track Connector	-



MORGEN

BETTER LIGHT BETTER LIFE

Module Series

LED Module

LEGEND



MG-GSMD4530



MG-GSMD7520



MG-GSMD7019



MG-GSMD5030



MG-GSMD6615



3000K (Warm White) 6500K (Cool Daylight)

Green Blue Red

Material: ABS, PVC, Fiber
Voltage: DC 12V
Beam Angle: 120-160°
CRI: ≥80
Lifetime: 30.000 Hours

Model	Power	Lumen (Lm)	Color	Skin	Angle	Pcs/ctn	LED Type
MG-GSMD4530	1,5W	180-200	BLUE/GREEN/CW/RED	ABS	120°	100/1000	1 Pcs SMD COB9
MG-GSMD5030	1,5W	120-130	BLUE/GREEN/CW/RED	PVC	12 x 56°	100/1000	1 Pcs SMD 3030
MG-GSMD7019	1,5W	50-55	CW/WW/RED	ABS	120°	100/1000	6 Pcs SMD 5630
MG-GSMD7520	3W	120-130	CW	PVC	12 x 56°	100/1000	3 Pcs SMD 3030
MG-GSMD6615	1,2W	50-55	BLUE/GREEN/CW/RED	Fiber	160°	100/1000	3 Pcs SMD 5630

MORGEN
BETTER LIGHT BETTER LIFE

Accessories Lighting Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview Accessories Lighting



Bracket T8



Fixture Ceiling Lamp



Fixture kit MR16



Fixture Par 38



Fixture Spike Light GU 5.3



Fixture Spike Light



Fixture Wall Lamp Classic



Fixture Wall Lamp



Fixture Wall Lamp Oval Short



Fixture Wall Lamp Oval Tall



Fixture Spotlight SPLFA



Fixture Spotlight S1,S2,S3,S4



Frame Spotlight Gang



Fixture Downlight Round



Fixture Track Light T2



Fixture Track Light T3



Fixture Track Light T4



Fixture Track Light T5



Fixture Track Light T6



Fixture Track Light T7



Rail Track Spot Light

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview Accessories Lighting



Connector
Rail Track Light



Track Kap
Fitting Track Light



Power Supply
Grand GPSU



Power Supply
Grand PS52001



Power Supply
Grand PS52002



Power Supply
Grand PS52003



Power Supply
Grand PS52004



Power Supply
Grand PS52005



Power Supply
Trend PS32001



Power Supply
Trend PS32002



Lamp Shade
Kap UFO U2



Fixture Tube
T8



Fixture Floor Lamp
Aluminium



Fixture Floor Lamp
SS



Fixture Spike
Light GU 5.3

MORGEN
BETTER LIGHT BETTER LIFE

Bracket T8

GRAND



MG-AFX1028 **(1X)**



MG-AFX1028 **(2X)**



	Model	Material	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
(1X)	MG-AFX1028	Iron & PP	600 x 32 x 17	4.5/5	30	620 x 196 x 112
(1X)	MG-AFX1028	Iron & PP	1200 x 32 x 17	9/10	30	1230 x 196 x 112
(2X)	MG-AFX1028	Iron & PC	1200 x 32 x 17	-	30	1230 x 196 x 112

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Ceiling

Lamp E27

GRAND









Model: MG-AFX1021
Material: Plastic
Lamp Holder: E27
Product Size: Ø300mm x 90mm
NW/GW: 6.2/8.7kg
Pcs/ctn: 10
Carton Size: 633mm x 507mm x 328mm

Fixture Kit

MR16

GRAND

MORGEN
BETTER LIGHT BETTER LIFE

Ø90mm



Ø90mm







Model: MG-AFX1020
Material: Plastic
Color: Black/White
Lamp Holder: MR16 Wiring
Product Size: Ø90mm x 50mm
NW/GW: 2.45/3.75kg
Pcs/ctn: 50
Carton Size: 492mm x 292mm x 216mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture PAR 38

GRAND







Model: MG-AFX1022
Material: Plastic
Lamp Holder: E27
IP: 65
Product Size: Ø151mm x 200mm
NW/GW: 1.3/2.5Kg
Pcs/ctn: 6
Carton Size: 494mm x 335mm x 248mm

Fixture Spike Light

GU 5.3

GRAND



Model: MG-AFX1012
Material: ABS
Lamp Holder: GU 5.3
IP: 65
Product Size: Ø65mm x 270mm
Pcs/ctn: 50
Carton Size: 370mm x 370mm x 360mm





Fixture Spike Light

GRAND



Model: MG-GSPLFX1001ABL
Material: Die Casting Aluminium
Lamp Holder: MR16 GU 5.3
IP: 65
Product Size: Ø100mm x 300mm
Pcs/ctn: 20





MORGEN
BETTER LIGHT BETTER LIFE

Fixture Wall Lamp Classic

GRAND







Model: MG-AFX1029
Material: Aluminium + PC
Lamp Holder: E27
IP: 54
Product Size: 210mm x 170mm x 260mm

Pcs/ctn: 8
NW/GW: 5.5/6.5Kg
Carton Size: 525mm X 455mm X 370mm

Fixture
Wall Lamp

GRAND





Material: Die Casting Aluminium
IP: 65
Product Size: Ø80mm x 150mm
Carton Size: 395mm x 205mm x 350mm

Model	Lamp Holder	Body Color	Pcs/ctn
MG-GWLFX1002OABL	MR16	Oval Black	20
MG-GWLFX1002OAWH	MR16	Oval White	20
MG-GWLFX1002SABL	MR16	Square Black	20
MG-GWLFX1002SAWH	MR16	Square White	20

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Wall Lamp Oval Short

GRAND



1 Socket GU 5.3
Fitting Lamp Holder







Model: MG-AFX1030
Material: Aluminium + Glass
Lamp Holder: GU 5.3 (1 socket)
IP: 54
Product Size: 75mm x 65mm x 80mm
NW/GW: 11/12kg
Pcs/ctn: 50
Carton Size: 470mm x 195mm x 395mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Wall Lamp Oval Tall

GRAND



2 Socket GU 5.3
Fitting Lamp Holder







Model: MG-AFX1030
Material: Aluminium + Glass
Lamp Holder: GU 5.3 (2 Socket)
IP: 54
Product Size: 75mm x 65mm x 155mm
NW/GW: 6/7Kg
Pcs/ctn: 20
Carton Size: 395mm x 195mm x 350mm

Fixture Spotlight

MORGEN
BETTER LIGHT BETTER LIFE





Flame Retardant
Heat resistant
Thermally stable
Polycarbonate material
Break resistant



Model	A	A1	Lamp Holder	Pcs/ctn
MG-SPLFA001	3.5"	3'	MR16	12/240
MG-SPLFA002	3.5"	3'	MR16	12/240
MG-SPLFA003	3.5"	3'	MR16	12/240
MG-SPLFA004	3.5"	3'	MR16	12/240

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Spotlight

S1, S2, S3, S4

GRAND



MG-AFX1008



MG-AFX1009



MG-AFX1010



MG-AFX1011





Model	Material	Lamp Holder	Product Size a x b x c (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-AFX1008	Die Casting Aluminium	GU 5.3	Ø93.5 x Ø80 x 30	10.5/12.7	100	515 x 210 x 510
MG-AFX1009	Die Casting Aluminium	GU 5.3	Ø88 x Ø75 x 40	10/11	100	500 x 405 x 300
MG-AFX1010	Die Casting Aluminium	GU 5.3	Ø88 x Ø75 x 40	10/11	100	500 x 405 x 300
MG-AFX1011	Plastic	MR 16	Ø86 x Ø75 x 33	3.34/2.45	50	467 x 207 x 206

MORGEN
BETTER LIGHT BETTER LIFE

Frame Spotlight

LEGEND



3 gang
MG-AFS3GANG



2 gang
MG-AFS2GANG

Material: Aluminium
Lamp Holder: Spotlight Gun Metal

Product Size:

2 gang: 215mm x 115mm

3 gang: 315mm x 115mm

Pcs/ctn:

2 gang: 50pcs

3 gang: 40pcs





MORGEN
BETTER LIGHT BETTER LIFE

Fixture Downlight

Round

GRAND



Ø Ø



Model: MG-AFX1001
Material: Steel & Aluminium
Lamp Holder: E27

Inch	Body Color	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
4"	Black/White	Ø133 x 147	11.5/13.5	30	880 x 357 x 415
5"	Black	Ø165 x 180	10.5/11.85	20	725 x 295 x 495

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T2

GRAND







Model: MG-AFX1002
Material: Aluminium & Plastic
Lamp Holder: GU 5.3
Body Color: Black/White
Product Size: Ø57mm x 80mm
NW/GW: 12/13Kg
Pcs/ctn: 100
Carton Size: 640mm x 485mm x 320mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T3

GRAND







Model: MG-AFX1003
Material: Aluminium & Plastic
Lamp Holder: GU 5.3
Body Color: Black/White
Product Size: Ø57mm x 80mm
NW/GW: 12/13Kg
Pcs/ctn: 100
Carton Size: 660m x 335mm x 270mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T4

GRAND







Model: MG-AFX1004
Material: Steel
Lamp Holder: GU 5.3
Body Color: Black/White
Product Size: Ø60mm x 78mm
NW/GW: 14.5/16.5Kg
Pcs/ctn: 50
Carton Size: 425mm x 265mm x 445mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T5

GRAND







Model: MG-AFX1005
Material: Steel
Lamp Holder: GU 5.3
Body Color: Black/White
Product Size: Ø60mm x 78mm
NW/GW: 15.7/16.7Kg
Pcs/ctn: 50
Carton Size: 450mm x 265mm x 565mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T6

GRAND







Model: MG-AFX1006
Material: Steel
Lamp Holder: E27
Body Color: Black/White
Product Size: Ø53.5mm x 117mm
NW/GW: 11/11.5Kg
Pcs/ctn: 50
Carton Size: 700mm x 365mm x 250mm

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Track Light

T7

GRAND







Model: MG-AFX1007
Material: Steel
Lamp Holder: E27
Body Color: Black/White
Product Size: Ø53.5mm x 117mm
NW/GW: 11/13.5Kg
Pcs/ctn: 50
Carton Size: 450mm x 285mm x 615mm

MORGEN
BETTER LIGHT BETTER LIFE

Rail Track Light

GRAND





Material: Aluminium

Model	Material	Color	Product Size (mm)	Pcs/ctn
MG-AFRTST100	Aluminium	Black/White	1000 x 20 x 30	30
MG-AFRTST150	Aluminium	Black/White	1500 x 20 x 30	30
MG-AFRTST200	Aluminium	Black/White	2000 x 20 x 30	30

MORGEN
BETTER LIGHT BETTER LIFE

Connector Track Light

GRAND



Connector L

Model: MG-ACT01L

Color: Black/White

Product Size: 70mm x 10mm



Connector I

Model: MG-ACT01I

Color: Black/White

Product Size: 100mm x 10mm





MORGEN
BETTER LIGHT BETTER LIFE

Track Kap
Fitting Track Light

GRAND







Model: MG-ATKFE2701
Material: PBT
Product Size: 130mm x 80mm x Ø30mm

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

GRAND





Material: Aluminium
Color: Blue
High Effieciency: 82%
Line & Load: 3%

Model	Power	Input	Output	Product Size(mm)	NW/GW(Kg)	Pcs/ctn	Carton Size(mm)
MG-GPSUA1060	60W	110-240VaC	+12V-5A Max	138 x 50 x 23	-/15	120pcs	330 x 306 x 290
MG-GPSUA1100	100W	110-240VaC	+12V-8.3A Max	138 x 50 x 23	-/15	120pcs	330 x 306 x 290
MG-GPSUA1200	200W	110-240VaC	+12V-16.6A Max	178 x 50 x 23	-/19.5	100pcs	280 x 386 x 290
MG-GPSUA1300	300W	110-240VaC	+12V-25A Max	208 x 50 x 23	-/11	50pcs	280 x 231 x 290

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

GRAND





- Built for indoor or interior lighting setups
- Great for professional or large-scale project

Material: Aluminium

PF: >0.5

Frequency: 50-60Hz

Model	Power	Input (AC)	Output (DC)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-PS52001	60W	100-265V	12V 5A	114 x 49.5 x 25	12.3/13.3	100	285 x 250 x 280
MG-PS52001	100W	100-265V	12V 8.5A / 24V 4.25A	138 x 49.5 x 25	16/17	100	300 x 285 x 280
MG-PS52001	200W	100-265V	12V 16.7A / 24V 8.35A	178 x 49.5 x 25	21/22	100	380 x 285 x 280
MG-PS52001	300W	176-265V	12V 25A / 24V 12.5A	205 x 49.5 x 25	13.5/14.5	50	270 x 285 x 235
MG-PS52001	400W	176-265V	12V 33.3A / 24V 16.65A	238 x 49.5 x 25	15.5/16.5	50	270 x 285 x 265

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

GRAND





- Performs reliably in semi-outdoor environments
- Great for professional or large-scale projects

Model: MG-PS52002
Power: 400W
Input (AC): 176~265Vac
Output (DC): 12V 33.3A
Material: Aluminium
PF: >0.5

IP: 55 (Rainproof)
Frequency: 50-60Hz
Product Size: 186mm x 117mm x 48.5mm
Pcs/ctn: 40
NW/GW: 18/19Kg
Carton Size: 500mm x 280mm x 410mm

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

GRAND



Available 1 Output



Available 2 Output



- High-protection outdoor installations
- Perfect for gardens and building exteriors

Material: Aluminium

PF: >0.5

IP: 67

Frequency: 50-60Hz

	Model	Power	Input (AC)	Output (DC)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
	MG-PS52003	100W	100-265V / 176-265V	12V 8.3A / 24V 4.1A	195 x 45 x 35	15.5/16.5	30	460 x 285 x 250
	MG-PS52003	200W	176-265V	12V 16.5A/24V 8.3A	215 x 67 x 41	20/21	20	370 x 260 x 230
Available 2 Output	MG-PS52003	300W	176-265V	12V 25A / 24V 12.5A	245 x 75 x 41	13/14	10	300 x 270 x 230
Available 2 Output	MG-PS52003	400W	176-265V	12V 33.3A / 24V 16.5A	245 x 75 x 41	12.5/13.5	10	300 x 270 x 230

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

GRAND





- Built for indoor or interior lighting setups
- Great for professional or large-scale projects
- Slim body design

Material: Aluminium

PF: >0.5

Frequency: 50-60Hz

Model	Power	Input (AC)	Output (DC)	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MG-PS52004	60W	100-265V	12V 5A / 24V 2.5A	173 x 36 x 23	15/16	100	370 x 270 x 210
MG-PS52004	100W	100-265V	12V 8.3A / 24V 4.1A	188 x 36 x 23	17.5/18.5	100	400 x 270 x 210
MG-PS52004	200W	176-265V	12V 16.5A / 24V 8.3A	286 x 36 x 23	14.5/15.5	50	300 x 270 x 210
MG-PS52004	300W	176-265V	12V 25A / 24V 12.5A	319 x 36 x 23	16/17	50	330 x 270 x 210

Power Supply

Adjustable Brightness





- Built for indoor or interior lighting setups
- Ideal for decorative lighting concepts

Material: Aluminium

PF: >0.5

Frequency: 50-60Hz

Model	Power	Input (AC)	Output (DC)	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG-PS52005	60W	100-265V	12V 5A / 24V 2.5A	127 x 47 x 24	15.5/16.5	100	280 x 280 x 275
MG-PS52005	100W	100-265V	12V 8.5A / 24V 4.25A	144 x 47 x 24	19/20	100	310 x 280 x 275
MG-PS52005	200W	100-265V	12V 16.7A / 24V 8.35A	207 X 47 X 24	15/16	60	330 x 220 x 275
MG-PS52005	300W	176-265V	12V 25A / 24V 12.5A	240 x 47 x 24	14/15	50	280 x 255 x 275
MG-PS52005	400W	176-265V	12V 33.3A / 24V 16.65A	240 x 47 x 24	16/17	50	280 x 255 x 275

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

TREND





- Built for indoor or interior lighting setups
- A cost-effective choice for homes or small projects

Material: Aluminium

PF: >0.5

Frequency: 50-60Hz

Model	Power	Input (AC)	Output (DC)	Product Size(mm)	NW/GW(Kg)	Pcs/ctn	Carton Size(mm)
MG-PS32001	60W	100-265V	12V 5A	113 x 50 x 22	8.58/9.58	100	240 x 260 x 280
MG-PS32001	100W	100-265V	12V 8.5A	138 x 50 x 22	11.91/12.91	100	290 x 260 x 280
MG-PS32001	200W	100-265V	12V 16.7A	178 x 50 x 22	17.1/18.1	100	370 x 260 x 280
MG-PS32001	300W	100-265V	12V 25A	205 x 50 x 22	9.93/10.93	50	270 x 260 x 230
MG-PS32001	400W	100-265V	12V 33.3A	238 x 50 x 22	11.91/12.91	50	270 x 260 x 260

MORGEN
BETTER LIGHT BETTER LIFE

Power Supply

TREND





- Performs reliably in semi-outdoor environments
- A cost-effective choice for homes or small projects

Model: MG-PS32002
Power: 400W
Input (AC): 176~265Vac
Output : 12V 33.3A
Material: Aluminium
PF: >0.5

IP: 55 (Rainproof)
Frequency: 50-60Hz
Product Size: 186mm x 117mm x 48.5mm
Pcs/ctn: 40
NW/GW: 16/17Kg
Carton Size: 500mm x 280mm x 410mm

MORGEN
BETTER LIGHT BETTER LIFE

Lamp Shade

KAP UFO U2





Model	Kap	Product Size (mm)	NW/GW (Kg)	Pcs/ctn	Carton Size (mm)
MG - AFX1031	60W/80W/120W	Ø420 x 160 x 185	10.20/11.21	25	430 x 430 x 300
MG - AFX1031	120W/160W/200W	Ø500 x 180 x 260	12.65/13.88	25	500 x 500 x 300

MORGEN
BETTER LIGHT BETTER LIFE

FIXTURE TUBE T8

GRAND

Fixture 1X



Fixture 2X



*This product for cover only, the lamp is sold separately



Material: ABS + PC

Model	Type	Product Size (mm)	NW/GW (kg)	Pcs/ctn	Carton Size (mm)
MGAFX1032	1X	1262 x 70 x 76	11.5/12.56	12	1275 x 240 x 265
MGAFX1032	2X	1262 x 100 x 76	9.07/9.97	8	1285 x 240 x 230

MORGEN
BETTER LIGHT BETTER LIFE

Fixture Floor Lamp

GRAND



Model: MG-AFX1035
Material: Aluminium
Lamp Holder: GU 5.3
IP: 65
Product Size: Ø75mm x 97mm
NW/GW: 11/12Kg
Pcs/ctn: 50
Carton Size: 410mm x 410mm x 240mm





MORGEN
BETTER LIGHT BETTER LIFE

Fixture Floor Lamp SS

GRAND







Model: MG-AFX1034
Material: Stainless Steel
Lamp Holder: GU 5.3
IP: 65
Product Size: Ø80mm x 90mm
NW/GW: 11/12Kg
Pcs/ctn: 50
Carton Size: 445mm x 445mm x 220mm

Fixture Spike Light

GU 5.3

GRAND



Model: MG-AFX1033
Material: Aluminium
Lamp Holder: GU 5.3
IP: 65
Product Size: Ø55mm x 85mm
NW/GW: 11/12Kg
Pcs/ctn: 50
Carton Size: 360mm x 320mm x 332mm

MORGEN
BETTER LIGHT BETTER LIFE





MORGEN
BETTER LIGHT BETTER LIFE

Electrical Series

MORGEN
BETTER LIGHT BETTER LIFE

Product Overview Electrical



ES90100 Series



ES80100 Series



ES70100 Series



B Series



C Series



V Series



O Series



M Series



Piano Series



Fitting Series



Plug Series



SK Arde + Lubang Series



SK Arde Lubang + Lampu Indikator Series



SK Gepeng + Lubang Series



MCB Series

MORGEN
BETTER LIGHT BETTER LIFE

ES90100



Saklar Engkel
MG - ES90111



Saklar Seri
MG - ES90112



Saklar Triple
MG - 90113



Stopkontak Arde
MG - ES90100



Saklar Socket TV
MG - ES90107

Material: Polycarbonate
Size: 8.5cm x 8.5cm x 2.8cm
Available in: ○ ● ●





ES80100



Stopkontak Arde
MG - ES80100



Saklar SK Arde
MG - ES80101



Saklar Engkel
MG - ES80111



Saklar Seri
MG - ES80112



Saklar Triple
MG - ES80113



Saklar Socket TV
MG - ES80107

Material: Polycarbonate
Size: 8.5cm x 8.5cm x 3cm
Available in: ○ ● ●





ES70100



Stopkontak Arde
MG - ES70100



IB Socket TV
MG - ES70107



Saklar Engkel
MG - 70111 & 70111H



Saklar Seri
MG - ES70112 & 70112H



Saklar Triple
MG - ES70113



Stop Kontak Knob Bell
MG - ES70109

Material: Polycarbonate
Size: 8.5cm x 8.5cm x 2.8cm
Available in: ○ ● ●





MORGEN
BETTER LIGHT BETTER LIFE

B Series



Stop Kontak Arde
MG - 880NPC



Saklar Engkel
MG - 881NPC



Saklar Seri
MG - 882NPC



Saklar SK Arde
MG - 883NPC



Saklar Stopkontak
MG - 884NPC



IB Seri Stopkontak
MG - 886NPC



IB Socket TV
MG - 887NPC



Saklar Triple
MG - 888NPC

Material: Polycarbonate
Size: 8cm x 8cm x 2.5cm
Available in: ○ ● ●





MORGEN
BETTER LIGHT BETTER LIFE

C Series



Stop Kontak Arde
MG - 8880



Saklar Engkel
MG - 8881



Saklar Seri
MG - 8882



Saklar Triple
MG - 8883



Saklar Empat
MG - 8884



Saklar Lima
MG - 8885



SK Arde Saklar Engkel
MG - 8886



Saklar Socket TV
MG - 8887



Socket AC Saklar Engkel
MG - 8889A

Material: Polycarbonate
Size: 8.5cm x 8.5cm x 2.5cm
Available in: ○ ● ●





V Series



Stop Kontak Arde
MG - 8860



Saklar Engkel
MG - 8861



Saklar Seri
MG - 8862



Saklar Triple
MG - 8863



Saklar Socket Telepon
MG - 8866



Saklar Socket TV
MG - 8867

Material: Polycarbonate
Size: 8.5cm x 8.5cm x 3.2cm
Available in: ◯





O Series



OB Stopkontak Arde Segi
MG - 650NPC



OB Engkel Segi
MG - 651NPC



OB Seri Segi
MG - 652NPC



OB SK Engkel
MG - 653NPC

Material: Polycarbonate
Size: 5.8cm x 5.8cm x 3.8cm
Available in: ○ ● ●





M Series



IB Stopkontak Arde Segi
MG - 8850



IB Saklar Engkel
MG - 8851



IB Saklar Seri
MG - 8852



Saklar Engkel SK Arde
MG - 8853



IB Engkel Stopkontak
MG - 8854



IB Socket TV
MG - 8857





Material: Polycarbonate
Size: 8.2cm x 8.2cm x 3cm
Available in: ◯

Piano Series



OB Stop Kontak Piano
MG - 750NPC



OB Engkel Piano
MG - 751NPC



OB Seri Piano
MG - 752NPC





Material: Polycarbonate
Size: 5.8cm x 4.8cm x 3.4cm
Available in: ◯

Fitting



Fitting Plafon Candi
MG - EFT001



Fitting Plafon Pyramid
MG - EFT002



Fitting Plafon UFO
MG - EFT003



Fitting Plafon Segi 4
MG - 621



Fitting Plafon Segi 4
MG - 612



Fitting Plafon Bulat
MG - 632



Fitting Gantung
MG - 601



Fitting Gantung Basket
MG - 635



Plug



Over Steker Universal
MG - EST001



Over Steker Universal
MG - EST002



Over Steker
MG - OS 01





Steker T Multi
MG - 607



Steker T Serbaguna
MG - 609



Steker Serbaguna
MG - 610





Steker Gepeng
MG - 625



Steker Arde Morgen
MG - 912



Steker Arde Morgen
MG - 913

Socket



SK Arde 5 Lubang
MG - 7105



SK Arde 4 Lubang
MG - 7104



SK Arde 3 Lubang
MG - 7103



SK Arde 2 Lubang
MG - 7102



SK Arde 1 Lubang
MG - 7101



Socket



SK Arde 2 Lubang +
Lampu Indikator
MG - 7102L



SK Arde 3 Lubang +
Lampu Indikator
MG - 7103L



SK Arde 4 Lubang +
Lampu Indikator
MG - 7104L



MORGEN
BETTER LIGHT BETTER LIFE

Socket



SK Gepeng 2 Lubang
MG - 7002



SK Gepeng 3 Lubang
MG - 7003



SK Gepeng 4 Lubang
MG - 7004



MCB



MCB Orange Morgen

MCB 2A
MCB 4A
MCB 6A
MCB 10A
MCB 16A
MCB 20A
MCB 25A
MCB 32A



MCB Biru Izunli

MCB 2A
MCB 4A
MCB 10A
MCB 16A



MCB Biru Morgen

MCB 4A
MCB 6A
MCB 10A
MCB 16A
MCB 20A







Scan untuk melihat produk kami :

PT. Favorite Indonesia
Jl. Pangeran Jayakarta
135 Blok B No. 17-18
Jakarta Pusat
11730

0811-1651-811
contact@morgen.co.id