Visalux®
Selalu Unggul Dalam Kualitas



Product Catalog 2025

Electrical Series

Explore **Visalux**'s complete range of electrical products, engineered to enhance functionality and add a touch of elegance to any setting.

Scan Us
For More Information

visalux_indo visalux_indonesia customercare@visalux.co.id

SNI

2024 Superbrands INDONESIA'S CHOICE

INDONESIA BRAND CHAMPION 2025


Visalux®
Selalu Unggul Dalam Kualitas

Get to Know Us

VISALUX – Kualitas Unggul untuk Setiap Kebutuhan Anda

Visalux adalah merek terkemuka di Indonesia dalam industri listrik dan pencahayaan yang terkenal karena kualitas unggul dan inovasi produknya. Produk kami mencakup berbagai jenis lampu, kipas angin, kabel, stop kontak, dan sakelar serta berbagai jenis produk lainnya.

Visalux telah membangun reputasinya melalui dedikasi pada keunggulan dan komitmen untuk memenuhi beragam kebutuhan pelanggannya. Visalux terus berinovasi untuk mempertahankan posisinya di pasar.

VISALUX – Top-Quality Solutions for Every Need

Visalux is a leading brand in Indonesia's electrical and lighting industry, known for its superior quality and innovative products. Our range includes various types of lamps, fans, cables, outlets, switches, and other products.

Visalux has built its reputation through a dedication to excellence and a commitment to meeting a wide range of customer needs. Visalux continues to innovate to maintain its position in the market.

Visalux®
Selalu Unggul Dalam Kualitas

Switch - Socket

E-Series

Visalux Switch - Socket **E-Series** offer a simple and functional design. Suitable for any space, making them practical and reliable choice.



E-Series



VSE-3011 | VSE-3012

Type : Switch 1G 1 Way | 2 Way
Current : 10A 250V
Qty : 100 pcs/ctn



VSE-3021

Type : Switch 2G
Current : 10A 250V
Qty : 100 pcs/ctn



VSE-3031

Type : Switch 3G
Current : 10A 250V
Qty : 100 pcs/ctn



VSE-3041

Type : Switch 4G
Current : 10A 250V
Qty : 100 pcs/ctn



VSE-3051

Type : Switch 5G
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3113A

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3113AN

Type : Socket with Neon Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3113M

Type : Multi Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3113USB

Type : Socket with Neon Swirch
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3113TC

Type : USB + 2A + C
Current : 13A 250V
Qty : 100 pcs/ctn



VSE-3115A

Type : Socket with Switch
Current : 15A 250V
Qty : 100 pcs/ctn



VSE-3116A

Type : Socket
Current : 16A 250V
Qty : 100 pcs/ctn



VSE-3116A (W/SWT)

Type : Socket with Switch
Current : 16A 250V
Qty : 100 pcs/ctn



VSE-2510N

Type :Multi Socket with Switch
Current : 10A & 13A 250V
Qty : 100 pcs/ctn



VSE-3213A

Type : Socket 2G with Switch
Current : 13A x 2 250V
Qty : 50pcs/ctn



VSE-3133SC

Type : Multi Socket with Switch
Current : 10A & 13A 250V
Qty : 50 pcs/ctn



VSE-3175TV

Type : TV Outlet
Resistance : 75 Ω
Qty : 100 pcs/ctn



VSE-3275TV

Type : TV Outlet 2G
Resistance : 75 Ω
Qty : 100 pcs/ctn



VSE-3014T

Type : Telephone Outlet RJ11
Current : 16A 250V
Qty : 100 pcs/ctn



VSE-3024T

Type : Telephone Outlet RJ11
Current : 16A 250V
Qty : 100 pcs/ctn



VSE-3018C

Type : Computer Outlet 1G RJ45
Current : 250V
Qty : 100 pcs/ctn



VSE-3028C

Type : Computer Outlet 2G RJ45
Current : 250V
Qty : 100 pcs/ctn



VSE-3016C-CAT6

Type : Computer Outlet 1W CAT6
Current : 250V
Qty : 100 pcs/ctn



VSE-301BP

Type : Bell Switch
Current : 10A 250V
Qty : 100 pcs/ctn



VSE-3020N

Type : Water Heater Switch
Current : 20A 250V
Qty : 100 pcs/ctn



VSE-3180D

Type : Light Dimmer
Current : 500W 250V
Qty : 100 pcs/ctn



Switch - Socket

Decor White Series

Visalux Switch - Socket **Decor White Series** brings a minimalist and clean ambiance, offering a simple aesthetic that harmonizes with various interior design styles.



Decor White Series



VSD-9011 | VSD-9012

Type : Switch 1G 1 Way | 2 Way
Current : 10A 250V
Qty : 100 pcs/ctn



VSD-9021

Type : Switch 2G
Current : 10A 250V
Qty : 100 pcs/ctn



VSD-9031

Type : Switch 3G
Current : 10A 250V
Qty : 100 pcs/ctn



VSD-9041

Type : Switch 4G
Current : 10A 250V
Qty : 100 pcs/ctn



VSD-9113

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD-9113N

Type : Socket with Neon Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD-9213

Type : Socket 2G with Switch
Current : 13A x 2 250V
Qty : 50 pcs/ctn



VSD-9115

Type : Socket 1G
Current : 15A 250V
Qty : 100 pcs/ctn



VSD-9016

Type : Socket 1G
Current : 16A 250V
Qty : 100 pcs/ctn



VSD-9016SW

Type : Socket with Switch
Current : 16A 250V
Qty : 100 pcs/ctn



VSD-9131

Type : TV Outlet 1G
Resistance : 75 Ω
Qty : 100 pcs/ctn



VSD-9141

Type : Telephone Outlet RJ11
Resistance : 75 Ω
Qty : 100 pcs/ctn



VSD-9101KT/CARD

Type : Key Card Switch
Current : 250V
Qty : 100 pcs/ctn



VSD-9103

Type : Shaver
Current : 250V
Qty : 100 pcs/ctn



Switch - Socket

Decor Dark Grey Series

Visalux Switch - Socket **Decor Dark Grey Series** gives a modern and elegant looks to decorate your space.



Decor Dark Grey Series



VSD1011-DG | VSD1012-DG

Type : Switch 1G 1 Way | 2 Way
Current : 10A 250V
Qty : 100 pcs/ctn



VSD1021-DG | VSD1022-DG

Type : Switch 2G 1 Way | 2 Way
Current : 10A 250V
Qty : 100 pcs/ctn



VSD1031-DG

Type : Switch 3G
Current : 10A 250V
Qty : 100 pcs/ctn



VSD1041-DG

Type : Switch 4G
Current : 10A 250V
Qty : 100 pcs/ctn



VSD1013A-DG

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD1013N-DG

Type : Socket with Neon Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD1013M-DG

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD1015A-DG

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



VSD1016A-DG

Type : Socket
Current : 13A 250V
Qty : 100 pcs/ctn



VSD1023A-DG

Type : Socket 2G with Switch
Current : 13A x 2 250V
Qty : 50 pcs/ctn



VSD1075TV-DG

Type : TV Outlet
Resistance : 75 Ω
Qty : 100 pcs/ctn



VSD1141T-DG

Type : Telephone Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9045C

Type : Computer Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn



VSD1102B-DG

Type : Bell Switch
Current : 16A 250V
Qty : 100 pcs/ctn



VSD1318D-DG

Type : Dimmer Switch 1W
Current : 16A 250V
Qty : 100pcs/ctn



VSD1033BP-DG

Type : Blank Plate 1G
Qty : 100 pcs/ctn



VSD1020N-DG

Type : Water Heater Switch
Current : 20A 250V
Qty : 100 pcs/ctn



VSE-6113A

Type : Pop-up Socket Multi 3 Way + Type C
Current : 3x13A
USB Output : 5V 2.4A
Wireless : 15W
Qty : 8 pcs/ctn



Lavish White

LVS-VSD9011 | LVS-VSD9012

Type : Switch 1G 1 Way | 2 Way
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9021 | LVS-VSD9021

Type : Switch 2G 1 Way | 2 Way
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9031

Type : Switch 3G
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9041

Type : Switch 4G
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9020N

Type : Water Heater Switch
Current : 20A 250V
Qty : 100 pcs/ctn



LVS-VSD9016A

Type : Socket
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9016SW

Type : Socket with Switch
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9013A

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



LVS-VSD9013M

Type : Socket with Neon Switch
Current : 13A 250V
Qty : 100 pcs/ctn



LVS-VSD9013UC

Type : Socket with Switch
Current : 13A 250V
Qty : 100 pcs/ctn



LVS-VSD9015A

Type : Socket with Neon Switch
Current : 13A 250V
Qty : 100 pcs/ctn



LVS-VSD9113M

Type : Socket Multi with Switch
Current : 10A+13A 250V
Qty : 100 pcs/ctn



LVS-VSD9213A

Type : Socket 2G with Switch
Current : 13A x 2 250V
Qty : 50 pcs/ctn



LVS-VSD9213M

Type : Socket 2G Multi with Switch
Current : 13A x 2 250V
Qty : 50 pcs/ctn



LVS-VSD9131TV

Type : TV Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9141T

Type : Telephone Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9045C

Type : Computer Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn

LVS-VSD9102B

Type : Bell Switch
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9103D

Type : TV Outlet 1W
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9318D

Type : Dimmer Switch 1W
Current : 16A 250V
Qty : 100pcs/ctn

LVS-VSD9033BP

Type : Blank Plate 1G
Qty : 100 pcs/ctn



LVS-VSD9101KT

Type : Key Card Switch 1G
Current : 16A 250V
Qty : 100 pcs/ctn



LVS-VSD9101

Type : Key Card
Qty : 100 pcs/ctn

Lavish Black & Gold



LVS-VSD9011 | LVS-VSD9012

Type : Switch 1G 1 Way | 2 Way
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9011 | LVS-VSD9012

Type : Switch 2G
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9031

Type : Switch 3G
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9041

Type : Switch 4G
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9020N

Type : Water Heater Switch
Current : 20A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9016A

Type : Socket
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9016SW

Type : Socket with Switch
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9013A

Type : Socket with Switch
Current : 13A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9013M

Type : Socket with Neon Switch
Current : 13A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9013UC

Type : Socket with Switch
Current : 13A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9015A

Type : Socket with Neon Switch
Current : 13A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9113M

Type : Socket Multi with Switch
Current : 10A+13A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9213A

Type : Socket 2G with Switch
Current : 13A x 2 250V
Color : Black/Gold
Qty : 50 pcs/ctn



LVS-VSD9213A

Type : Socket Multi 2G with Switch
Current : 13A x 2 250V
Color : Black/Gold
Qty : 50 pcs/ctn



LVS-VSD9131TV

Type : TV Outlet 1W
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9141T

Type : Telephone Outlet 1W
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9045C

Type : Computer Outlet 1W
Current : 16A 250V
Color : Black/Gold
Qty : 100 pcs/ctn



LVS-VSD9318D

Type : Dimmer Switch 1W
Current : 16A 250V
Qty : 100pcs/ctn



LVS-VSD9030BP

Type : Blank Plate 1G
Color : Black/Gold
Qty : 100 pcs/ctn

Size and Builds



Easy Installation



1 Fix the integrated base plate to the junction box on the wall with screws.

2 Manually insert the rocker firmly into the designated slot on the base plate.

3 Ensure all components are securely in place to complete the installation process.

Our High-Quality Components

SNI POLYBAG BRASS TERMINAL



Easy Click

Best Electrical Conductor

Heat Resistance

Polycarbonate

The socket housing uses high-quality polycarbonate that is resistant to extreme temperatures, ranging from -40°C to 120°C.

This material is also lightweight, UV-resistant, and designed to provide reliable performance and exceptional durability in various environmental conditions.

Copper

The overall function part use high quality phosphor copper to make from one-stage moulding.

The thickness is 0,6mm, significantly lower contact resistance, to keep current electricity stable and smooth.

**Applicable to all series: Dimensions and materials are consistent across the entire range.*

Socket

Bracket & Track Socket

Visalux **Bracket and Track Socket** ensure seamless installation and repositioning on modular power track systems.



Track



TRACK-40cm
TRACK-60cm

Type : Bracket Track Socket
Size : 40 cm/60cm
Color : White
Qty : 12pcs/ctn



TRACK-40cm
TRACK-60cm

Type : Bracket Track Socket
Size : 40 cm/60cm
Color : Dark Grey
Qty : 12pcs/ctn



TRACK-40cm
TRACK-60cm

Type : Bracket Track Socket
Size : 40 cm/60cm
Color : Black
Qty : 12pcs/ctn

Track Socket



TRACK-VSE3113USB/C

Type : Track Socket
USB 2.4A + Type C
Current : 13A 250V
Color : Dark Grey
Qty : 100 pcs/ctn



TRACK-VSE3113M

Type : Track Socket Multi
Current : 13A 250V
Color : Dark Grey
Qty : 100 pcs/ctn



TRACK-VSE3113A

Type : Track Socket
Current : 13A 250V
Color : Dark Grey
Qty : 100 pcs/ctn



TRACK-VSE3116A

Type : Track Socket
Current : 16A 250V
Color : Dark Grey
Qty : 100 pcs/ctn

Power Track Complete



Mode On = Blue LED

TRACK-VSE3213

Type : Power Track LED Complete 2in1
Size : 40cm
Current : xA xxV + xA xxV
Color : White/DarkGrey/Black
Qty : 1 pcs/ctn

Track Socket LED



TRACK-VSE3113USB/C-LED

Type : Track Socket
USB 2.4A + Type C
Current : xA xxV
Color : White/Dark Grey/Black
Qty : 100 pcs/ctn



TRACK-VSE3113M-LED

Type : Track Socket Multi
Current : xA x xxV
Color : White/Dark Grey/Black
Qty : 100 pcs/ctn



TRACK-VSE3113A-LED

Type : Track Socket
Current : xA x xxV
Color : White/Dark Grey/Black
Qty : 100 pcs/ctn

Switch - Socket

Outbow & Inbow

Visalux Switch - Socket offers **Outbow and Inbow** series. Easy to install and remove without the need to drill holes in the wall.



Outbow



VS8200-OB

Type :Switch 1G
Current : 6A 250V
Color : Cream
Qty : 300 pcs/ctn



VS6110-0B

Type : Switch 1G
Current : 6A 250V
Color : White
Qty : 300 pcs/ctn



VS8201-OB

Type : Switch 2G
Current : 6A 250V
Color : Cream
Qty : 300 pcs/ctn



VS6210-OB

Type : Switch 2G
Current : 6A 250V
Color : White
Qty : 300 pcs/ctn



VS8202-OB

Type : Socket
Current : 10A 250V
Color : Cream
Qty : 300 pcs/ctn



VS6016-OB

Type : Socket
Current : 10A 250V
Color : White
Qty : 300 pcs/ctn



VS8203-OB

Type : Socket with Switch
Current : 10A 250V
Color : Cream
Qty : 300 pcs/ctn



VS6010S-OB

Type : Socket with Switch
Current : 10A 250V
Color : White
Qty : 300 pcs/ctn

Cello - OB



CLO-VS6110

Type : Switch 1G
Current : 6A 250V
Dimension : 56*41*58mm
Color : Cream/White
Qty : 300 pcs/ctn



CLO-VS6210

Type : Switch 2G
Current : 6A 250V
Dimension : 57*41*60mm
Color : Cream/White
Qty : 300 pcs/ctn



CLO-VS6016

Type : Socket
Current : 10A 250V
Dimension : 58*41*56mm
Color : Cream/White
Qty : 300 pcs/ctn



CLO-VS6010S

Type : Socket with Switch
Current : 10A 250V
Dimension : 57*41*60mm
Color : Cream/White
Qty : 300 pcs/ctn

Cello-IB



CLO-VS8110

Type : Switch 1G
Current : 6A 250V
Dimension : 80*10*88mm
Color : Cream/White
Qty : 240 pcs/ctn



CLO-VS8210

Type : Switch 2G
Current : 6A 250V
Dimension : 80*10*80mm
Color : Cream/White
Qty : 240 pcs/ctn



CLO-VS8016

Type : Socket
Current : 10A 250V
Dimension : 80*10*80mm
Color : Cream/White
Qty : 240 pcs/ctn



CLO-VS8010S

Type : Socket with Switch
Current : 10A 250V
Dimension : 80*10*80mm
Color : Cream/White
Qty : 240 pcs/ctn

Waterproof



WP-VS6110

Type : Switch 1G
Current : 10A 250V
Dimension : 64*60*81mm
IP Rating : IP55
Qty : 100 pcs/ctn



WP-VS6210

Type : Switch 2G
Current : 10A 250V
Dimension : 64*60*81mm
IP Rating : IP55
Qty : 100 pcs/ctn



WP-VS6016

Type : Socket 2 Pin
Current : 16A 250V
Dimension : 64*60*81mm
IP Rating : IP55
Qty : 100 pcs/ctn

Metal Socket



VSE-213MC

Type : Switch 2G
Current : 13A x 2 250V
Dimension : 140*76*40mm
Qty : 50 pcs/ctn



Lamp Fitting

Visalux **Lamp Fitting** is designed to provide a strong and secure foundation for your ceiling lights. It's durable, heat-resistance, and ensures safety performance.



SNI KAN Komite Akreditasi Nasional IAF BRASS TERMINAL POLYBAG

Visalux® | Selalu Unggul Dalam Kualitas

Fitting Plafon



OCTAGON

Code : VFP-2600M
Base Type : E27
Dimension : 35*43*90mm
Current : 3A 220-240V~
Material : Bakelite
Qty : 240 pcs/ctn



KEMBANG

Code : VFP-2601BD
Base Type : E27
Dimension : 50*44*103mm
Current : 4A 250V~
Material : Bakelite
Qty : 240 pcs/ctn



BOROBUDUR

Code : VFP-2602P
Base Type : E27
Dimension : 54*45*95mm
Current : 4A 220-240V~
Material : Bakelite
Qty : 240 pcs/ctn



PELURU

Code : VFP-2603K
Base Type : E27
Dimension : 59*47*97mm
Current : 4A 250V~
Material : Bakelite
Qty : 240 pcs/ctn



SEGI 4

Code : VFP-2604
Base Type : E27
Dimension : 52*47*90mm
Current : 4A 250V~
Material : Bakelite
Qty : 240 pcs/ctn



SEGI 6

Code : VFP-2606
Base Type : E27
Dimension : 52*48*87mm
Current : 4A 250V~
Material : Bakelite
Qty :240 pcs/ctn



SEGI 8

Code : VFP-2608
Base Type : E27
Dimension : 51*46*86mm
Current : 4A 250V~
Material : Bakelite
Qty : 240 pcs/ctn



OCTAGON (small)

Code : VFP-2600S
Base Type : E27
Dimension : 35*44*66mm
Current : 3A 220-240V~
Material : Bakelite
Qty : 240 pcs/ctn



KEMBANG (small)

Code : VFP-2611S
Base Type : E27
Dimension : 35*42*70mm
Current : 3A 220-240V~
Material : Bakelite
Qty : 240 pcs/ctn



SEGI 4 (small)

Code : VFP-2612S
Base Type : E27
Dimension : 33*45*62mm
Current : 3A 220-240V~
Material : Bakelite
Qty : 240 pcs/ctn



PELURU (small)

Code : VFP-2613S
Base Type : E27
Dimension : 33*42*68mm
Current : 3A 250V~
Material : Bakelite
Qty : 240 pcs/ctn



BUNGA (big)

Code : VFP-2609B
Base Type : E27
Dimension : 57*50*123mm
Current : 4A 250V~
Material : Bakelite
Qty : 120 pcs/ctn



ROSE (big)

Code : VFP-2610B
Base Type : E27
Dimension : 57*50*123mm
Current : 4A 250V~
Material : Bakelite
Qty : 120 pcs/ctn



OCTAGON (big)

Code : VFP-2600B
Base Type : E27
Dimension : 35*45*110mm
Current : 3A 250V~
Material : Bakelite
Qty : 200 pcs/ctn



ZERO

Code : VFP-2900
Base Type : E27
Dimension : 54*48*10mm
Current : 4A 220-240V~
Material : Bakelite
Qty : 300 pcs/ctn



FORE

Code : VFP-2904
Base Type : E27
Dimension : 51*48*90mm
Current : 4A 220-240V~
Material : Bakelite
Qty : 300 pcs/ctn



CORE

Code : VFP-2905
Base Type : E27
Dimension : 50*48*88mm
Current : 4A 220-240V~
Material : Bakelite
Qty : 300 pcs/ctn



ANGLED

Code : VFP-649A
Base Type : E27
Dimension : 35*57*80mm
Current : 6A 250V~
Material : ABS
Qty : 240 pcs/ctn



PELURU

Code : VFP-2702W
Base Type : E27
Dimension : 50*48*100mm
Current : 3A 250V~
Material : ABS
Qty : 384 pcs/ctn



SEGI 4

Code : VFP-2704W
Base Type : E27
Dimension : 35*43*90mm
Current : 3A 250V~
Material : ABS
Qty : 384 pcs/ctn



DIAMOND

Code : VFP-2705W
Base Type : E27
Dimension : 50*48*100mm
Current : 3A 220-240V~
Material : ABS
Qty : 384 pcs/ctn



ROSE

Code : VFP-2710W
Base Type : E27
Dimension : 43*48*110mm
Current : 3A 250V~
Material : ABS
Qty : 384 pcs/ctn



PUTAR

Code : VFP-2700W
Base Type : E27
Dimension : 40*60*90mm
Current : 3A 220-240V~
Material : ABS
Qty : 200 pcs/ctn



PYRAMID

Code : VFP-2808
Base Type : E27
Dimension : 55*60*132mm
Current : 3A 220-240V~
Material : ABS
Qty : 300 pcs/ctn



CANDI

Code : VFP-2809
Base Type : E27
Dimension : 55*60*140mm
Current : 3A 220-240V~
Material : ABS
Qty : 300 pcs/ctn



Bakelite

The overall material is high-quality Bakelite, offering excellent resistance to chemicals and heat up to 140°C. It is durable, weather-resistant, and ensures reliable safety.



Our High-Quality Components

SNI

POLYBAG

BRASS TERMINAL

Best Electrical Conductor

ABS

The overall material is using high quality ABS, resistant to oxidation and corrosion. It is durable, weather-resistant, and ensures reliable safety. It can withstand heat up to 100°C

**Applicable to all fitting plafon series: Materials are consistent across the entire range.*



Kombinasi 10–13A

Combination Plug

Visalux **Combination Plug** features a sleek design and universal compatibility for efficient charging on the go.



SNI · KAN Komite Akreditasi Nasional · IAF · BRASS TERMINAL · POLYBAG

13A Combination



VKA-7196

Type : Plug Combination
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-7196L

Type : Plug Combination Neon
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-7196C

Type : Plug Combination Neon
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-741

Type : Plug Combination Neon
Model : 3 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 144pcs/ctn

13A - 15A Universal



VKA-024

Type : Multi Plug Combination
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 60pcs/ctn



VKA-7850TC

Type : Plug Combination w/USB Type A + C
Model : 3 Pin 2x13A Multi 2 Pin 2x10A
Terminal : Brass Terminal
Qty : 48pcs/ctn



VKA-3033

Type : Plug Combination Neon
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 60pcs/ctn



VKA-7033N

Type : Plug Combination Neon
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 60pcs/ctn



VKA-928SLA

Type : Plug Combination Neon
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 120pcs/ctn



VKA-913

Type : Plug Combination
Model : 3 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



DYNA-VKA8816

Type : Plug Combination Neon
Model : 3 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 300pcs/ctn



UNIPRO

Type : Universal Combination Plug
Voltage : 250V 10A
Current : 65W
Terminal : Brass Terminal
Qty : 50pcs/ctn



VKA-8931

Type : Universal Combination Plug
Voltage : 250V~
Current : 13A
Terminal : Brass Terminal
Qty : 100pcs/ctn



VKA-8941

Type : Universal Combination Plug
Voltage : 250V~
Current : 13A
Terminal : Brass Terminal
Qty : 100pcs/ctn



VKA-931L

Type : Universal Combination Plug
Voltage : 250V~
Current : 10A
Terminal : Brass Terminal
Qty : 120pcs/ctn



VKA-935USB

Type : Universal Combination Plug
Voltage : 250V~
Current : 10A & 13A
Terminal : Brass Terminal
Qty : 100pcs/ctn

10A Combination



VKA-935TC

Type : Universal Combination Plug
Voltage : 250V~
Current : 10A
Terminal : Brass Terminal
Qty : 120pcs/ctn



VKA-7480R

Type : Plug Combination
Voltage : 250V~
Current : 15A
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-7896

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-7896L

Type : Plug Combination Neon
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-7896C

Type : Plug Combination Neon
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-8072N

Type : Plug Combination Neon
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-024

Type : Multi Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 60pcs/ctn



VKA-507

Type : Plug Combination Neon
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-607

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 600pcs/ctn



VKA-607S

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-8912

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 400pcs/ctn



VKA-8950

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 400pcs/ctn



VKA-8817

Type : Plug Combination
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



VKA-8812W

Type : Plug Combination
Model : Tipe T
Current : 10A 250V
Terminal : Brass Terminal
Qty : 576pcs/ctn



VKA-8812W

Type : Plug Combination
Model : Tipe T
Current : 10A 250V
Terminal : Brass Terminal
Qty : 576pcs/ctn



FBL-VKA8816N

Type : FOOTBALL Plug Combination
Model : 3 Way
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



VKA-8822CG

Type : Plug Combination
Model : T-Arde
Current : 10A 250V
Terminal : Brass Terminal
Qty : 240pcs/ctn



V7366-3SSN

Type : TRIGON Plug Combination
Model : T-3Way
Current : 10A 250V
Terminal : Brass Terminal
Qty : 200pcs/ctn



VKA7366-4W

Type : Plug Combination
Model : T-4Way
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn



RHN-VKA7366-4SSN

Type : RHINO Plug Combination
Model : 4 Way
Current : 10A 250V
Terminal : Brass Terminal
Qty : 320pcs/ctn



SQR-VKA7366-5W

Type : SQUARE Plug Combination
Model : 5Way
Current : 10A 250V
Terminal : Brass Terminal
Qty : 180pcs/ctn

Our High-Quality Components

Polycarbonate

Our combination plug is crafted using high-quality polycarbonate material, engineered to withstand extreme temperatures ranging from -40°C to 120°C.

This material is not only lightweight and UV-resistant but also ensures reliable performance and durability, making it ideal for both indoor and outdoor use.

ABS

Other than polycarbonate, some products use high-quality ABS (Acrylonitrile Butadiene Styrene), a tough and impact-resistant thermoplastic known for its strength and stability.

It's lightweight, resistant to heat up to 100°C and chemicals, offers excellent dimensional stability, ideal for both indoor and controlled outdoor environments.

Copper

The overall function part use high quality phosphor copper to make from one-stage moulding.

The thickness is 0,6mm, significantly lower contact resistance, to keep current electricity stable and smooth.

**Materials may vary*



VKA-8941
Universal Combination Plug

Application



Living Room



Office





Plug

Visalux **Plug** is designed to provide a safe and reliable power connection for your electrical devices. It is durable, heat-resistant, and ensures optimal performance in various environments.



SNI KAN Komite Akreditasi Nasional IAF BRASS TERMINAL POLYBAG



VSA-9548P

Type : Plug Adaptor
Model : 3 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn

VSA-9548L

Type : Plug Adaptor Neon
Model : 3 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn

V9548 Color

Type : Plug Adaptor
Current : 13A 250V
Terminal : Brass Terminal
Qty : 360pcs/ctn

V7132/VSA-7132

Type : Plug Adaptor
Model : 3 Pin
Current : 13A 250V
Terminal : Brass Terminal
Qty : 288pcs/ctn



VSA-318W

Type : Plug Adaptor
Model : 3 Pin
Current : 15A 250V
Terminal : Brass Terminal
Qty : 480pcs/ctn

VPK-002

Type : Plug Key
Model : 3 Pin
Current : 13A
Material : ABS
Qty : 3000pcs/ctn

VSA-7351

Type : Plug
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 720pcs/ctn

VSA-7352

Type : Plug Neon Switch
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 480pcs/ctn



VSA-7359

Type : Plug Adaptor
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 720pcs/ctn

VSA-7365

Type : Plu
Model : 2 P
Current : 10A 250V
Terminal : Brass Terminal
Qty : 720pcs/ctn

V331P-C

: Plug with Handle
: 16A 250V
Material : ABS
Color : Cre
Qty

VKA-948

Type : Travel Adaptor
Current : 10A 250V
Power : 1500W
nal : Brass Terminal
: 100pcs/ctn



VSA-7361

Type : Plug Adaptor
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 1440pcs/ctn

V7362

Type : Socket
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 1728pcs/ctn

VSA-7363

Type : Socket
Model : 2 Pin
Current : 10A 250V
Terminal : Brass Terminal
Qty : 480pcs/ctn



Socket

Visalux **Socket** is a versatile power solution designed for flexible installations. Ideal for custom setups in homes, offices, and commercial spaces.

Flamingo

POLYBAG



VSC-5001

Type : 1 Way Socket
Current : 10A 250V
Max Power : 2500W
Dimension : 54*40*76mm
Qty : 384pcs/ctn

VSC-5002

Type : 2 Way Socket
Current : 10A 250V
Max Power : 2500W
Dimension : 54*40*116mm
Qty : 288pcs/ctn

VSC-5003

Type : 3 Way Socket
Current : 10A 250V
Max Power : 2500W
Dimension : 54*40*160mm
Qty : 192pcs/ctn

VSC-5004

Type : 4 Way Socket
Current : 10A 250V
Max Power : 2500W
Dimension : 54*40*204mm
Qty : 144pcs/ctn

VSC-5005

Type : 5 Way Socket
Current : 10A 250V
Max Power : 2500W
Dimension : 54*40*250mm
Qty : 128pcs/ctn

Florian



VSC-5201

Type : 1 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 240pcs/ctn

VSC-5202

Type : 2 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 144pcs/ctn

VSC-5203

Type : 3 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 100pcs/ctn

VSC-5204

Type : 4 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 100pcs/ctn

VSC-5205

Type : 5 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 80pcs/ctn

VSC-5206

Type : 6 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 72pcs/ctn

Stylor



VSC6002-SSN

Type : 2 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 200pcs/ctn

VSC6003-SSN

Type : 3 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 160pcs/ctn

VSC6004-SSN

Type : 4 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 140pcs/ctn

VSC6005-SSN

Type : 5 Way Socket
Current : 10A 250V
Max Power : 2500W
Qty : 120pcs/ctn

V233S-V236S



V233S

Type : 3 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V234S

Type : 4 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V235S

Type : 5 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V236S

Type : 6 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V263S-V266S



V263S

Type : 3 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V264S

Type : 4 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V265S

Type : 5 Way Socket
Current : 13A 250V
Qty : 40pcs/ctn

V266S

Type : 5 Way Socket
Current : 13A 250V
Qty : 120pcs/ctn

VS203S-VS206S



VS203S

Type : 3 Way Socket
Current : 6A 250V
Qty : 80pcs/ctn

VS204S

Type : 4 Way Socket
Current : 6A 250V
Qty : 60pcs/ctn

VS205S

Type : 5 Way Socket
Current : 6A 250V
Qty : 60pcs/ctn

VS206S

Type : 6 Way Socket
Current : 6A 250V
Qty : 60pcs/ctn

VS2205S



VS2205S

Type : Socket Multi
Current : 10A + 13A
Qty : 60pcs/ctn

SE4102-SE4104



SE4102

Type : 2 Way Socket
Current : 10A x 2 250V
Qty : 240pcs/ctn

SE4103

Type : 3 Way Socket
Current : 10A x 3 250V
Qty : 240pcs/ctn

SE4104

Type : 4 Way Socket
Current : 10A x 4 250V
Qty : 240pcs/ctn



Extension Cable

Visalux **Extension Cable** is a reliable charging solution with a high-quality plug and cable for stable power flow, ensuring modern look and high functionality.



BRASS TERMINAL

VS203C-VS206C



VS203C

Type	: 3 Way Ext. Socket
Current	: 6A 250V
Cable	: 2 Meter
Qty	: 80set/ctn

VS204C

Type	: 4 Way Ext. Socket
Current	: 6A 250V
Cable	: 2 Meter
Qty	: 60set/ctn

VS205C

Type	: 5 Way Ext. Socket
Current	: 6A 250V
Cable	: 2 Meter
Qty	: 60set/ctn

VS206C

Type	: 6 Way Ext. Socket
Current	: 6A 250V
Cable	: 2 Meter
Qty	: 60set/ctn

VS2205E



VS2205E

Type	: Socket Multi
Current	: 10A + 13A
Cable	: 3 Meter
Qty	: 24pcs/ctn

V6003ESN-V6005ESN



V6003ESN

Type	: 3 Way Socket
Current	: 10A 250V
Cable	: 3 Meter
Qty	: 42set/ctn

V6004ESN

Type	: 4 Way Socket
Current	: 10A 250V
Cable	: 3 Meter
Qty	: 42set/ctn

V6005ESN

Type	: 5 Way Socket
Current	: 10A 250V
Cable	: 3 Meter
Qty	: 30set/ctn

Bull



VEK5203E

Type	: 3 Way Socket
Current	: 10A 250V
Max. Power	: 2500W
Cable	: 3 / 5 Meter
Qty	: 48pcs/ctn

VEK5204E

Type	: 4 Way Socket
Current	: 10A 250V
Max. Power	: 2500W
Cable	: 3 / 5 Meter
Qty	: 48set/ctn

VEK5205E

Type	: 5 Way Socket
Current	: 10A 250V
Max. Power	: 2500W
Cable	: 3 / 5 Meter
Qty	: 48set/ctn

Mozart



MOZ-VEK5203E

Plug	: 3 Way Socket
Current	: 10A 250V
Dimension	: 200*40*50mm
Cable	: 2 Meter
Qty	: 30pcs/ctn

MOZ-VEK5204E

Plug	: 4 Way Socket
Current	: 10A 250V
Dimension	: 250*40*50mm
Cable	: 2 Meter
Qty	: 30pcs/ctn

MOZ-VEK5205E

Plug	: 5 Way Socket
Current	: 10A 250V
Dimension	: 293*40*50mm
Cable	: 2 Meter
Qty	: 30pcs/ctn

Megatron



VEK-5303

Type	: 3 Way Ext Socket + Switch
Current	: 10A 250V
Cable	: 2 Meter
Cable Rating	: 3*0.75mm²
Qty	: 18pcs/ctn

VEK-5304

Type	: 4 Way Ext Socket + Switch
Current	: 10A 250V
Cable	: 2 Meter
Cable Rating	: 3*0.75mm²
Qty	: 18pcs/ctn

VEK-5305

Type	: 5 Way Ext Socket + Switch
Current	: 10A 250V
Cable	: 2 Meter
Cable Rating	: 3*0.75mm²
Qty	: 18pcs/ctn

Dinobot



VEK-5304

Type	: 3 Way Ext Socket + Switch + USB
Current	: 10A 250V
Cable	: 2 Meter
Cable Rating	: 3*0.75mm²
Qty	: 18pcs/ctn

VEK-5305

Type	: 4 Way Ext Socket + Switch + USB
Current	: 10A 250V
Cable	: 2 Meter
Cable Rating	: 3*0.75mm²
Qty	: 18pcs/ctn

Neutron



VEK-5203E

Type	: 3 Way Ext Socket + Switch
Current	: 10A 250V
Dimension	: 78*40*178mm
Cable	: 2 Meter
Cable Size	: 2*0.50mm²
Qty	: 30pcs/ctn

VEK-5204E

Type	: 4 Way Ext Socket + Switch
Current	: 10A 250V
Dimension	: 78*40*223mm
Cable	: 2 Meter
Cable Sizev	: 2*0.50mm²
Qty	: 30pcs/ctn



Cord Reel

Visalux **Cord Reel** features an extra-long cable that lets you power devices far from the original socket—perfect for flexible use in wide or hard-to-reach areas.



SNI KAN Komite Akreditasi Nasional IAF MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT BRASS TERMINAL

Quatro



VKR1100-4m

Type : 3 Pin
Current : 10A 250V
Cable : 4 meter
Qty : 24 pcs/ctn



VKR1100-6m

Type : 2 Pin
Current : 10A 250V
Cable : 6 meter
Qty : 20 pcs/ctn

Rollmate



VKR1610

Type : 2 Pin
Current : 10A 250V
Cable : 10 Yard
Qty : 14 pcs/ctn



VKR1615

Type : 2 Pin
Current : 10A 250V
Cable : 15 Yard
Qty : 14 pcs/ctn

Kabel Roll



V2915

Type : 3 Pin
Current : 13A 250V
Cable : 10 meter
Qty : 10 pcs/ctn



V3000

Type : 3 Pin
Current : 10A & 13A 250V
Cable : 10 meter
Qty : 12 pcs/ctn



V2204TE

Type : 3 Pin
Current : 13A & 16A 250V
Cable : 8 meter
Qty : 16 pcs/ctn

No Cable



VKR3130

Socket : 3W
Current : 13A x 250V
Qty : 4 pcs/ctn



VKR3150

Socket : 4W
Current : 13A x 250V
Qty : 4 pcs/ctn

Switch - Socket

Floor & Hanging

Visalux **Floor Socket and Hanging Switch** are designed for interiors that demand function and flexibility. It blends seamlessly into any space, without taking up unnecessary room.

SNI KAN Komite Akreditasi Nasional IAF BRASS TERMINAL POLYBAG



Floor Socket



V1304FLS

Type : Socket + Telephone Outlet
Current : 13A
Qty : 20 pcs/ctn



V1306FLS

Type : Socket
Current : 13A + 10A
Qty : 20 pcs/ctn



V1308FLS

Type : Socket + Computer Outlet
Current : 13A
Qty : 20 pcs/ctn



V1310FLS

Type : Socket
Current : 10A + 10A
Qty : 20 pcs/ctn



V1604FLS

Type : Socket + Telephone Outlet
Current : 16A
Qty : 20 pcs/ctn



V1608FLS

Type : Socket + Computer Outlet (RJ45)
Current : 16A
Qty : 20 pcs/ctn



V1610FLS

Type : Multi Socket
Current : 16A + 10A
Qty : 20 pcs/ctn

Hanging Switch



V105W

Type : Switch 1G
Current : 3A 250V
Color : White
Qty : 1000 pcs/ctn



V108W/B

Type : Switch 1G
Current : 3A 250V
Color : White/Black
Qty : 1200 pcs/ctn



Cable

Visalux **Electrical Cable** is built to deliver reliable power transmission for a wide range of electrical applications. Designed for safety and efficiency, its suitable for both residential and commercial use.



logo

Kabel Sisir 50 yard



VPC 1.5

Type : Kabel Sisir
Width : 1.5mm²
Length : 50 Yard
Color : Black, Red, G/Y
Qty : 1 pcs/ctn



VPC 2.5

Type : Kabel Sisir
Width : 2.5mm²
Length : 50 Yard
Color : Black, Red, G/Y
Qty : 1 pcs/ctn

Kabel Sisir 100 meter



VPC 1.5

Type : Kabel Sisir
Width : 1.5mm²
Length : 100 meter
Color : Black, Red, G/Y, Blue, Yellow
Qty : 1 pcs/ctn



VPC 2.5

Type : Kabel Sisir
Width : 2.5mm²
Length : 100 meter
Color : Black, Red, G/Y, Blue, Yellow
Qty : 1 pcs/ctn



VPC 4

Type : Kabel Sisir
Width : 4mm²
Length : 100 meter
Color : Black, Red, G/Y, Blue, Yellow
Qty : 1 pcs/ctn

Kabel NYMHY



GBR-047/GBR-147

Type : Kabel NYMHY
Width : 2×0.5mm²
Length : 40 yard
Color : Black / White
Qty : 1 pcs/ctn

GBR-048

Type : Kabel NYMHY
Width : 3×0.5mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn

GBR-049/GBR-148

Type : Kabel NYMHY
Width : 2×0.75mm²
Length : 40 yard
Color : Black / White
Qty : 1 pcs/ctn



GBR-150

Type : Kabel NYMHY
Width : 2×0.75mm²
Length : 40 yard
Color : Grey
Qty : 1 pcs/ctn

GBR-051

Type : Kabel NYMHY
Width : 2×1.5mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn

GBR-052

Type : Kabel NYMHY
Width : 2×2.5mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn



GBR-053

Type : Kabel NYMHY
Width : 3×0.75mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn

GBR-055

Type : Kabel NYMHY
Width : 3×1.5mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn

GBR-056

Type : Kabel NYMHY
Width : 3×2.5mm²
Length : 40 yard
Color : White
Qty : 1 pcs/ctn

Kabel NYMHY



GBR-061

Type : Kabel NYMHY
Width : 2×0.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-137

Type : Kabel NYMHY
Width : 2×0.75mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-138

Type : Kabel NYMHY
Width : 2×1.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn



GBR-139

Type : Kabel NYMHY
Width : 2×2.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-066

Type : Kabel NYMHY
Width : 3×0.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-140

Type : Kabel NYMHY
Width : 3×0.75mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn



GBR-141

Type : Kabel NYMHY
Width : 3×1.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-142

Type : Kabel NYMHY
Width : 3×2.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-144

Type : Kabel NYMHY
Width : 2×1.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-146

Type : Kabel NYMHY
Width : 3×1.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-149

Type : Kabel NYMHY
Width : 2×0.5mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

GBR-143

Type : Kabel NYMHY
Width : 2×0.75mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn



GBR-145

Type : Kabel NYMHY
Width : 3×0.75mm²
Length : 100 meter
Color : White
Qty : 1 pcs/ctn

Audio Cable



VSP40230

Type : Audio Cable
Width : 2×30mm²
Length : 40 meter
Qty : 10 roll/ctn



VSP40250

Type : Audio Cable
Width : 2×50mm²
Length : 40 meter
Qty : 10 roll/ctn



VSP40280

Type : Audio Cable
Width : 2×80mm²
Length : 40 meter
Qty : 10 roll/ctn



VSP402120

Type : Audio Cable
Width : 2×120mm²
Length : 40 meter
Qty : 10 roll/ctn



VKR-22018

Type : RCA Cable 2.2
Length : 1.8 meter
Qty : 150 pcs/ctn



VKR-22030

Type : RCA Cable 2.2
Length : 3 meter
Qty : 100 pcs/ctn



VKR-22100

Type : RCA Cable 2.2
Length : 10 meter
Qty : 50 pcs/ctn



VKR-22500R

Type : RCA Cable 2.2
Length : 50 meter
Qty : 10 pcs/ctn



VKR-33018

Type : RCA Cable 3.3
Length : 1.8 meter
Qty : 200 pcs/ctn



VKR-33030

Type : RCA Cable 3.3
Length : 3 meter
Qty : 80 pcs/ctn



VKR-33050

Type : RCA Cable 3.3
Length : 5 meter
Qty : 60 pcs/ctn



VKR-33100

Type : RCA Cable 3.3
Length : 10 meter
Qty : 40 pcs/ctn



VKR-33500R

Type : RCA Cable 2.2
Length : 50 meter
Qty : 8 pcs/ctn



VKP-2107A

Type : Power Cable
2 Pin Gepeng
Current : 2.5A 250V
Length : 1.6 meter
Qty : 500pcs/ctn



VKP-2167A

Type : Power Cable
2 Pin Angled
Current : 16A 250V
Length : 1.4 meter
Qty : 100pcs/ctn



VS02-02

Type : HDMI Cable AM-AM
Length : 1.5 meter
Color : Black
Qty : 200pcs/ctn



VKS1007A

Type : Auto Iron Wire
Plug : 2 Cables
Current : 10A
Length : 1.8 meter
Qty : 120pcs/ctn



VKS1607A

Type : Auto Iron Wire
Plug : 3 Cables
Current : 16A
Length : 1.8 meter
Qty : 100pcs/ctn



RG59/U

Type : RG59U Cable
Cable : 2 Pair
Resistance : 75Ω
Length : 300 meter
Qty : 2 rolls/ctn

Fan

Visalux **Fan** combines powerful airflow with energy-efficient performance to keep your space cool and comfortable.



House Fan



FIORE

Code : Fiore-FE15-12Vdc
Type : Single
Current : 12W
Size : 4"
Qty : 60 set/ctn

FIORE

Code : Fiore-FE15-24Vdc
Type : Single
Current : 12W
Size : 4"
Qty : 60 set/ctn



FIORE

Code : Fiore-FE15-12Vdc
Type : Double
Current : 12W
Size : 4"
Qty : 40 set/ctn

FIORE

Code : Fiore-FE15-12Vdc
Type : Double
Current : 24W
Size : 4"
Qty : 40 set/ctn



FE15 12Vdc

Type : DC Fan
Current : 12W 12Vdc
Size : 6" (15cm)
Qty : 24 set/ctn

FE15 24Vdc

Type : DC Fan
Current : 12W 24Vdc
Size : 6" (15cm)
Qty : 24 set/ctn

FE20 12Vdc

Type : DC Fan
Current : 12W 12Vdc
Size : 8" (20cm)
Qty : 18 set/ctn

FE20 24Vdc

Type : DC Fan
Current : 12W 24Vdc
Size : 8" (20cm)
Qty : 18 set/ctn



FE15-220V

Type : Cooling Fan
Current : 220V
Size : 4" 7 Blades
Qty : 40 set/ctn

FE15-110V

Type : Cooling Fan
Current : 110V
Size : 4" 7 Blades
Qty : 40 set/ctn

FE15-24dc

Type : Cooling Fan
Current : 24Vdc
Size : 4" 7 Blades
Qty : 40 set/ctn



FE20-110V

Type : Cooling Fan
Current : 110V
Size : 6" 5 Blades
Qty : 24 set/ctn

FE20-220V

Type : Cooling Fan
Current : 220V
Size : 6" 5 Blades
Qty : 24 set/ctn



FE30

Type : Desk Fan
Current : 35W 220-240V
Size : 12"
Qty : 1 set/ctn

FE35

Type : Desk Fan
Current : 55W 220-240V
Size : 14"
Qty : 1 set/ctn

FE40

Type : Desk Fan
Current : 70W 220-240V
Size : 16"
Qty : 1 set/ctn

FE45

Type : Desk Fan
Current : 100W 220-240V
Size : 18"
Qty : 1 set/ctn



VS-4022G

Type : Double Fan
Current : 75W 220-240V
Size : 16" (40cm)
Qty : 1 set/ctn

VS-4522G

Type : DC Fan
Current : 100W 220-240V
Size : 18" (45cm)
Qty : 1 set/ctn



FD40

Type : Auto Fan
Current : 55W
Size : 16"
Qty : 2 set/ctn



45T-W

Type : Wall Fan
Current : 100W 220-240V
Size : 18" (45cm)
Qty : 2 set/ctn

50T-W

Type : Wall Fan
Current : 120W 220-240V
Size : 20" (50cm)
Qty : 2 set/ctn



VSTW45

Type : Standing Fan 3 in 1
Current : 55W 220V
Size : 18"
Qty : 2 set/ctn



MFS-26

Type : Standing Fan Water
Current : 215W 220-240V
Size : 26"
Qty : 1 set/ctn

MFS-30

Type : Standing Fan Water
Current : 235W 220-240V
Size : 30"
Qty : 1 set/ctn

Exhaust Fan



Metallic 6”

Code : APB15-A1
Type : Ceiling Exhaust Fan
Current : 25W 220V
Size : 6” (15cm)
Qty : 6 set/ctn

Metallic 8”

Code : APB20-A1
Type : Ceiling Exhaust Fan
Current : 30W 220V
Size : 8” (20cm)
Qty : 4 set/ctn

Metallic 10”

Code : APB25-A1
Type : Ceiling Exhaust Fan
Current : 35W 220V
Size : 10” (25cm)
Qty : 4 set/ctn

Metallic 12”

Code : APB30-A1
Type : Ceiling Exhaust Fan
Current : 42W 220V
Size : 12” (30cm)
Qty : 4 set/ctn



Metallic 8” 2 Way

Code : ASB20-A2
Type : Ceiling Exhaust Fan
Current : 30W 220V
Size : 8” (20cm)
Qty : 4 set/ctn

Metallic 10” 2 Way

Code : ASB25-A2
Type : Ceiling Exhaust Fan
Current : 35W 220V
Size : 10” (25cm)
Qty : 4 set/ctn

Metallic 12” 2 Way

Code : ASB30-A2
Type : Ceiling Exhaust Fan
Current : 42W 220V
Size : 12” (30cm)
Qty : 4 set/ctn



ASB20-RUN

Type : Ceiling Exhaust Fan 2 Way with Cover
Current : 30W 220V
Size : 8” (20cm)
Qty : 4 set/ctn

ASB25-RUN

Type : Ceiling Exhaust Fan 2 Way with Cover
Current : 35W 220V
Size : 10” (25cm)
Qty : 4 set/ctn

ASB30-RUN

Type : Ceiling Exhaust Fan 2 Way with Cover
Current : 42W 220V
Size : 12” (30cm)
Qty : 4 set/ctn



BPT12-13B3

Type : Ceiling Exhaust Fan (Pipe)
Current : 30W 220V
Size : 8” (20cm)
Qty : 6 set/ctn

APT20-A

Type : Ceiling Exhaust Fan
Current : 30W 220V
Size : 8” (20cm)
Qty : 4 set/ctn

APT25-A

Type : Ceiling Exhaust Fan
Current : 33W 220V
Size : 10” (25cm)
Qty : 6 set/ctn



APT20-TG

Type	: Ceiling Exhaust Fan
Current	: 30W 220V
Size	: 8" (20cm)
Qty	: 4 set/ctn

APT25-TG

Type	: Ceiling Exhaust Fan
Current	: 33W 220V
Size	: 10" (25cm)
Qty	: 4 set/ctn

Industrial Fan



FB50-Dimmer

Type	:
Current	:
Size	:
Qty	:

FB65-Dimmer

Type	:
Current	:
Size	:
Qty	:

FB75-Dimmer

Type	:
Current	:
Size	:
Qty	: